



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
10.0	24th	Commerce	Martin	0.27	N	4	U	12,733	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.19	D	3.08	C
10.0	24th	Commerce	Martin	0.27	S	4	U	12,733	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.19	D	3.08	C
11.0	24th	Martin	Culebra	0.91	N	4	U	20,371	4	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.43	D	3.27	C
11.0	24th	Martin	Culebra	0.91	S	4	U	20,371	4	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.43	D	3.44	C
21.0	36th Street	Culebra	Inez	0.57	N	2	U	12,732	3	30	16.0	0.0	0.0	25	4.0		N	C	0.0	0	0	0.0	4.05	D	4.53	E
21.0	36th Street	Culebra	Inez	0.57	S	2	U	12,732	3	30	16.0	0.0	0.0	25	4.0		N	C	0.0	0	100	4.5	4.05	D	3.34	C
21.1	36th Street	Inez	Commerce	0.41	N	4	U	15,916	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.27	D	3.24	C
21.1	36th Street	Inez	Commerce	0.41	S	4	U	15,916	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.27	D	3.24	C
22.0	36th Street	Commerce	Castroville	1.43	N	4	U	18,315	3	35	11.0	0.0	0.0	0	4.0		N	C	2.0	0	100	5.0	4.34	D	3.26	C
22.0	36th Street	Commerce	Castroville	1.43	S	4	U	18,315	3	35	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	6.0	4.23	D	3.13	C
24.0	36th Street	Freeman	Culebra	0.70	N	4	U	27,800	4	35	10.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	4.71	E	5.38	E
24.0	36th Street	Freeman	Culebra	0.70	S	4	U	27,800	4	35	10.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	4.71	E	5.38	E
30.0	3rd	Broadway	Bonham	0.25	E	4	U	7,970	2	30	12.0	0.0	0.0	0	3.0		N	C	8.0	0	100	8.0	3.81	D	2.11	B
30.0	3rd	Broadway	Bonham	0.25	W	4	U	7,970	2	30	12.0	0.0	0.0	0	3.0		N	C	6.0	0	100	5.0	3.81	D	2.35	B
40.0	Ackerman	FM 78	Binz Engleman	1.26	N	2	U	7,204	2	35	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.95	C	3.72	D
40.0	Ackerman	FM 78	Binz Engleman	1.26	S	2	U	7,204	2	35	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.95	C	3.72	D
41.0	Ackerman	Binz Engleman	IH 10	1.17	N	2	U	12,477	3	35	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.43	C	4.35	D
41.0	Ackerman	Binz Engleman	IH 10	1.17	S	2	U	12,477	3	35	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.43	C	4.35	D
50.0	Airport Blvd.	South Terminal	Parkridge	0.18	N	2	D	13,557	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.57	E	5.11	E
50.0	Airport Blvd.	South Terminal	Parkridge	0.18	S	2	D	13,557	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.57	E	5.11	E
60.0	Alamo Heights Blvd.	Devine	Tuxedo	1.03	N	2	U	2,539	2	30	30.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.15	B
60.0	Alamo Heights Blvd.	Devine	Tuxedo	1.03	S	2	U	2,539	2	30	30.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.15	B
70.0	Alamo St. S.	Market	Nueva	0.21	N	4	D	13,264	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	8.0	4.50	D	2.81	C
70.0	Alamo St. S.	Market	Nueva	0.21	S	4	D	13,264	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	8.0	4.50	D	2.81	C
70.1	Alamo St. S.	Nueva	Durango	0.16	N	6	D	12,193	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	12.0	3.98	D	2.14	B
70.1	Alamo St. S.	Nueva	Durango	0.16	S	6	D	12,193	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	3.98	D	2.38	B
80.0	Apple Valley Dr.	Medina Base Rd.	SPRR	0.73	N	2	U	3,184	2	30	15.0	0.0	0.0	50	3.5		N	C	8.0	0	100	4.0	3.38	C	1.93	B
80.0	Apple Valley Dr.	Medina Base Rd.	SPRR	0.73	S	2	U	3,184	2	30	15.0	0.0	0.0	50	3.5		N	C	8.0	0	100	4.0	3.38	C	1.93	B
90.0	Ashby	McCullough	St. Mary's	0.24	E	2	U	10,611	3	30	20.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	2.76	C	3.06	C
90.0	Ashby	McCullough	St. Mary's	0.24	W	2	U	10,611	3	30	21.0	0.0	0.0	25	4.0		N	C	0.0	0	100	5.0	3.15	C	2.91	C
100.0	Ashley	Pleasanton	South Flores	1.21	E	4	U	7,228	2	35	11.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	3.70	D	2.71	C
100.0	Ashley	Pleasanton	South Flores	1.21	W	4	U	7,228	2	35	11.0	0.0	0.0	0	3.5		N	C	2.0	0	50	4.0	3.70	D	3.37	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₂ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
110.0	Austin Highway (Spur 368)	Perrin Beitel	Loop 410	1.10	NE	4	U	16,720	4	45	13.0	0.0	0.0	0	3.0		N	C	0.0	0	50	5.0	4.83	E	4.10	D
110.0	Austin Highway (Spur 368)	Perrin Beitel	Loop 410	1.10	SW	4	U	16,720	4	45	13.0	0.0	0.0	0	3.0		N	C	0.0	0	50	5.0	4.83	E	4.10	D
111.0	Austin Highway (Spur 368)	Perrin Beitel	Salado Creek	0.91	NE	4	U	16,720	4	45	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.65	E	4.72	E
111.0	Austin Highway (Spur 368)	Perrin Beitel	Salado Creek	0.91	SW	4	U	16,720	4	45	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.65	E	4.72	E
111.1	Austin Highway (Spur 368)	Salado Creek	Eisenhauer	0.61	E	4	U	24,246	4	45	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.85	E	5.17	E
111.1	Austin Highway (Spur 368)	Salado Creek	Eisenhauer	0.61	W	4	U	24,246	4	45	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.85	E	5.17	E
112.0	Austin Highway (Spur 368)	Eisenhauer	Rittiman	1.66	NE	4	D	24,200	4	40	12.0	0.0	0.0	0	3.5		N	S	23.0	0	50	3.0	4.87	E	4.21	D
112.0	Austin Highway (Spur 368)	Eisenhauer	Rittiman	1.66	SE	4	D	24,200	4	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	50	3.0	4.87	E	4.58	E
112.1	Austin Highway (Spur 368)	Rittiman	New Braunfels	0.35	E	4	D	24,200	4	35	16.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.18	D	4.58	E
112.1	Austin Highway (Spur 368)	Rittiman	New Braunfels	0.35	W	4	D	24,200	4	35	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.48	D	4.74	E
112.2	Austin Highway (Spur 368)	New Braunfels	Broadway	0.46	NE	6	D	24,200	4	30	16.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.79	D	3.97	D
112.2	Austin Highway (Spur 368)	New Braunfels	Broadway	0.46	SW	6	D	24,200	4	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	25	4.0	3.94	D	3.79	D
120.0	Avenue "A"	Jones	E Josephine	0.32	N	6	S	1,700	2	30	10.0	0.0	0.0	0	3.5		N	C	0.0	0	100	7.0	2.83	C	2.03	B
120.0	Avenue "A"	Jones	E Josephine	0.32	S	6	S	1,700	2	30	10.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	2.83	C	2.10	B
130.0	Avenue "B"	Tuleta	Brackenridge	0.53	N	2	U	1,200	2	25	10.0	0.0	20.0	75	3.5		N	S	0.0	0	0	0.0	3.07	C	2.97	C
130.0	Avenue "B"	Tuleta	Brackenridge	0.53	S	2	U	1,200	2	25	10.0	0.0	20.0	75	3.5		N	S	0.0	0	0	0.0	3.07	C	2.97	C
140.0	Babcock	Scenic Loop Road	Camp Bullis	4.06	N	2	U	1,539	4	45	16.0	4.5	0.0	0	3.0		N	S	0.0	0	0	0.0	1.00	A	3.64	D
140.0	Babcock	Scenic Loop Road	Camp Bullis	4.06	S	2	U	1,539	4	45	15.5	3.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.38	A	3.68	D
140.1	Babcock	Camp Bullis	Mossbrook	1.05	N	2	U	2,495	3	40	18.0	5.5	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	0.43	A	3.44	C
140.1	Babcock	Camp Bullis	Mossbrook	1.05	S	2	U	2,495	3	40	18.0	6.0	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	0.34	A	3.44	C
140.2	Babcock	Mossbrook	Loop 1604	0.66	N	2	S	8,147	3	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.28	D	4.62	E
140.2	Babcock	Mossbrook	Loop 1604	0.66	S	2	S	8,147	3	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.28	D	4.62	E
141.0	Babcock	Loop 1604	Hausman	1.06	N	2	U	11,186	4	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.77	E	5.15	E
141.0	Babcock	Loop 1604	Hausman	1.06	S	2	U	11,186	4	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.77	E	5.15	E
143.0	Babcock	Prue	Huebner	1.71	N	4	S	34,578	4	45	12.5	0.0	0.0	0	4.0		N	C	0.0	0	75	6.5	4.93	E	4.78	E
143.0	Babcock	Prue	Huebner	1.71	S	4	S	34,578	4	45	12.5	0.0	0.0	0	4.0		N	C	0.0	0	50	5.5	4.93	E	5.16	E
144.0	Babcock	Huebner	Hamilton Wolfe	0.69	N	6	S	38,063	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	4.84	E	3.90	D
144.0	Babcock	Huebner	Hamilton Wolfe	0.69	S	6	S	38,063	4	45	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.78	E	4.07	D
144.1	Babcock	Hamilton Wolfe	Wurzbach	0.98	N	6	S	44,563	5	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	5.51	F	4.57	E
144.1	Babcock	Hamilton Wolfe	Wurzbach	0.98	S	6	S	44,563	5	45	12.5	0.0	0.0	0	3.0		N	C	2.5	0	100	3.0	5.45	E	4.45	D
145.0	Babcock	Wurzbach	Loop 410	1.47	N	6	D	42,816	5	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.5	5.49	E	4.41	D
145.0	Babcock	Wurzbach	Loop 410	1.47	S	6	D	42,816	5	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	5.49	E	4.50	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						145.1	Babcock				Loop 410	Hillcrest	0.61		E	4							U	31,015	4	35
145.1	Babcock	Loop 410	Hillcrest	0.61	W	4	U	31,015	4	35	10.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	5.26	E	4.13	D
146.0	Babcock	Hillcrest	Balcones	0.20	E	4	U	15,916	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.44	D	3.11	C
146.0	Babcock	Hillcrest	Balcones	0.20	W	4	U	15,916	3	30	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.50	D	3.13	C
146.1	Babcock	Balcones	Sunshine	1.08	E	2	U	17,286	3	30	20.0	4.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.56	C	3.92	D
146.1	Babcock	Balcones	Sunshine	1.08	W	2	U	17,286	3	30	20.0	4.0	0.0	0	3.0		N	C	0.0	0	25	5.5	2.56	C	4.55	E
150.0	Bandera (Spur 421)	Callaghan	Evers/Benrus	0.40	E	6	S	30,800	4	45	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.61	E	3.70	D
150.0	Bandera (Spur 421)	Callaghan	Evers/Benrus	0.40	W	6	S	30,800	4	45	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.61	E	3.62	D
150.1	Bandera (Spur 421)	Evers/Benrus	Quill	1.10	E	4	U	30,800	4	45	10.0	0.0	0.0	0	4.0		N	S	0.0	0	25	5.5	5.15	E	5.51	F
150.1	Bandera (Spur 421)	Evers/Benrus	Quill	1.10	W	4	U	30,800	4	45	11.5	0.0	0.0	0	4.0		N	S	0.0	0	25	5.5	4.99	E	5.36	E
151.0	Bandera (Spur 421/SH 16)	Huebner	Loop 410	1.86	E	6	D	62,700	6	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	25	5.5	5.65	F	5.98	F
151.0	Bandera (Spur 421/SH 16)	Huebner	Loop 410	1.86	W	6	D	62,700	6	45	12.5	0.0	0.0	0	4.0		N	S	0.0	0	25	5.5	5.59	F	5.93	F
151.1	Bandera (Spur 421/SH 16)	Loop 410	Callaghan	0.79	E	6	S	31,900	4	45	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.62	E	3.70	D
151.1	Bandera (Spur 421/SH 16)	Loop 410	Callaghan	0.79	W	6	S	31,900	4	45	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.62	E	3.70	D
152.0	Bandera (SH 16)	Tezel	Guilbeau	2.07	N	4	D	31,900	4	45	23.5	11.5	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	4.89	E
152.0	Bandera (SH 16)	Tezel	Guilbeau	2.07	S	4	D	31,900	4	45	21.5	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.32	A	5.00	E
152.1	Bandera (SH 16)	Guilbeau	Huebner	1.58	N	6	D	55,000	5	45	13.0	0.0	0.0	0	3.0		N	S	15.0	0	0	5.0	5.49	E	5.91	F
152.1	Bandera (SH 16)	Guilbeau	Huebner	1.58	S	6	D	55,000	5	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.62	F	6.01	F
153.0	Bandera (SH 16)	Tezel	FM 1560	1.91	N	6	D	41,800	5	45	16.0	4.5	0.0	0	5.0	4.5	N	S	0.0	0	0	0.0	3.61	D	5.12	E
153.0	Bandera (SH 16)	Tezel	FM 1560	1.91	S	6	D	41,800	5	45	16.5	5.0	0.0	0	5.0	4.5	N	S	0.0	0	0	0.0	3.40	C	5.08	E
154.0	Bandera (SH 16)	FM 1560	Helotes Bridge	1.59	N	4	D	18,700	4	45	22.5	11.5	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	0.00	A	4.16	D
154.0	Bandera (SH 16)	FM 1560	Helotes Bridge	1.59	S	4	D	18,700	4	45	21.6	9.5	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	0.57	A	4.21	D
154.1	Bandera (SH 16)	Helotes Bridge	SH 211	7.49	E	4	D	13,860	10	65	22.5	9.5	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.89	C	4.75	E
154.1	Bandera (SH 16)	Helotes Bridge	SH 211	7.49	W	4	D	13,860	10	65	10.0	22.5	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.73	C	5.74	F
160.0	Basse	West Avenue	Olympia	0.41	E	4	U	15,820	3	35	12.0	0.0	0.0	0	4.0		N	C	6.0	0	100	4.0	4.15	D	3.04	C
160.0	Basse	West Avenue	Olympia	0.41	W	4	U	15,820	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.21	D	4.49	D
160.1	Basse	Olympia	Blanco	0.68	E	4	D	12,289	3	35	21.5	0.0	0.0	0	3.0		N	S	0.0	0	0	5.0	2.76	C	3.51	D
160.1	Basse	Olympia	Blanco	0.68	W	4	D	12,289	3	35	21.0	0.0	0.0	0	3.0		N	C	11.0	0	100	4.0	2.86	C	2.44	B
162.0	Basse	McCullough	Jones Maltsberger	0.69	E	4	U	28,957	4	35	11.0	0.0	0.0	0	4.0		N	S	6.5	0	25	3.5	4.79	E	4.97	E
162.0	Basse	McCullough	Jones Maltsberger	0.69	W	4	U	28,957	4	35	10.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.84	E	5.38	E
162.1	Basse	Jones Maltsberger	Broadway	1.29	E	4	D	24,106	4	30	12.0	0.0	0.0	0	4.0		N	C	2.5	0	100	4.0	4.40	D	3.53	D
162.1	Basse	Jones Maltsberger	Broadway	1.29	W	4	D	24,106	4	40	13.0	0.0	0.0	0	4.0		N	C	4.5	0	100	5.0	4.59	E	3.60	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						170.1	Binz Engleman				Ackerman	Foster	1.36		E	2							U	4,349	3	40
170.1	Binz Engleman	Ackerman	Foster	1.36	W	2	U	4,349	3	40	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.88	D	3.88	D
171.0	Binz Engleman	Foster	FM 1516	3.03	E	2	U	7,047	3	40	15.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.80	D	4.21	D
171.0	Binz Engleman	Foster	FM 1516	3.03	W	2	U	7,047	3	40	15.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.80	D	4.21	D
180.0	Bitters	US 281	Winding Way	0.27	E	4	S	40,398	5	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	5.16	E	4.74	E
180.0	Bitters	US 281	Winding Way	0.27	W	4	S	40,398	5	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	5.10	E	5.96	F
180.1	Bitters	Winding Way	Blanco	1.81	E	4	U	33,042	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.93	E	4.39	D
180.1	Bitters	Winding Way	Blanco	1.81	W	4	U	33,042	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.93	E	5.67	F
181.0	Bitters	US 281	Starcrest	1.13	NW	4	U	22,640	4	35	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.61	E	4.65	E
181.0	Bitters	US 281	Starcrest	1.13	SE	4	U	22,640	4	35	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.61	E	3.47	C
190.0	Blanco (FM 2696)	County Boundary	Old Blanco Road	2.66	N	2	U	4,400	5	60	21.0	9.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.03	A	4.28	D
190.0	Blanco (FM 2696)	County Boundary	Old Blanco Road	2.66	S	2	U	4,400	5	60	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.61	B	4.33	D
190.1	Blanco (FM 2696)	Old Blanco Road	Oak Estates	2.92	N	2	U	4,400	4	60	21.0	9.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.73	A	4.28	D
190.1	Blanco (FM 2696)	Old Blanco Road	Oak Estates	2.92	S	2	U	4,400	4	60	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.31	A	4.33	D
191.0	Blanco (FM 2696)	Oak Estcvcs	Wilderness Oaks	2.19	N	2	U	11,220	4	45	20.0	9.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	1.62	B	4.51	E
191.0	Blanco (FM 2696)	Oak Estcvcs	Wilderness Oaks	2.19	S	2	U	11,220	4	45	19.0	8.5	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.04	B	4.59	E
192.0	Blanco (FM 2696)	Wilderness Oaks	Huebner	1.10	N	2	U	11,220	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.10	E	5.15	E
192.0	Blanco (FM 2696)	Wilderness Oaks	Huebner	1.10	S	2	U	11,220	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.10	E	5.15	E
192.1	Blanco (FM 2696)	Huebner	1604	0.96	N	4	S	33,000	4	45	16.0	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	0	100.0	3.38	C	5.43	E
192.1	Blanco (FM 2696)	Huebner Rd.	1604	0.96	S	4	S	33,000	4	45	16.0	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	0	100.0	3.38	C	5.43	E
193.0	Blanco (FM 2696)	Loop 1604	Blanco Woods	1.64	N	4	S	33,000	4	45	16.5	5.5	0.0	0	5.0	4.5	Y	C	0.0	0	100	5.5	3.11	C	4.29	D
193.0	Blanco (FM 2696)	Loop 1604	Blanco Woods	1.64	S	4	S	33,000	4	45	16.5	5.5	0.0	0	5.0	4.5	Y	C	0.0	0	100	5.5	3.11	C	4.29	D
193.1	Blanco (FM 2696)	Blanco Woods	Bitters	0.50	N	4	S	33,000	4	45	16.0	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	4.5	3.33	C	4.40	D
193.1	Blanco (FM 2696)	Blanco Woods	Bitters	0.50	S	4	S	33,000	4	45	16.5	5.5	0.0	0	5.0	4.5	Y	C	0.0	0	100	5.5	3.11	C	4.29	D
194.0	Blanco (FM 2696)	Bitters	Vista Real	0.74	N	4	D	28,600	4	45	16.0	5.5	0.0	0	5.0	4.5	Y	C	0.0	0	100	6.0	3.15	C	4.00	D
194.0	Blanco (FM 2696)	Bitters	Vista Real	0.74	S	4	D	28,600	4	45	16.0	5.5	0.0	0	5.0	4.5	Y	C	0.0	0	100	6.0	3.15	C	4.00	D
194.1	Blanco (FM 2696)	Vista Real	Wurzbach Pkwy	0.85	N	3	D	31,049	4	45	16.5	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	6.0	3.19	C	4.13	D
194.1	Blanco (FM 2696)	Vista Real	Wurzbach Pkwy	0.85	S	2	D	31,049	4	45	16.0	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	6.5	3.65	D	5.97	F
195.0	Blanco (FM 2696)	Wurzbach Parkway	West Avenue	0.98	N	6	S	31,900	4	45	16.5	5.5	0.0	0	5.0	4.5	Y	C	0.0	0	100	5.5	2.89	C	3.59	D
195.0	Blanco (FM 2696)	Wurzbach Parkway	West Avenue	0.98	S	6	S	31,900	4	45	16.5	6.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	5.0	2.78	C	3.64	D
196.0	Blanco (FM 2696)	West Avenue	Loop 410	1.83	N	4	S	41,800	5	40	16.0	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	4.0	3.60	D	4.82	E
196.0	Blanco (FM 2696)	West Avenue	Loop 410	1.83	S	4	S	41,800	5	40	16.0	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	6.0	3.60	D	4.62	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
197.0	Blanco	Loop 410	Jackson Keller	1.25	N	4	U	18,008	3	35	10.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.39	D	3.27	C
197.0	Blanco	Loop 410	Jackson Keller	1.25	S	4	U	18,008	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	75	5.5	4.33	D	3.61	D
197.1	Blanco	Jackson Keller	Basse	1.01	N	4	U	24,670	4	35	11.0	0.0	0.0	0	2.5		N	C	0.0	0	100	6.5	5.40	E	3.57	D
197.1	Blanco	Jackson Keller	Basse	1.01	S	4	U	24,670	4	35	12.0	0.0	0.0	0	2.5		N	C	0.0	0	100	6.5	5.28	E	3.53	D
198.0	Blanco	Basse	Hildebrand	1.50	N	4	U	19,512	3	35	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	4.09	D	3.42	C
198.0	Blanco	Basse	Hildebrand	1.50	S	4	U	19,512	3	35	11.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	4.21	D	3.45	C
199.0	Blanco	Hildebrand	Fredericksburg	0.93	N	2	U	8,676	2	35	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	3.81	D	3.02	C
199.0	Blanco	Hildebrand	Fredericksburg	0.93	S	2	U	8,676	2	35	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	3.81	D	3.02	C
210.0	Bonham St.	3rd. Street	McCullough	0.18	E	2	U	2,599	2	30	19.0	0.0	0.0	25	2.5		N	C	12.0	0	100	5.0	1.97	B	1.72	B
210.0	Bonham St.	3rd. Street	McCullough	0.18	W	2	U	2,599	2	30	17.0	0.0	0.0	0	2.5		N	C	7.0	0	100	4.0	2.02	B	2.09	B
220.0	Borgfeld	US 281	Canyon Golf	2.45	E	2	U	6,706	6	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.40	E	4.61	E
220.0	Borgfeld	US 281	Canyon Golf	2.45	W	2	U	6,706	6	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.40	E	4.61	E
220.1	Borgfeld	Canyon Golf	Old Blanco Road	1.72	E	2	U	6,706	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.59	E	4.61	E
220.1	Borgfeld	Canyon Golf	Old Blanco Road	1.72	W	2	U	6,706	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.59	E	4.61	E
230.0	Braun	FM 1560	Loop 1604	1.80	E			16,342	3								N	C		0		0.0	Constr.	Constr.	Constr.	Constr.
230.0	Braun	FM 1560	Loop 1604	1.80	W			16,342	3								N	C		0		0.0	Constr.	Constr.	Constr.	Constr.
231.0	Braun	Loop 1604	Tezel	1.43	E	4	U	17,316	4	45	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.45	D	4.70	E
231.0	Braun	Loop 1604	Tezel	1.43	W	4	U	17,316	4	45	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.58	E	4.79	E
232.0	Braun	Bandera	Tezel	0.84	E	4	U	9,963	3	45	13.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	3.83	D	4.31	D
232.0	Braun	Bandera	Tezel	0.84	W	4	U	9,963	3	45	13.0	0.0	0.0	0	5.0		N	S	0.0	0	5	0.0	3.83	D	4.31	D
240.0	Broadway	Wetmore	Loop 410	1.83	N	4	S	29,933	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.89	E	4.06	D
240.0	Broadway	Wetmore	Loop 410	1.83	S	4	S	29,933	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.89	E	4.06	D
240.1	Broadway	Loop 410	Sunset	0.69	N	4	U	21,394	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.98	E	3.62	D
240.1	Broadway	Loop 410	Sunset	0.69	S	4	U	21,394	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.98	E	3.62	D
241.0	Broadway	Sunset	Claywell	0.76	N	4	U	16,208	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.61	E	3.32	C
241.0	Broadway	Sunset	Claywell	0.76	S	4	U	16,208	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.61	E	3.20	C
242.0	Broadway	Claywell	Albany	0.91	N	4	U	19,099	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.42	D	3.21	C
242.0	Broadway	Claywell	Albany	0.91	S	4	U	19,099	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.42	D	3.33	C
242.1	Broadway	Albany	Austin Highway	0.37	N	4	U	17,714	3	30	22.0	0.0	0.0	50	3.0		N	C	6.0	0	75	4.0	3.66	D	2.79	C
242.1	Broadway	Albany	Austin Highway	0.37	S	4	U	17,714	3	30	26.0	0.0	0.0	50	3.0		N	C	3.0	0	75	6.0	2.90	C	2.64	C
243.0	Broadway (Spur 368)	Hildebrand	Austin Highway	0.89	N	6	D	34,100	4	30	18.0	0.0	0.0	50	3.0		N	C	0.0	0	100	4.0	4.57	E	3.04	C
243.0	Broadway (Spur 368)	Hildebrand	Austin Highway	0.89	S	6	D	34,100	4	30	13.0	0.0	0.0	50	3.0		N	C	0.0	0	100	4.0	5.10	E	3.17	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						243.1	Broadway (Spur 368)				Hildebrand	Josephine	1.66		N	6							S	24,200	4	35
243.1	Broadway (Spur 368)	Hildebrand	Josephine	1.66	S	6	S	24,200	4	35	12.5	0.0	0.0	0	5.0		N	C	10.0	5	100	4.0	4.15	D	1.22	A
244.0	Broadway (Spur 368)	Josephine	Jones	0.67	N	2	U	18,718	3	30	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.31	D	4.10	D
244.0	Broadway (Spur 368)	Josephine	Jones	0.67	S	2	U	18,718	3	30	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.37	D	4.13	D
245.0	Broadway	Jones	Pecan	0.65	N	6	S	14,665	3	30	9.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.07	D	2.75	C
245.0	Broadway	Jones	Pecan	0.65	S	6	S	14,665	3	30	9.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.07	D	2.66	C
245.1	Broadway	Pecan	Houston St.	0.15	N	4	U	7,959	2	30	20.0	0.0	0.0	50	3.5		N	C	0.0	0	100	10.0	3.21	C	1.87	B
245.1	Broadway	Pecan	Houston St.	0.15	S	4	U	7,959	2	30	19.5	0.0	0.0	50	3.5		N	C	0.0	0	100	11.0	3.28	C	1.81	B
245.2	Losoya	Houston	Commerce	0.19	S	2	OW	6,831	2	30	11.0	0.0	0.0	0	3.5		N	C	12.0	0	100	9.0	3.95	D	2.27	B
250.0	Brook Hollow	Heimer	Henderson Pass	0.27	NW	2	U	4,871	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.73	D	2.64	C
250.0	Brook Hollow	Heimer	Henderson Pass	0.27	SE	2	U	4,871	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.73	D	2.64	C
250.1	Brook Hollow	Henderson Pass	Jones Maltzberger	0.43	NW	2	U	4,871	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.73	D	2.64	C
250.1	Brook Hollow	Henderson Pass	Jones Maltzberger	0.43	SE	2	U	4,871	2	30	12.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	3.73	D	2.58	C
260.0	Bulverde	Evans	Classen	3.32	N	2	U	15,232	4	50	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.88	E	5.72	F
260.0	Bulverde	Evans	Classen	3.32	S	2	U	15,232	4	50	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.88	E	5.72	F
261.0	Bulverde Road	Classen	Quiet Meadow	1.71	N	2	S	15,121	4	40	17.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	4.00	D	5.02	E
261.0	Bulverde Road	Classen	Quiet Meadow	1.71	S	2	S	15,121	4	40	17.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	4.00	D	5.02	E
261.1	Bulverde Road	Quiet Meadow	Stahl	1.03	N	4	U	17,889	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.55	E	3.51	D
261.1	Bulverde Road	Quiet Meadow	Stahl	1.03	S	4	U	17,889	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.55	E	3.51	D
270.0	Burr	Broadway	New Braunfels	0.17	E	2	U	1,275	2	30	15.0	0.0	0.0	0	2.5		N	C	12.0	0	75	4.0	1.13	A	2.20	B
270.0	Burr	Broadway	New Braunfels	0.17	W	2	U	1,275	2	30	15.0	0.0	0.0	0	2.5		N	C	10.0	0	100	4.0	1.13	A	1.91	B
270.1	Burr	New Braunfels	Harry Wurzbach	1.45	E	2	U	5,112	2	30	17.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.56	D	3.54	D
270.1	Burr	New Braunfels	Harry Wurzbach	1.45	W	2	U	5,112	2	30	17.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.56	D	3.54	D
280.0	Cagnon	Macdona Lacoste	Ponder	2.59	N	2	U	948	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.02	B	2.90	C
280.0	Cagnon	Macdona Lacoste	Ponder	2.59	S	2	U	948	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.02	B	2.90	C
280.1	Cagnon	Ponder	US90	1.33	N	2	U	2,217	2	35	11.5	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	2.55	C	3.35	C
280.1	Cagnon	Ponder	US90	1.33	S	2	U	2,217	2	35	11.5	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	2.55	C	3.35	C
290.0	Callaghan	Vance Jackson	IH 10	1.21	N	4	U	10,677	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.06	D	2.93	C
290.0	Callaghan	Vance Jackson	IH 10	1.21	S	4	U	10,677	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.95	D	2.89	C
291.0	Callaghan	IH 10	Fredericksburg	0.86	N	4	U	26,737	4	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	5.08	E	3.89	D
291.0	Callaghan	IH 10	Fredericksburg	0.86	S	4	U	26,737	4	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	5.08	E	3.89	D
292.0	Callaghan	Fredericksburg	Babcock	0.86	N	4	U	22,475	4	35	11.0	0.0	0.0	0	5.0		N	C	0.0	0	25	4.5	4.50	D	4.61	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						292.0	Callaghan				Fredericksburg	Babcock	0.86		S	2							U	22,475	4	35
293.0	Callaghan	Bandera	Summit	0.65	N	2	U	15,536	3	35	18.0	0.0	0.0	0	3.0		N	C	3.5	0	100	5.0	3.92	D	3.75	D
293.0	Callaghan	Bandera	Summit	0.65	S	2	U	15,536	3	35	21.5	0.0	0.0	0	3.0		N	S	0.0	0	25	5.0	3.23	C	4.41	D
293.1	Callaghan	Summit	Loop 410	0.52	N	4	U	15,536	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	4.63	E	3.48	C
293.1	Callaghan	Summit	Loop 410	0.52	S	4	U	15,536	3	35	9.0	0.0	0.0	0	3.0		N	S	15.5	0	25	3.5	4.78	E	4.29	D
293.2	Callaghan	Loop 410	Babcock	0.39	N	4	S	35,151	4	35	12.0	0.0	0.0	0	3.0		N	C	11.0	0	100	6.5	5.10	E	3.85	D
293.2	Callaghan	Loop 410	Babcock	0.39	S	4	S	35,151	4	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	5.10	E	4.29	D
294.0	Callaghan	Culebra	Seacroft	0.36	N	4	U	16,979	4	40	15.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.06	D	3.15	C
294.0	Callaghan	Culebra	Seacroft	0.36	S	4	U	16,979	4	40	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	11.0	4.13	D	2.96	C
294.1	Callaghan	Seacroft	Ingram	0.86	N	2	U	22,037	4	30	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.09	E	6.04	F
294.1	Callaghan	Seacroft	Ingram	0.86	S	2	U	22,037	4	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	5.09	E	4.54	E
294.2	Callaghan	Ingram	Thunder	0.54	N	2	S	15,611	4	40	16.0	0.0	0.0	0	2.5		N	S	0.0	0	100	4.0	4.97	E	4.18	D
294.2	Callaghan	Ingram	Thunder	0.54	S	2	S	15,611	4	40	17.0	0.0	0.0	0	2.5		N	S	0.0	2	0	0.0	4.80	E	5.08	E
294.3	Callaghan	Thunder	Bandera	0.90	E	2	U	15,005	4	40	13.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.38	E	5.34	E
294.3	Callaghan	Thunder	Bandera	0.90	W	2	U	15,005	4	40	16.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.87	E	5.04	E
295.0	Callaghan	SH 151	Commerce	0.58	N	4	U	16,774	4	45	16.0	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	25	6.0	3.03	C	4.17	D
295.0	Callaghan	SH 151	Commerce	0.58	S	4	U	16,774	4	45	16.0	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	0	0.0	3.14	C	4.46	D
295.1	Callaghan	Commerce	Culebra	1.04	N	2	U	21,933	4	40	17.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.29	D	5.83	F
295.1	Callaghan	Commerce	Culebra	1.04	S	2	U	21,933	4	40	17.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.29	D	5.83	F
300.0	Camp Bullis	Babcock	IH 10	1.88	E	4	D	3,372	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	2.42	B	2.67	C
300.0	Camp Bullis	Babcock	IH 10	1.88	W	4	D	3,372	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	2.42	B	2.67	C
301.0	Camp Bullis	IH 10	NW Military	1.92	E	2	U	2,916	4	40	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.81	B	3.07	C
301.0	Camp Bullis	IH 10	NW Military	1.92	W	2	U	2,916	4	40	22.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.12	A	2.94	C
310.0	Castroville	US 90	SH 151	0.72	E	2	U	14,072	4	45	16.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.94	E	5.10	E
310.0	Castroville	US 90	SH 151	0.72	W	2	U	14,072	4	45	21.0	0.0	0.0	0	2.5		N	C	2.0	0	25	4.0	4.09	D	4.59	E
311.0	Castroville	SH 151	General McMullen	1.99	E	4	U	10,366	3	30	11.0	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	4.59	E	2.72	C
311.0	Castroville	SH 151	General McMullen	1.99	W	4	U	10,366	3	30	10.5	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	4.64	E	2.73	C
312.0	Castroville	General McMullen	Guadalupe	1.17	E	4	U	17,470	3	35	11.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.41	D	3.25	C
312.0	Castroville	General McMullen	Guadalupe	1.17	W	4	U	17,470	3	35	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.47	D	3.27	C
320.0	Cielo Vista	IH 10	Babcock	3.59	E	2	U	992	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.61	B	2.79	C
320.0	Cielo Vista	IH 10	Babcock	3.59	W	2	U	992	2	30	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.95	B	2.89	C
330.0	Classen	Bulverde	Higgins	1.92	NW	2	U	9,326	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	50	4.0	4.36	D	4.02	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
330.0	Classen	Bulverde	Higgins	1.92	SE	2	U	9,326	2	35	12.0	0.0	0.0	0	3.0		N	S	5.0	0	50	4.0	4.36	D	3.93	D
340.0	Claywell	Broadway	New Braunfels	0.44	E	2	U	6,901	2	30	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.64	D	3.99	D
340.0	Claywell	Broadway	New Braunfels	0.44	N	2	U	6,901	2	30	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.64	D	3.99	D
350.0	AT&T Center Pkwy	IH 35	Houston St.	1.20	N	4	S	10,763	4	40	14.0	0.0	0.0	0	4.0		N	C	8.0	0	100	7.0	4.04	D	2.55	C
350.0	AT&T Center Pkwy	IH 35	Houston St.	1.20	S	4	S	10,763	4	40	14.0	0.0	0.0	0	4.0		N	C	8.0	0	100	7.0	4.04	D	2.55	C
370.0	Commerce	Military	Callaghan	2.01	E	4	U	27,158	4	45	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.99	E	5.54	F
370.0	Commerce	Military	Callaghan	2.01	W	4	U	27,158	4	45	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.93	E	5.49	E
370.1	Commerce	Callaghan	39th Street	1.25	E	4	U	13,031	4	40	11.5	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	4.30	D	3.27	C
370.1	Commerce	Callaghan	39th Street	1.25	W	4	U	13,031	4	40	11.5	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	4.30	D	3.27	C
371.0	Commerce	36th Street	General McMullen	1.07	E	4	U	12,363	3	35	10.5	0.0	0.0	0	4.0		N	C	4.0	0	100	4.0	4.19	D	2.95	C
371.0	Commerce	36th Street	General McMullen	1.07	W	4	U	12,363	3	35	10.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.19	D	2.98	C
372.0	Commerce	Flores	Santa Rosa	0.21	W	4	OW	29,579	4	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	10.0	4.60	E	3.38	C
372.1	Commerce	Santa Rosa	Frio	0.35	W	4	OW	29,579	4	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.77	E	3.47	C
373.0	Commerce	Flores	Alamo	0.46	W	4	OW	29,579	4	30	11.5	0.0	0.0	0	3.5		N	C	4.0	54	100	13.0	4.66	E	2.91	C
374.0	Commerce	Alamo	Hoefgen	0.59	E	4	U	11,122	3	30	10.5	0.0	0.0	0	3.0		N	C	13.0	0	100	5.0	4.31	D	2.37	B
374.0	Commerce	Alamo	Hoefgen	0.59	W	4	U	11,122	3	30	10.0	0.0	0.0	0	3.0		N	C	13.0	0	100	7.0	4.36	D	2.26	B
375.0	Commerce	Hoefgen	Walters	1.84	E	4	U	29,579	4	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.17	C	3.55	D
375.0	Commerce	Hoefgen	Walters	1.84	W	4	U	29,579	4	30	22.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.96	C	3.52	D
376.0	Commerce	Walters	IH 10	1.43	E	4	U	8,088	3	40	10.5	0.0	0.0	0	3.0		N	S	5.0	0	75	4.0	4.42	D	3.18	C
376.0	Commerce	Walters	IH 10	1.43	W	4	U	8,088	3	40	10.5	0.0	0.0	0	3.0		N	S	5.0	0	75	4.0	4.42	D	3.18	C
380.0	Corrine	Harry Wurzbach	Austin Highway	1.07	NE	2	U	5,736	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.23	D	4.27	D
380.0	Corrine	Harry Wurzbach	Austin Highway	1.07	SW	2	U	5,736	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.23	D	4.27	D
390.0	Covel	Ray Ellison	Old Pearsall	3.01	N	2	U	2,621	4	45	16.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.77	C	3.40	C
390.0	Covel	Ray Ellison	Old Pearsall	3.01	S	2	U	2,621	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.78	D	3.75	D
400.0	Craig	IH 10	San Pedro	0.96	E	2	U	1,009	2	30	16.0	0.0	0.0	0	2.0		N	C	5.5	50	100	4.5	0.89	A	1.65	B
400.0	Craig	IH 10	San Pedro	0.96	W	2	U	1,009	2	30	16.0	0.0	0.0	0	2.0		N	C	7.0	50	100	4.0	0.89	A	1.59	B
400.1	Craig	San Pedro	US 281	0.93	E	2	U	1,009	2	30	19.0	0.0	0.0	25	3.0		N	C	1.5	0	100	4.0	0.00	A	1.86	B
400.1	Craig	San Pedro	US 281	0.93	W	2	U	1,009	2	30	19.0	0.0	0.0	25	3.0		N	C	1.5	0	100	4.0	0.00	A	1.86	B
410.0	Crestway	Randolph	Midcrown	0.54	E	4	U	10,175	4	40	10.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.82	E	4.47	D
410.0	Crestway	Randolph	Midcrown	0.54	W	4	U	10,175	4	40	10.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.82	E	4.47	D
410.1	Crestway	Midcrown	Eaglecrest	0.80	E	2	U	9,550	2	20	24.0	11.0	0.0	25	4.0	4.0	N	C	0.0	0	0	0.0	0.00	A	3.44	C
410.1	Crestway	Midcrown	Eaglecrest	0.80	W	2	U	9,550	2	20	24.0	11.0	0.0	25	4.0	4.0	N	C	0.0	0	0	0.0	0.00	A	3.44	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
411.0	Crestway	Eaglecrest	New World	0.93	E	4	U	7,643	3	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.69	D	2.67	C
411.0	Crestway	Eaglecrest	New World	0.93	W	4	U	7,643	3	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.69	D	2.67	C
412.0	Crestway	New World	Kitty Hawk	0.60	E	4	U	7,494	3	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.65	D	2.66	C
412.0	Crestway	New World	Kitty Hawk	0.60	W	4	U	7,494	3	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.65	D	2.66	C
412.1	Crestway	Kitty Hawk	FM 1976	1.28	NW	4	U	8,067	2	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.81	D	3.88	D
412.1	Crestway	Kitty Hawk	FM 1976	1.28	SE	4	U	8,067	2	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.81	D	3.88	D
420.0	Culebra (FM 3487)	Potranco	Ingram	0.39	N	3	S	48,400	5	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	50	6.5	5.38	E	5.69	F
420.0	Culebra (FM 3487)	Potranco	Ingram	0.39	S	2	S	48,400	5	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.74	F	9.23	F
420.1	Culebra (FM 3487)	Ingram	Timber Path	1.34	E	4	S	46,200	5	40	15.0	0.0	0.0	0	3.0		N	C	20.0	0	0	4.5	5.22	E	6.13	F
420.1	Culebra (FM 3487)	Ingram	Timber Path	1.34	W	4	S	46,200	5	40	14.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.29	E	6.18	F
421.0	Culebra	Callaghan	Oak Hill	0.51	E	4	U	24,142	4	40	13.0	0.0	0.0	0	3.0		N	S	0.0	0	25	4.0	4.92	E	4.71	E
421.0	Culebra	Callaghan	Oak Hill	0.51	W	4	U	24,142	4	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	25	4.5	5.04	E	4.78	E
421.2	Culebra (FM 3487)	Loop 410	Potranco	0.20	N	6	D	58,300	5	40													Constr.	Constr.	Constr.	Constr.
421.2	Culebra (FM 3487)	Loop 410	Potranco	0.20	S	6	D	58,300	5	40													Constr.	Constr.	Constr.	Constr.
422.0	Culebra	Callaghan	General McMullen	3.10	E	4	S	33,475	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.81	E	4.44	D
422.0	Culebra	Callaghan	General McMullen	3.10	W	4	S	33,475	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.81	E	4.32	D
423.0	Culebra	General McMullen	Bandera	0.65	E	4	S	26,854	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.77	E	3.95	D
423.0	Culebra	General McMullen	Bandera	0.65	W	4	S	26,854	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.71	E	3.99	D
430.0	De Zavala	Vance Jackson	Lockhill Selma	1.54	E	2	U	24,467	4	45	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.97	B	6.10	F
430.0	De Zavala	Vance Jackson	Lockhill Selma	1.54	W	2	U	24,467	4	45	21.0	9.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.39	A	6.05	F
430.1	De Zavala	Lockhill Selma	NW Military Highway	0.87	E	2	U	5,772	2	35	20.5	9.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	0.00	A	3.52	D
430.1	De Zavala	Lockhill Selma	NW Military Highway	0.87	W	2	U	5,772	2	35	20.0	8.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	0.43	A	3.55	D
431.0	De Zavala	Vance Jackson	Silicon Dr (Near I-10)	0.47	E	4	U	20,835	4	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	25	7.0	4.51	E	4.37	D
431.0	De Zavala	Vance Jackson	Silicon Dr (Near I-10)	0.47	W	4	U	20,835	4	35	13.0	0.0	0.0	0	4.0		N	S	6.0	0	100	4.0	4.38	D	3.32	C
431.1	De Zavala	Silicon Dr (Near 1-10)	W. Golden	0.47	W	4	S	20,835	4	45	12.5	0.0	0.0	0	2.5		N	C	0.0	0	100	6.5	5.36	E	3.61	D
431.1	De Zavala	Silicon Dr (Near 1-10)	W. Golden	0.47	E	4	S	20,835	4	45	10.5	0.0	0.0	0	2.5		N	C	0.0	0	100	6.5	5.59	F	3.67	D
431.2	De Zavala	W. Golden	Babcock	1.18	E	2	U	23,573	4	45	28.5	11.0	0.0	0	4.0	3.5	N	S	6.0	0	50	4.0	0.00	A	5.18	E
431.2	De Zavala	W. Golden	Babcock	1.18	W	2	U	23,573	4	45	21.5	9.0	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	1.22	A	5.91	F
440.0	Deer Cross Ln.	Oak Estates	Misty Wcver Lane	1.54	N	2	S	649	2	30	10.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.08	C	3.60	D
440.0	Deer Cross Ln.	Oak Estates	Misty Wcver Lane	1.54	S	2	S	649	2	30	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.72	C	3.30	C
450.0	Devine Rd.	Tuleta	Alamo Heights Blv	1.22	N	2	U	2,740	2	30	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.19	C	3.41	C
450.0	Devine Rd.	Tuleta	Alamo Heights Blv	1.22	S	2	U	2,740	2	30	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.19	C	3.41	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
451.0	Devine	Bridge (Previously Alamo Heights Blvd.)	Basse	0.73	NW	2	U	4,851	2	35	16.0	3.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.95	C	3.72	D
451.0	Devine	Bridge (Previously Alamo Heights Blvd.)	Basse	0.73	SE	2	U	4,851	2	35	16.0	3.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.95	C	3.72	D
470.0	Division	Pleasanton Rd.	Nogalitos	1.55	E	4	U	15,936	3	35	10.5	0.0	0.0	0	2.5		N	C	4.0	0	100	3.0	5.01	E	3.33	C
470.0	Division	Pleasanton Rd.	Nogalitos	1.55	W	4	U	15,936	3	35	11.0	0.0	0.0	0	2.5		N	C	5.0	0	100	3.0	4.96	E	3.27	C
480.0	Dreamland	Vance Jackson	Lockhill Selma	1.10	N	2	U	10,867	3	35	20.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	2.87	C	4.16	D
480.0	Dreamland	Vance Jackson	Lockhill Selma	1.10	S	2	U	10,867	3	35	20.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	2.87	C	4.16	D
490.0	Durango	Frio	St. Marys	0.67	E	4	D	16,554	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.46	D	2.92	C
490.0	Durango	Frio	St. Marys	0.67	W	4	D	16,554	3	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.41	D	3.07	C
491.0	Durango	Hackberry	IH 37	0.53	E	2	U	18,614	3	30	11.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	4.39	D	4.33	D
491.0	Durango	Hackberry	IH 37	0.53	W	2	U	18,614	3	30	11.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	4.39	D	4.33	D
491.1	Durango	IH 37	St Marys	0.74	E	4	D	20,604	4	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.65	E	3.14	C
491.1	Durango	IH 37	St Marys	0.74	W	4	D	20,604	4	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.71	E	3.15	C
500.0	Eaglecrest	Crestway	SA Jehovahs Witness	0.43	N	4	U	2,123	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.90	A	2.62	C
500.0	Eaglecrest	Crestway	SA Jehovahs Witness	0.43	S	4	U	2,123	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.90	A	2.62	C
500.1	Eaglecrest	Jehovahs Witness	Weidner	0.23	N	2	U	4,668	2	30	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.24	D	3.92	D
500.1	Eaglecrest	Jehovahs Witness	Weidner	0.23	S	2	U	4,668	2	30	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.24	D	3.92	D
501.0	Eaglecrest	Crestway	Walzem	0.60	N	4	D	3,841	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	2.31	B	3.07	C
501.0	Eaglecrest	Crestway	Walzem	0.60	S	4	D	3,841	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	2.31	B	3.07	C
510.0	Eisenhauer	New Braunfels	Austin Highway	1.80	E	2	U	5,770	2	35	17.0	0.0	0.0	0	3.0		N	S	2.5	0	50	4.0	3.39	C	3.24	C
510.0	Eisenhauer	New Braunfels	Austin Highway	1.80	W	2	U	5,770	2	35	17.0	0.0	0.0	0	3.0		N	S	1.5	0	50	7.0	3.39	C	3.15	C
511.0	Eisenhauer	Austin Highway	IH 35	1.74	E	4	U	17,700	3	35	21.0	7.0	0.0	50	3.5		N	C	3.0	0	100	4.0	1.16	A	2.73	C
511.0	Eisenhauer	Austin Highway	IH 35	1.74	W	4	U	17,700	3	35	21.0	7.0	0.0	50	3.5		N	C	0.0	0	100	4.0	1.16	A	2.79	C
512.0	Eisenhauer	IH 35	Midcrown	0.98	E	4	U	38,992	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	5.02	E	4.60	E
512.0	Eisenhauer	IH 35	Midcrown	0.98	W	4	U	38,992	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	5.02	E	4.51	E
512.1	Eisenhauer	Midcrown	Walzem	1.15	E	4	U	19,247	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.76	E	4.77	E
512.1	Eisenhauer	Midcrown	Walzem	1.15	W	4	U	19,247	4	45	14.0	0.0	0.0	0	3.0		N	C	3.0	0	50	4.0	4.76	E	4.19	D
530.0	Evans	US 281	Stone Oak Parkway	1.81	E	4	D	14,690	4	40	10.5	0.0	0.0	0	3.0		N	C	2.5	0	75	4.0	4.96	E	3.65	D
530.0	Evans	US 281	Stone Oak Parkway	1.81	W	4	D	14,690	4	40	10.5	0.0	0.0	0	3.0		N	C	2.5	0	75	4.5	4.96	E	3.61	D
531.0	Evans	Bulverde	Evans Ranch	1.36	E	4	D	10,718	4	45	14.0	0.0	0.0	0	3.5		N	C	3.0	0	100	4.0	4.30	D	3.10	C
531.0	Evans	Bulverde	Evans Ranch	1.36	W	4	D	10,718	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	75	5.0	4.30	D	3.38	C
531.1	Evans	Evans Ranch	US 281	0.86	E	4	D	20,335	8	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	5.68	F	4.71	E
531.1	Evans	Evans Ranch	US 281	0.86	W	4	D	20,335	8	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	5.68	F	4.71	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
532.0	Evans	Evans	Cibolo Canyon	3.59	E	2	U	8,117	6	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	5.17	E	4.79	E
532.0	Evans	Evans	Cibola Canyon	3.59	W	2	U	8,117	6	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	5.17	E	4.79	E
532.1	Evans	Cibolo Canyon	Bulverde	1.45	E	2	U	8,117	3	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.36	D	4.79	E
532.1	Evans	Cibolo Canyon	Bulverde	1.45	W	2	U	8,117	3	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.36	D	4.79	E
533.0	Evans	Green Mountain	MPRR	4.52	NW	2	U	3,750	4	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.71	E	4.00	D
533.0	Evans	Green Mountain	MPRR	4.52	SE	2	U	3,750	4	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.71	E	4.00	D
540.0	Fair	Presa	Hackberry	0.29	E	2	U	7,428	2	30	15.0	0.0	0.0	50	3.5		N	C	0.0	0	100	4.0	4.16	D	2.65	C
540.0	Fair	Presa	Hackberry	0.29	W	2	U	7,428	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.53	D	2.97	C
540.1	Fair	Hackberry	Gevers	1.02	E	4	U	14,079	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.53	E	3.20	C
540.1	Fair	Hackberry	Gevers	1.02	W	4	U	14,079	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.53	E	3.20	C
540.2	Fair	Gevers	Clark	0.50	E	2	U	3,206	2	30	13.5	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	3.10	C	2.43	B
540.2	Fair	Gevers	Clark	0.50	W	2	U	3,206	2	30	13.5	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	3.10	C	2.43	B
551.0	Roosevelt	US 281	Loop 410	0.83	N	4	U	19,140	4	45	11.5	0.0	0.0	0	3.0		N	S	20.0	0	25	5.0	5.08	E	4.53	E
551.0	Roosevelt	US 281	Loop 410	0.83	S	4	U	19,140	4	45	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.08	E	5.01	E
551.1	Roosevelt	Loop 410	Ashley	1.08	N	6	S	19,140	4	50	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.77	E	4.67	E
551.1	Roosevelt	Loop 410	Ashley	1.08	S	6	S	19,140	4	50	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.77	E	4.67	E
552.0	Flores	Southcross	SW Military	0.88	NW	4	U	22,207	4	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.63	E	3.55	D
552.0	Flores	Southcross	SW Military	0.88	SE	4	U	22,207	4	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.63	E	3.55	D
552.1	Flores	SW Military	Ashley	1.67	NW	4	S	22,313	4	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	50	4.0	4.69	E	4.24	D
552.1	Flores	SW Military	Ashley	1.67	SE	4	S	22,313	4	35	12.0	0.0	0.0	0	3.5		N	C	5.0	0	75	4.0	4.69	E	3.81	D
553.0	Flores	Southcross	Nogalitos	2.89	NW	4	U	17,074	3	30	11.0	0.0	0.0	0	2.5		N	C	1.0	0	100	4.0	4.84	E	3.20	C
553.0	Flores	Southcross	Nogalitos	2.89	SE	4	U	17,074	3	30	11.0	0.0	0.0	0	2.5		N	C	1.0	0	100	4.0	4.84	E	3.20	C
554.0	Flores	Nogalitos	Durango	0.81	N	4	U	8,690	2	30	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	10.0	3.32	C	2.30	B
554.0	Flores	Nogalitos	Durango	0.81	S	4	U	8,690	2	30	13.5	0.0	0.0	0	4.0		N	C	4.0	0	100	6.0	3.32	C	2.32	B
555.0	Flores	Durango	Nueva	0.21	N	4	U	9,383	2	30	13.5	0.0	0.0	75	3.0		N	C	0.0	0	100	9.0	4.43	D	1.99	B
555.0	Flores	Durango	Nueva	0.21	S	4	U	9,383	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	100	8.0	3.76	D	2.39	B
556.0	Flores	Martin	Dolorosa	0.36	N	4	U	6,367	2	30	9.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.83	D	2.55	C
556.0	Flores	Martin	Dolorosa	0.36	S	4	U	6,367	2	30	9.0	0.0	0.0	0	3.0		N	C	0.0	0	100	8.0	3.83	D	2.33	B
556.1	Flores	Dolorosa	Nueva	0.10	N	4	U	11,142	3	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	12.0	4.36	D	2.37	B
556.1	Flores	Dolorosa	Nueva	0.10	S	4	U	11,142	3	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	13.0	4.36	D	2.30	B
557.0	Flores	Martin	Fredericksburg	1.06	N	4	U	7,013	2	30	11.5	0.0	0.0	0	3.0		N	C	3.0	0	100	5.0	3.62	D	2.39	B
557.0	Flores	Martin	Fredericksburg	1.06	S	4	U	7,013	2	30	11.5	0.0	0.0	0	3.0		N	C	4.0	0	100	5.0	3.62	D	2.36	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
561.0	Florida	IH 37	Hackberry	0.42	E	2	U	2,111	2	30	15.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.12	B	2.86	C
561.0	Florida	IH 37	Hackberry	0.42	W	2	U	2,111	2	30	15.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.12	B	2.86	C
570.0	FM 1346	St. Arc	FM 1516	1.72	EB	2	U	4,400	5	50	20.5	8.5	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	1.33	A	3.87	D
570.0	FM 1346	St. Arc	FM 1516	1.72	WB	2	U	4,400	5	50	20.5	8.5	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	1.33	A	3.87	D
571.0	FM 1346	FM 1516	Loop 1604	4.52	EB	2	U	2,860	5	55	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.32	A	3.92	D
571.0	FM 1346	FM 1516	Loop 1604	4.52	WB	2	U	2,860	5	55	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.32	A	3.92	D
572.0	FM 1346	Loop 1604	FM 1518	1.98	EB	2	U	2,090	5	55	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.00	A	3.82	D
572.0	FM 1346	Loop 1604	FM 1518	1.98	WB	2	U	2,090	5	55	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.00	A	3.82	D
580.0	FM 1516	Binz Engleman	Shaefer	1.98	N	2	U	10,450	4	50	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.82	E	5.25	E
580.0	FM 1516	Binz Engleman	Shaefer	1.98	S	2	U	10,450	4	50	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.82	E	5.25	E
581.0	FM 1516	Binz Engleman	IH 10	1.34	N	2	U	9,020	7	55	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	5.74	F	5.29	E
581.0	FM 1516	Binz Engleman	IH 10	1.34	S	2	U	9,020	7	55	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	5.74	F	5.29	E
581.1	FM 1516	IH 10	FM1346	3.02	NB	2	U	3,080	5	55	16.0	4.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	3.00	C	4.22	D
581.1	FM 1516	IH 10	FM1346	3.02	SB	2	U	3,080	5	55	16.0	4.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	3.00	C	4.22	D
590.0	FM 1518	FM 78	Live Oak	3.66	N	2	U	4,840	3	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.10	D	4.39	D
590.0	FM 1518	FM 78	Live Oak	3.66	S	2	U	4,840	3	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.10	D	4.39	D
591.0	FM 1518	FM 78	Lower Seguin	2.63	NW	2	U	7,150	4	50	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.55	E	4.58	E
591.0	FM 1518	FM 78	Lower Seguin	2.63	SE	2	U	7,150	4	50	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.55	E	4.58	E
592.0	FM 1518	FM 1346	Lower Seguin	4.62	NB	2	U	2,640	5	55	16.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.45	B	4.17	D
592.0	FM 1518	FM 1346	Lower Seguin	4.62	SB	2	U	2,640	5	55	16.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.45	B	4.17	D
593.0	FM 1518	FM 1346	Loop 1604	2.31	NB	2	U	1,925	5	55	20.5	8.5	0.0	0	4.0		N	S	0.0	0	0	0.0	0.00	A	3.78	D
593.0	FM 1518	FM 1346	Loop 1604	2.31	SB	2	U	1,925	5	55	20.5	8.5	0.0	0	4.0		N	S	0.0	0	0	0.0	0.00	A	3.78	D
601.0	FM 1560	Bandera	Loop 1604	2.09	E	2	S	12,789	4	40	10.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.91	E	5.33	E
601.0	FM 1560	Bandera	Loop 1604	2.09	W	2	S	12,789	4	40	10.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.91	E	5.33	E
610.0	Hausman	Loop 1604	Babcock	1.21	E	2	U	14,340	4	45	12.0	0.0	0.0	0	4.0		N	S	16.0	0	0	4.0	4.90	E	5.52	F
610.0	Hausman	Loop 1604	Babcock	1.21	W	2	U	14,340	4	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.90	E	5.52	F
611.0	Hausman	Babcock	Dell Estcvcs	0.42	E	2	U	12,590	4	45	12.5	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	4.61	E	5.25	E
611.0	Hausman	Babcock	Dell Estcvcs	0.42	W	2	U	12,590	4	45	12.5	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	4.61	E	5.25	E
611.1	Hausman	Dell Estcvcs	Woodthorn	1.13	E	4	U	12,590	4	45	11.5	0.0	0.0	0	5.0		N	S	0.0	0	25	5.0	4.38	D	4.28	D
611.1	Hausman	Dell Estcvcs	Woodthorn	1.13	W	4	U	12,590	4	45	12.0	0.0	0.0	0	5.0		N	S	0.0	0	25	5.0	4.32	D	4.24	D
611.2	Hausman	Woodthorn	IH 10	1.15	E	2	U	12,904	4	45	12.0	0.0	0.0	0	5.0		N	S	22.5	0	75	4.0	4.69	E	3.98	D
611.2	Hausman	Woodthorn	IH 10	1.15	W	2	U	12,904	4	45	12.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	4.69	E	5.36	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
620.0	FM 1628 (Stuart)	FM1346	US 87	3.82	NB	2	U	1,233	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.28	B	3.19	C
620.0	FM 1628 (Stuart)	FM1346	US 87	3.82	SB	2	U	1,233	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.28	B	3.19	C
621.0	FM 1628 (Stuart)	New Sulphur Springs	US 87	1.72	NB	2	U	4,620	5	50	20.0	0.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	3.56	D	3.92	D
621.0	FM 1628 (Stuart)	New Sulphur Springs	US 87	1.72	SB	2	U	4,620	5	50	20.0	0.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	3.56	D	3.92	D
640.0	FM 2252	Loop 1604	Evans	1.70	NW	2	U	19,389	10	55	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	7.17	F	6.25	F
640.0	FM 2252	Loop 1604	Evans	1.70	SE	2	U	19,389	10	55	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	7.17	F	6.25	F
680.0	FM 3009	Tri-County Pkwy	FM 78	3.85	N	4	S	29,700	4	45	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.66	E	5.30	E
680.0	FM 3009	Tri-County Pkwy	FM 78	3.85	S	4	S	29,700	4	45	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.66	E	5.30	E
690.0	FM 78	FM 3009	Pcv Booker	2.33	NW	4	S	23,100	4	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.94	E	3.89	D
690.0	FM 78	FM 3009	Pcv Booker	2.33	SE	4	S	23,100	4	45	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.94	E	5.20	E
690.1	FM 78	Pcv Booker	Loop 1604	1.13	N	4	U	24,200	4	45	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.02	E	5.16	E
690.1	FM 78	Pcv Booker	Loop 1604	1.13	S	4	U	24,200	4	45	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.02	E	5.16	E
691.0	FM 78	Walzem	Loop 1604	3.80	N	4	U	28,600	4	45	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.10	E	5.42	E
691.0	FM 78	Walzem	Loop 1604	3.80	S	4	U	28,600	4	45	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.10	E	5.42	E
692.0	FM 78	Rittiman	Walzem	1.62	E	4	S	27,687	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.39	E	5.66	F
692.0	FM 78	Rittiman	Walzem	1.62	W	4	S	27,687	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.39	E	5.66	F
693.0	FM 78	Ackerman	Rittiman	1.48	E	4	S	30,800	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.45	E	5.85	F
693.0	FM 78	Ackerman	Rittiman	1.48	W	4	S	30,800	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.45	E	5.85	F
694.0	FM 78	Ackerman	IH 410	1.26	NE	4	S	29,700	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.43	E	5.78	F
694.0	FM 78	Ackerman	IH 411	1.26	SW	4	S	29,700	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.43	E	5.78	F
700.0	Foster Road	FM 78	Binz Engleman	1.21	N	4	S	17,296	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.54	E	4.65	E
700.0	Foster Road	FM 78	Binz Engleman	1.21	S	4	S	17,296	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.54	E	4.65	E
701.0	Foster Road	Binz Engleman	IH 10	1.21	N	4	S	14,609	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.55	E	3.38	C
701.0	Foster Road	Binz Engleman	IH 10	1.21	S	4	S	14,609	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.55	E	3.38	C
701.1	Foster Road	IH 10	FM 1346	1.64	NB	2	U	4,939	4	45	14.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.35	D	4.17	D
701.1	Foster Road	IH 10	FM 1346	1.64	SB	2	U	4,939	4	45	14.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.35	D	4.17	D
702.0	Foster Road	FM 1346	New Sulphur Springs	3.96	NB	2	U	3,985	4	45	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.67	D	3.92	D
702.0	Foster Road	FM 1346	New Sulphur Springs	3.96	SB	2	U	3,985	4	45	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.67	D	3.92	D
703.0	Foster Road	New Sulphur Springs	US 181	1.96	NB	2	U	1,043	3	45	15.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.65	A	2.98	C
703.0	Foster Road	New Sulphur Springs	US 181	1.96	SB	2	U	1,043	3	45	15.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.65	A	2.98	C
710.0	Fourwinds	Randolph	Crestwind	0.84	N	2	U	2,053	2	20	20.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	0.00	A	1.85	B
710.0	Fourwinds	Randolph	Crestwind	0.84	S	2	U	2,053	2	20	20.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	0.00	A	2.29	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
710.1	Fourwinds	Crestwind	Walzem	0.28	N	4	U	4,997	2	20	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.77	B	2.16	B
710.1	Fourwinds	Crestwind	Walzem	0.28	S	4	U	4,997	2	20	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.77	B	2.16	B
720.0	Fredericksburg (Spur 345)	IH 10	Clark	0.27	S	2	OW	25,300	5	50	14.0	0.0	0.0	0	4.0		N	C	0.0	0	75	4.5	5.22	E	5.64	F
721.0	Fredericksburg (Spur 345)	Huebner	Wurzbach	1.62	N	6	S	41,800	5	45	23.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.11	C	3.87	D
721.0	Fredericksburg (Spur 345)	Huebner	Wurzbach	1.62	S	6	S	41,800	5	45	14.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.82	E	4.20	D
722.0	Fredericksburg (Spur 345)	Wurzbach	Callaghan	1.42	N	6	S	46,200	5	45	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	5.01	E	4.35	D
722.0	Fredericksburg (Spur 345)	Wurzbach	Callaghan	1.42	S	6	S	46,200	5	45	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	5.01	E	4.18	D
723.0	Fredericksburg (Spur 345)	Callaghan	Loop 410	0.73	N	6	S	52,800	5	40	13.5	0.0	0.0	4	4.0		N	C	0.0	0	100	6.0	5.02	E	4.27	D
723.0	Fredericksburg (Spur 345)	Callaghan	Loop 410	0.73	S	6	S	52,800	5	40	13.0	0.0	0.0	4	4.0		N	C	0.0	0	100	5.5	5.08	E	4.33	D
723.1	Fredericksburg (Spur 345)	Loop 410	Hillcrest	0.11	N	6	D	50,600	5	40	13.0	0.0	0.0	4	4.5		N	C	0.0	0	100	5.0	4.96	E	4.30	D
723.1	Fredericksburg (Spur 345)	Loop 410	Hillcrest	0.11	S	6	D	50,600	5	40	13.0	0.0	0.0	4	4.5		N	C	0.0	0	100	5.0	4.96	E	4.30	D
724.0	Fredericksburg (Spur 345)	Hillcrest	Williamsburg	1.00	E	4	S	37,135	4	40	24.0	11.0	0.0	0	3.0	3.0	N	C	0.0	0	100	4.5	0.00	A	4.24	D
724.0	Fredericksburg (Spur 345)	Hillcrest	Williamsburg	1.00	W	4	S	37,135	4	40	25.5	10.0	0.0	0	3.0	3.0	N	C	0.0	0	100	4.5	0.00	A	4.19	D
724.1	Fredericksburg (Spur 345)	Williamsburg	Quentin	1.21	E	4	S	32,891	4	40	24.0	11.5	0.0	0	3.0	2.0	N	C	0.0	0	100	4.0	0.00	A	4.02	D
724.1	Fredericksburg (Spur 345)	Williamsburg	Quentin	1.21	W	4	S	32,891	4	40	21.5	11.0	0.0	0	3.0	2.0	N	C	0.0	0	100	6.5	0.64	A	3.90	D
724.2	Fredericksburg (Spur 345)	Quentin	West Avenue	0.32	E	4	U	21,034	4	30	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.55	E	3.29	C
724.2	Fredericksburg (Spur 345)	Quentin	West Avenue	0.32	W	4	U	21,034	4	30	10.0	0.0	0.0	0	4.0		N	C	12.0	32	100	6.0	4.55	E	2.25	B
725.0	Fredericksburg	West Avenue	Blanco	1.70	E	4	U	30,800	4	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	5.07	E	4.04	D
725.0	Fredericksburg	West Avenue	Blanco	1.70	W	4	U	30,800	4	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.97	E	4.01	D
730.0	Freeman	Benrus	36th Street	1.09	E	2	U	2,939	2	30	14.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.37	B	3.19	C
730.0	Freeman	Benrus	36th Street	1.09	W	2	U	2,939	2	30	14.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.37	B	3.19	C
736.0	Fredericksburg	Blanco	Culebra	0.25	S	4	U	25,865	4	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.55	E	3.71	D
736.0	Fredericksburg	Blanco	Culebra	0.25	W	4	U	25,865	4	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.55	E	3.71	D
736.1	Fredericksburg	Culebra	Flores	0.17	E	5	U	25,865	4	30	12.5	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	4.01	D	3.06	C
736.1	Fredericksburg	Culebra	Flores	0.17	W	5	U	25,865	4	30	11.5	0.0	0.0	0	5.0		N	C	0.0	0	100	1.0	4.13	D	3.95	D
750.0	Garner	Castroville Rd.	US 90	0.13	N	2	U	250	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.00	A	2.10	B
750.0	Garner	Castroville Rd.	US 90	0.13	S	2	U	250	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.00	A	2.10	B
760.0	Gembler	Coliseum	WW White	1.70	E	4	U	8,679	3	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.02	D	3.96	D
760.0	Gembler	Coliseum	WW White	1.70	W	4	U	8,679	3	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.02	D	2.79	C
770.0	General Mc Mullen	Kelly AFB	West Thompson	0.86	N	6	D	15,206	4	40	10.0	0.0	0.0	0	2.5		N	C	4.0	0	100	4.0	5.18	E	3.00	C
770.0	General Mc Mullen	Kelly AFB	West Thompson	0.86	S	6	D	15,206	4	40	11.5	0.0	0.0	0	2.5		N	C	4.0	0	25	4.0	5.02	E	3.96	D
770.1	General Mc Mullen	West Thompson	US 90	0.35	N	6	S	30,154	4	40	10.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	4.99	E	3.52	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
770.1	General Mc Mullen	West Thompson	US 90	0.35	S	6	S	30,154	4	40	11.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.83	E	3.69	D
771.0	General Mc Mullen	US 90	Castroville Road	0.61	N	6	S	27,356	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.90	E	3.56	D
771.0	General Mc Mullen	US 90	Castroville Road	0.61	S	6	S	27,356	4	40	11.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	5.01	E	3.48	C
773.0	General Mc Mullen	Commerce	Rivas	0.22	E	6	D	33,347	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.67	E	3.79	D
773.0	General Mc Mullen	Commerce	Rivas	0.22	W	6	D	33,347	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.67	E	3.79	D
773.1	General Mc Mullen	Rivas	Culebra	0.39	N	6	D	33,827	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.62	E	3.72	D
773.1	General Mc Mullen	Rivas	Culebra	0.39	S	6	D	33,827	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.74	E	3.70	D
780.0	George Rd.	Cedar Canyon	NW Military Highway	0.82	E	2	U	3,557	2	30	19.5	0.0	0.0	0	4.0		N	C	6.0	0	100	3.5	1.78	B	2.22	B
780.0	George Rd.	Cedar Canyon	NW Military Highway	0.82	W	2	U	3,557	2	30	20.0	0.0	0.0	0	4.0		N	C	6.0	0	100	3.0	1.67	B	2.27	B
781.0	George Rd.	NW Military Highway	Lockhill Selma	0.80	E	2	U	4,552	2	35	18.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.10	C	3.54	D
781.0	George Rd.	NW Military Highway	Lockhill Selma	0.80	W	2	U	4,552	2	35	18.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.10	C	3.54	D
790.0	Gillette	Pleasanton	Zarzamora	1.93	E	2	U	7,289	2	35	15.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.19	D	4.08	D
790.0	Gillette	Pleasanton	Zarzamora	1.93	W	2	U	7,289	2	35	14.0	0.0	0.0	0	2.5		N	S	12.0	0	100	3.0	4.34	D	2.84	C
800.0	Goliad	Fair	Pecan Valley	1.65	NE	4	U	12,595	3	35	11.0	0.0	0.0	0	2.5		N	C	1.0	0	75	4.0	4.84	E	3.39	C
800.0	Goliad	Fair	Pecan Valley	1.65	SE	4	U	12,595	3	35	11.0	0.0	0.0	0	2.5		N	C	1.0	0	75	4.0	4.84	E	3.39	C
801.0	Goliad	200 ft South of Pecan Valley	SE Military	1.05	N	4	U	13,377	4	40	11.0	0.0	0.0	0	3.0		N	C	2.0	0	75	5.0	4.86	E	3.46	C
801.0	Goliad	200 ft South of Pecan Valley	SE Military	1.05	S	4	U	13,377	4	40	11.0	0.0	0.0	0	3.0		N	C	2.0	0	75	5.0	4.86	E	3.46	C
802.0	Goliad	SE Military Highway	SH 122	1.83	N	2	U	8,135	2	35	10.5	0.0	0.0	0	2.5	2.5	N	S	0.0	0	0	0.0	4.82	E	4.63	E
802.0	Goliad	SE Military Highway	SH 122	1.83	S	2	U	8,135	2	35	10.5	0.0	0.0	0	2.5	2.5	N	S	0.0	0	0	0.0	4.82	E	4.63	E
920.0	Green Mountain Rd.	Stahl Rd.	Loop 1604	0.59	N	2	U	2,812	3	40	12.0	0.0	0.0	0	3.5		N	S	13.0	0	50	5.0	3.39	C	3.13	C
920.0	Green Mountain Rd.	Stahl Rd.	Loop 1604	0.59	S	2	U	2,812	3	40	12.0	0.0	0.0	0	3.5		N	S	13.0	0	50	5.0	3.39	C	3.13	C
920.1	Green Mountain Rd.	Loop 1604	Evans	1.25	E	2	U	5,566	6	40	17.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.27	D	3.88	D
920.1	Green Mountain Rd.	Loop 1604	Evans	1.25	W	2	U	5,566	6	40	17.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.27	D	3.88	D
930.0	Greenwich/Meadowlane	Austin Highway	Northridge	1.17	N	2	U	1,525	2	30	14.0	0.0	0.0	25	2.5		N	C	6.0	0	25	4.0	2.35	B	3.00	C
930.0	Greenwich/Meadowlane	Austin Highway	Northridge	1.17	S	2	U	1,525	2	30	14.0	0.0	0.0	25	2.5		N	C	5.0	0	100	4.0	2.35	B	1.96	B
940.0	Guadalupe	Frio	Richter	0.36	E	4	D	11,451	3	30	10.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.00	D	4.20	D
940.0	Guadalupe	Frio	Richter	0.36	W	4	D	11,451	3	30	10.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.00	D	4.20	D
940.1	Guadalupe	Richter	19th	1.59	E	2	U	11,451	3	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.85	C	3.14	C
940.1	Guadalupe	Richter	19th	1.59	W	2	U	11,451	3	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.85	C	3.24	C
950.0	Hackberry	IH 35	Houston	0.79	N	4	U	2,230	2	30	11.0	0.0	0.0	0	2.0		N	C	0.0	0	100	5.0	3.10	C	2.23	B
950.0	Hackberry	IH 35	Houston	0.79	S	4	U	2,230	2	30	11.5	0.0	0.0	0	2.0		N	C	1.0	0	100	4.0	2.92	C	2.30	B
951.0	Hackberry	Houston	Rigsby	1.83	N	4	U	9,995	2	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.98	D	2.67	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
951.0	Hackberry	Houston	Rigsby	1.83	S	4	U	9,995	2	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.98	D	2.67	C
952.0	Hackberry	Rigsby	Southcross	1.59	N	4	U	7,727	2	35	10.5	0.0	0.0	0	2.5		N	C	1.0	0	75	4.0	4.40	D	3.13	C
952.0	Hackberry	Rigsby	Southcross	1.59	S	4	U	7,727	2	35	10.5	0.0	0.0	0	2.5		N	C	1.0	0	100	4.0	4.40	D	2.80	C
960.0	Hamilton Wolfe	Babcock	Fredericksburg	1.33	E	2	U	14,537	4	40	14.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.80	E	5.15	E
960.0	Hamilton Wolfe	Babcock	Fredericksburg	1.33	W	2	U	14,537	4	40	17.0	0.0	0.0	0	3.0		N	S	16.5	0	0	0.0	4.41	D	4.95	E
970.0	Harry Wurzbach	Corrine	Stanley	1.90	NW	4	U	10,215	4	45	17.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.34	D	3.99	D
970.0	Harry Wurzbach	Corrine	Stanley	1.90	SW	4	U	10,215	4	45	17.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.34	D	3.99	D
980.0	Heimer	Bitters	Brook Hollow	1.14	NE	2	U	15,047	3	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.07	D	3.76	D
980.0	Heimer	Bitters	Brook Hollow	1.14	SW	2	U	15,047	3	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.07	D	3.76	D
990.0	Heurman	Babcock	IH 10	2.11	E	2	U	501	2	35	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.89	A	2.73	C
990.0	Heurman	Babcock	IH 10	2.11	W	2	U	501	2	35	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.89	A	2.73	C
1000.0	Higgins	Stahl	Nacogdoches	1.20	NW	4	S	9,390	3	40	12.0	0.0	0.0	0	2.5		N	C	3.0	0	100	5.0	4.69	E	2.81	C
1000.0	Higgins	Stahl	Nacogdoches	1.20	SE	4	S	9,390	3	40	12.0	0.0	0.0	0	2.5		N	C	3.0	0	100	5.0	4.69	E	2.81	C
1010.0	Hildebrand	Blanco	IH 10	0.50	E	4	U	28,456	4	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.66	E	3.89	D
1010.0	Hildebrand	Blanco	IH 10	0.50	W	4	U	28,456	4	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.78	E	3.93	D
1010.1	Hildebrand	IH-10	Fredericksburg	0.70	E	4	U	20,764	4	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.57	E	3.45	C
1010.1	Hildebrand	IH-10	Fredericksburg	0.70	W	4	U	20,764	4	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.62	E	3.54	D
1011.0	Hildebrand	McCullough	Breeden	0.52	W	4	U	16,821	3	35	11.0	0.0	0.0	0	5.0		N	C	0.0	0	25	4.5	4.14	D	4.28	D
1011.0	Hildebrand	McCullough	Breeden	0.52	W	4	U	16,821	3	35	10.5	0.0	0.0	0	5.0		N	C	0.0	0	50	2.0	4.19	D	4.23	D
1011.1	Hildebrand	McCullough	San Pedro	0.45	E	4	U	16,821	3	35	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.21	D	3.16	C
1011.1	Hildebrand	McCullough	San Pedro	0.45	W	4	U	16,821	3	35	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.21	D	3.16	C
1012.0	Hildebrand	Mc Cullough	New Braunfels	1.88	E	2	U	18,823	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.74	E	5.74	F
1012.0	Hildebrand	Mc Cullough	New Braunfels	1.88	W	2	U	18,823	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.74	E	5.74	F
1020.2	Hillcrest	Babcock	Fredericksburg	0.64	N	2	U	15,045	3	35	16.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.16	D	3.89	D
1020.2	Hillcrest	Babcock	Fredericksburg	0.64	S	2	U	15,045	3	35	23.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.76	C	3.74	D
1030.0	Grantham (Formerly Holbrook Dr.)	Rittiman Rd.	Austin Hwy	1.14	N	2	U	801	2	35	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.95	A	2.77	C
1030.0	Grantham (Formerly Holbrook Dr.)	Rittiman Rd.	Austin Hwy	1.14	S	2	U	801	2	35	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.95	A	2.77	C
1040.0	Houston	Cherry St.	Elm	0.35	E	4	U	4,331	2	30	10.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.88	C	2.37	B
1040.0	Houston	Cherry St.	Elm	0.35	W	4	U	4,331	2	30	10.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.88	C	2.37	B
1040.1	Houston	Elm	Avenue E	0.16	E	4	U	11,068	3	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.08	D	2.88	C
1040.1	Houston	Elm	Avenue E	0.16	W	4	U	11,068	3	30	10.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.14	D	2.77	C
1041.0	Houston	Cherry St.	New Braunfels	0.91	E	4	U	6,315	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.35	C	2.48	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1041.0	Houston	Cherry St.	New Braunfels	0.91	W	4	U	6,315	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.35	C	2.48	B
1042.0	Houston	New Braunfels	Walters	0.53	E	2	S	9,176	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	50	3.0	3.93	D	3.89	D
1042.0	Houston	New Braunfels	Walters	0.53	W	2	S	9,176	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	50	3.0	3.93	D	3.89	D
1043.0	Houston	Coliseum	Rio Grande	0.75	E	2	S	8,244	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.04	D	4.25	D
1043.0	Houston	Coliseum	Rio Grande	0.75	W	2	S	8,244	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.04	D	4.25	D
1043.1	Houston	Rio Grande	Walters	0.29	E	2	S	10,548	3	30	13.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	4.17	D	3.34	C
1043.1	Houston	Rio Grande	Walters	0.29	W	2	S	10,548	3	30	13.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	4.17	D	3.34	C
1044.1	Houston	Commerce	Coliseum	0.61	E	4	U	11,310	4	40	10.5	0.0	0.0	0	3.0		N	C	5.0	0	50	4.0	4.83	E	3.75	D
1044.1	Houston	Commerce	Coliseum	0.61	W	4	U	11,310	4	40	10.5	0.0	0.0	0	3.0		N	C	30.0	0	50	4.0	4.83	E	3.42	C
1050.0	Huebner	Summer Knoll	Blanco	1.58	E	4	D	22,060	4	40	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.78	E	3.76	D
1050.0	Huebner	Summer Knoll	Blanco	1.58	W	4	D	22,060	4	40	11.0	0.0	0.0	0	4.0		N	C	0.0	0	25	5.5	4.78	E	4.71	E
1051.0	Huebner	Blanco	Loop 1604	1.18	N	4	D	10,961	4	40	12.5	0.0	0.0	0	4.0		N	C	2.5	0	75	4.0	4.25	D	3.32	C
1051.0	Huebner	Blanco	Loop 1604	1.18	S	4	D	10,961	4	40	11.5	0.0	0.0	0	4.0		N	C	2.0	0	75	4.0	4.37	D	3.38	C
1052.0	Huebner	Loop 1604	Military	2.83	N	4	D	26,272	4	45	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.91	E	4.10	D
1052.0	Huebner	Loop 1604	Military	2.83	S	4	D	26,272	4	45	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.97	E	4.18	D
1053.0	Huebner	Vance Jackson	Lockhill Selma	1.15	N	4	S	25,496	4	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	4.68	E	4.10	D
1053.0	Huebner	Vance Jackson	Lockhill Selma	1.15	S	4	S	25,496	4	45	12.5	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	4.62	E	4.08	D
1053.1	Huebner	Lockhill Selma	NW Military	1.10	N	4	D	21,789	4	45	10.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.93	E	3.70	D
1053.1	Huebner	Lockhill Selma	NW Military	1.10	S	4	D	21,789	4	45	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.82	E	3.74	D
1054.0	Huebner	Vance Jackson	Babcock	2.61	N	6	S	39,502	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	4.85	E	3.95	D
1054.0	Huebner	Vance Jackson	Babcock	2.61	S	6	S	39,502	4	45	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.66	E	4.15	D
1055.0	Huebner	Bandera	Eckhert	1.78	N	4	U	22,992	4	35	12.5	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	4.34	D	3.66	D
1055.0	Huebner	Bandera	Eckhert	1.78	S	4	U	22,992	4	35	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	4.40	D	3.57	D
1055.1	Huebner	Eckhert	Babcock	0.43	N	6	S	32,297	4	45	14.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	4.33	D	3.84	D
1055.1	Huebner	Eckhert	Babcock	0.43	S	6	S	32,297	4	45	13.0	0.0	0.0	0	5.0		N	C	0.0	0	100	6.5	4.47	D	3.63	D
1060.0	Hunt	Potranco	Ingram	1.24	N	2	U	9,301	2	35	14.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.46	D	4.41	D
1060.0	Hunt	Potranco	Ingram	1.24	S	2	U	9,301	2	35	13.0	0.0	0.0	0	2.5		N	S	10.0	0	25	5.0	4.59	E	4.12	D
1070.0	IH 10 Frontage (NB)	Ralph Fair	Camp Bullis	3.87	N	2	U	4,363	5	50	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.65	E	4.52	E
1070.0	IH 10 Frontage (NB)	Ralph Fair	Camp Bullis	3.87	S	2	U	4,363	5	50	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.65	E	4.52	E
1071.0	IH 10 Frontage (NB)	Camp Bullis	1604	2.24	N	3	OW	10,430	4	50	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.55	E	4.74	E
1071.1	IH 10 Frontage (SB)	Camp Bullis	1604	2.26	S	3	OW	9,306	4	50	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.49	D	4.66	E
1071.2	IH 10 Frontage (SB)	Ralph Fair	Camp Bullis	3.88	N	2	U	2,003	5	50	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.36	C	3.74	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1071.2	IH 10 Frontage (SB)	Ralph Fair	Camp Bullis	3.88	S	2	U	2,003	5	50	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.36	C	3.74	D
1080.0	IH 35 Frontage (SB)	Front Interchange	Walzem	0.74	S	2	OW	13,209	4	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.95	E	5.21	E
1081.0	IH 35 Frontage (SB)	Eisenhauer	Walzem	0.96	S	2	OW	11,120	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.68	E	4.63	E
1082.0	IH 35 Frontage (SB)	Rittiman	Eisenhauer	0.85	S	2	OW	11,746	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.71	E	4.69	E
1082.3	IH 35 Frontage (SB)	Rittiman	Loop 410	0.73	S	2	OW	18,728	4	40	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.07	E	5.53	F
1083.0	IH 35 Frontage (SB)	Loop 410	Petroleum	0.53	S	2	OW	8,934	3	40	16.0	4.0	0.0	0	3.0	3.0	N	C	0.0	0	0	0.0	3.31	C	4.23	D
1083.1	IH 35 Frontage (SB)	Petroleum	Binz Engleman	0.77	S	2	OW	9,550	3	40	16.0	4.0	0.0	0	3.0	3.0	N	C	0.0	0	0	0.0	3.34	C	4.30	D
1083.2	IH 35 Frontage (SB)	Binz Engleman	Walters	2.55	S	2	OW	7,948	3	40	20.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.25	C	3.85	D
1084.0	IH 35 Frontage (SB)	Walters	Tilden	0.37	S	2	OW	8,753	3	40	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	3.30	C	3.11	C
1084.1	IH 35 Frontage (SB)	Walters	Tilden	1.11	S	2	OW	2,302	3	40	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.63	C	3.25	C
1088.0	IH 35 Frontage (NB)	Front Interchange	Walzem	0.98	N	3	OW	16,903	4	45	10.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	5.09	E	5.23	E
1088.1	IH 35 Frontage (NB)	Eisenhauer	Walzem	0.96	N	2	OW	13,433	4	40	20.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.75	D	4.42	D
1088.2	IH 35 Frontage (NB)	Rittiman	Eisenhauer	0.87	N	2	OW	12,160	4	40	20.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.71	D	4.30	D
1088.3	IH 35 Frontage (NB)	Rittiman	Loop 410	0.69	N	2	OW	13,051	4	40	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.61	E	4.74	E
1088.4	IH 35 Frontage (NB)	Walters	Tilden	0.37	N	2	OW	13,051	4	40	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	3.74	D	3.56	D
1088.5	IH 35 Frontage (NB)	Tilden	US 281	1.14	N	2	OW	4,594	3	40	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.98	C	3.50	C
1088.6	IH 35 Frontage (NB)	Binz Engleman	Walters	2.73	N	2	OW	13,699	4	40	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.79	E	4.90	E
1090.0	Ira Lee	Loop 410	Austin Highway	1.34	N	2	U	2,631	2	35	13.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.30	C	3.34	C
1090.0	Ira Lee	Loop 410	Austin Highway	1.34	S	2	U	2,631	2	35	13.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.30	C	3.34	C
1100.0	Jackson Keller	Vance Jackson	Loop 410	0.46	E	4	U	11,238	3	35	10.5	0.0	0.0	0	5.0		N	C	0.0	0	75	5.0	3.98	D	3.27	C
1100.0	Jackson Keller	Vance Jackson	Loop 410	0.46	W	4	U	11,238	3	35	11.0	0.0	0.0	0	5.0		N	C	0.0	0	100	3.5	3.93	D	3.11	C
1100.1	Jackson Keller	410	Amerson	0.65	E	4	U	19,289	3	35	13.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	3.96	D	3.37	C
1100.1	Jackson Keller	410	Amerson	0.65	W	4	U	19,289	3	35	11.0	0.0	0.0	0	5.0		N	C	2.0	0	100	4.0	4.20	D	3.43	C
1100.2	Jackson Keller	Amerson	Viewridge	0.60	E	2	U	12,759	3	35	21.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	2.91	C	3.36	C
1100.2	Jackson Keller	Amerson	Viewridge	0.60	W	2	U	12,759	3	35	21.0	0.0	0.0	0	4.0		N	C	6.0	0	50	4.5	2.91	C	3.82	D
1100.3	Jackson Keller	Viewridge	Blanco	0.32	E	2	U	18,610	3	35	20.0	0.0	0.0	0	3.0		N	S	2.5	0	100	3.0	3.63	D	4.30	D
1100.3	Jackson Keller	Viewridge	Blanco	0.32	W	2	U	18,610	3	35	20.5	0.0	0.0	0	3.0		N	S	0.0	0	50	4.0	3.53	D	4.64	E
1101.0	Jackson Keller	Blanco	San Pedro	0.63	E	2	U	10,461	3	35	20.0	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	3.34	C	3.20	C
1101.0	Jackson Keller	Blanco	San Pedro	0.63	W	2	U	10,461	3	35	20.0	0.0	0.0	0	3.0		N	S	0.0	0	25	6.0	3.34	C	3.85	D
1110.0	Jefferson/Auditorium	Houston	Lexington	0.33	N	2	U	1,556	2	30	14.5	0.0	0.0	0	2.5		N	C	0.0	0	100	10.0	1.66	B	1.92	B
1110.0	Jefferson/Auditorium	Houston	Lexington	0.33	S	2	U	1,556	2	30	22.0	0.0	0.0	25	2.5		N	C	0.0	0	100	5.0	0.00	A	1.80	B
1120.0	Jones Maltsberger	Bulverde	Thousand Oaks	2.25	NE	2	U	17,973	4	40	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.80	E	5.59	F



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1120.0	Jones Maltsberger	Bulverde	Thousand Oaks	2.25	SW	2	U	17,973	4	40	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.80	E	5.59	F
1121.0	Jones Maltsberger	Thousand Oaks	Starcrest	2.36	NE	4	S	10,972	4	40	12.0	0.0	0.0	0	3.5		N	C	10.0	9	100	5.0	4.47	D	1.40	A
1121.0	Jones Maltsberger	Thousand Oaks	Starcrest	2.36	SW	4	S	10,972	4	40	12.0	0.0	0.0	0	3.5		N	C	10.0	9	100	5.0	4.47	D	1.40	A
1122.0	Jones Maltsberger	Starcrest	Nakoma	0.81	NE	4	S	28,648	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.95	E	4.05	D
1122.0	Jones Maltsberger	Starcrest	Nakoma	0.81	SW	4	S	28,648	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.95	E	4.05	D
1130.0	Judson	Loop 1604	Stahl	1.17	NW	4	S	8,624	3	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	50	5.0	4.28	D	3.51	D
1130.0	Judson	Loop 1604	Stahl	1.17	SE	4	S	8,624	3	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.28	D	2.86	C
1131.0	Judson	Stahl	Nacogdoches	0.70	NW	4	U	15,310	4	40	12.0	0.0	0.0	0	3.0		N	C	7.0	0	100	4.0	4.81	E	3.14	C
1131.0	Judson	Stahl	Nacogdoches	0.70	SE	4	U	15,310	4	40	12.0	0.0	0.0	0	3.0		N	C	24.0	0	100	4.0	4.81	E	2.68	C
1132.0	Judson	Nacogdoches	Independence	1.36	N	4	S	19,395	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.77	E	3.52	D
1132.0	Judson	Nacogdoches	Independence	1.36	S	4	S	19,395	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.77	E	3.52	D
1132.1	Judson	Independence	IH 35	0.72	N	4	U	18,574	4	45	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.88	E	4.82	E
1132.1	Judson	Independence	IH 35	0.72	S	4	U	18,574	4	45	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.88	E	4.82	E
1133.0	Judson	IH 35	Toepperwein	0.59	N	2	U	18,962	3	35	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.62	E	5.66	F
1133.0	Judson	IH 35	Toepperwein	0.59	S	2	U	18,962	3	35	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.62	E	5.66	F
1140.0	Kampmann	Woodlawn Blvd.	Club Dr.	1.11	N	2	U	1,252	2	30	24.0	7.5	0.0	0	4.0	3.5	Y	C	0.0	0	0	0.0	0.00	A	2.65	C
1140.0	Kampmann	Woodlawn Blvd.	Club Dr.	1.11	S	2	U	1,252	2	30	25.0	7.5	0.0	0	4.0	3.5	Y	C	0.0	0	0	0.0	0.00	A	2.60	C
1150.0	Kings Ct.	St. Mary's	Huisache	0.22	N	2	U	340	2	30	15.5	0.0	0.0	75	2.0		N	B	3.0	0	100	4.0	1.75	B	1.58	B
1150.0	Kings Ct.	St. Mary's	Huisache	0.22	S	2	U	340	2	30	15.5	0.0	0.0	75	2.0		N	C	25.0	0	25	3.5	1.75	B	2.60	C
1160.0	Kitty Hawk	Pcv Booker	Loop 1604	0.92	E	4	D	18,442	3	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.43	D	3.17	C
1160.0	Kitty Hawk	Pcv Booker	Loop 1604	0.92	W	4	D	18,442	3	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.43	D	3.17	C
1161.0	Kitty Hawk	Loop 1604	Toepperwein	1.07	E	4	U	15,302	3	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.01	D	2.91	C
1161.0	Kitty Hawk	Loop 1604	Toepperwein	1.07	W	4	U	15,302	3	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.01	D	2.91	C
1162.0	Kitty Hawk	Miller	Toepperwein	1.28	E	2	U	7,931	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.15	D	4.31	D
1162.0	Kitty Hawk	Miller	Toepperwein	1.28	W	2	U	7,931	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.15	D	4.31	D
1170.0	Kyle-Seale	Babcock	Proposed Road	1.76	N	4	D	9,360	6	45	13.5	0.0	0.0	0	3.0		N	C	0.0	0	75	4.5	5.03	E	3.36	C
1170.0	Kyle-Seale	Babcock	Proposed Road	1.76	S	4	D	9,360	6	45	11.5	0.0	0.0	0	3.0		N	C	0.0	0	75	4.5	5.28	E	3.47	C
1170.1	Kyle-Seale	Proposed Road	Loop 1604	1.77	N	4	D	9,360	3	45	13.5	0.0	0.0	0	3.0		N	C	0.0	0	75	4.5	4.22	D	3.36	C
1170.1	Kyle-Seale	Proposed Road	Loop 1604	1.77	S	4	D	9,360	3	45	11.5	0.0	0.0	0	3.0		N	C	0.0	0	75	4.5	4.47	D	3.47	C
1180.0	Lake Blvd.	Woodlawn	Mulberry	0.29	N	2	U	2,211	2	30	16.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	1.04	A	2.78	C
1180.0	Lake Blvd.	Woodlawn	Mulberry	0.29	S	2	U	2,211	2	30	16.5	0.0	0.0	0	4.0		N	C	3.5	0	100	4.5	1.04	A	2.12	B
1180.1	Lake Blvd.	Mulberry	Donaldson	0.29	N	2	U	2,211	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	4.0	1.87	B	3.34	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₂ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1180.1	Lake Blvd.	Mulberry	Donaldson	0.29	S	2	U	2,211	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	1.87	B	2.28	B
1180.2	Lake Blvd.	Donaldson	Club Dr.	0.21	N	2	U	2,211	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.71	C	3.16	C
1180.2	Lake Blvd.	Donaldson	Club Dr.	0.21	S	2	U	2,211	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.71	C	3.16	C
1190.0	Lake Meadow	US 87	Lakefront	0.19	N	2	U	3,183	2	30	20.5	0.0	0.0	0	3.5		N	C	5.0	0	100	3.0	1.18	A	2.23	B
1190.0	Lake Meadow	US 87	Lakefront	0.19	S	2	U	3,183	2	30	20.5	0.0	0.0	0	3.5		N	C	5.0	0	100	3.0	1.18	A	2.23	B
1190.1	Lake Meadow	Lakefront	Sinclair	0.49	N	2	U	3,715	2	30	19.5	0.0	0.0	0	3.0		N	C	2.0	0	100	3.0	2.30	B	2.42	B
1190.1	Lake Meadow	Lakefront	Sinclair	0.49	S	2	U	3,715	2	30	19.5	0.0	0.0	0	3.0		N	C	2.0	0	100	3.0	2.30	B	2.42	B
1200.0	New Laredo Highway	Military	Nogalitos	1.91	N	4	S	12,125	3	35	16.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.68	C	2.70	C
1200.0	New Laredo Highway	Military	Nogalitos	1.91	S	4	S	12,125	3	35	16.5	5.5	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.47	B	2.69	C
1201.0	New Laredo Highway	Somerset	SW Military	3.13	N	2	U	6,820	6	45	20.0	8.0	0.0	0	3.0	2.0	N	S	0.0	0	0	0.0	2.21	B	3.99	D
1201.0	New Laredo Highway	Somerset	SW Military	3.13	S	2	U	6,820	6	45	24.0	12.0	0.0	0	3.0	2.0	N	S	0.0	0	0	0.0	0.00	A	3.77	D
1220.0	Lockhill Selma	De Zavala	Huebner	1.01	N	2	U	12,117	4	45	14.5	0.0	0.0	0	5.0		N	S	0.0	0	0	5.0	4.32	D	5.03	E
1220.0	Lockhill Selma	De Zavala	Huebner	1.01	S	2	U	12,117	4	45	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	4.5	4.25	D	4.98	E
1220.1	Lockhill Selma	Huebner	George	0.81	N	2	S	12,117	4	45	18.0	6.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	12.5	2.65	C	3.37	C
1220.1	Lockhill Selma	Huebner	George	0.81	S	2	S	12,117	4	45	18.0	6.5	0.0	0	4.0	4.0	Y	C	0.0	0	0	0.0	2.53	C	4.76	E
1220.2	Lockhill Selma	George	Wurzbach	0.55	NW	2	D	15,894	3	35	18.0	6.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.50	B	3.81	D
1220.2	Lockhill Selma	George	Wurzbach	0.55	SE	2	D	15,894	3	35	18.0	6.0	0.0	0	3.5	3.5	Y	C	0.0	0	0	0.0	2.50	B	4.89	E
1230.0	Lookout	FM 3009	Evans	2.09	NE	2	U	701	2	35	22.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.00	A	2.09	B
1230.0	Lookout	FM 3009	Evans	2.09	SW	2	U	701	2	35	22.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.00	A	2.09	B
1231.0	Lookout	Evans	Retama Park Entrance	0.90	NE	4	S	2,415	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.98	D	3.96	D
1231.0	Lookout	Evans	Retama Park Entrance	0.90	SW	4	S	2,415	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.98	D	3.96	D
1231.1	Lookout	RetamaPark	Loop 1604	1.24	NE	4	U	3,539	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.89	C	3.47	C
1231.1	Lookout	RetamaPark	Loop 1604	1.24	SW	4	U	3,539	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.89	C	3.47	C
1232.0	Lookout	Toepperwein	Loop 1604	1.11	NE	2	U	1,360	2	35	11.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.43	C	3.13	C
1232.0	Lookout	Toepperwein	Loop 1604	1.11	SW	2	U	1,360	2	35	11.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.43	C	3.13	C
1233.0	Lookout	Judson	Topperwein	0.57	E	2	U	2,111	3	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.44	C	3.42	C
1233.0	Lookout	Judson	Topperwein	0.57	W	2	U	2,111	3	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.44	C	3.42	C
1234.0	Lookout	O'Connor	Judson	1.19	NE	2	U	10,704	4	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.34	E	4.93	E
1234.0	Lookout	O'Connor	Judson	1.19	SW	2	U	10,704	4	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.34	E	4.93	E
1240.0	Loop 1604 Frontage (WB)	SH 16 (N)	Babcock	3.25	W	2	OW	7,064	3	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.97	D	4.36	D
1240.1	Loop 1604 Frontage (WB)	Babcock	UTSA	1.40	W	2	OW	4,576	3	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.01	D	4.29	D
1240.2	Loop 1604 Frontage (WB)	UTSA	University Oaks	0.56	W	2	OW	2,472	3	45	21.5	10.5	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	3.35	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1240.3	Loop 1604 Frontage (WB)	University Oaks	Military	1.48	W	2	OW	8,048	3	45	20.5	9.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.66	A	4.00	D
1240.4	Loop 1604 Frontage (WB)	Military	End of Front. Roads	1.85	W	2	OW	12,367	10	55	20.5	8.0	0.0	0	4.0	4.0	N	C	0.0	0	0	0.0	3.62	D	4.86	E
1240.5	Loop 1604 Frontage (EB)	SH 16 (N)	Babcock	3.18	E	2	OW	4,242	3	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.72	D	4.07	D
1240.6	Loop 1604 Frontage (EB)	Babcock	UTSA	1.43	E	2	OW	8,903	3	45	17.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.62	D	4.33	D
1240.7	Loop 1604 Frontage (EB)	UTSA	University Oaks	0.54	E	2	OW	2,695	3	45	12.0	0.0	0.0	0	4.0		N	C	8.5	0	0	5.0	3.75	D	4.10	D
1240.8	Loop 1604 Frontage (EB)	University Oaks	Military	1.49	E	2	OW	6,802	3	45	20.0	9.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.72	A	3.89	D
1240.9	Loop 1604 Frontage (EB)	Military	End of Front. Roads	1.85	E	3	OW	11,521	4	55	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.47	A	4.38	D
1241.0	Loop 1604	SH 16 (N)	Braun	1.48	N	4	D	75,900	6	50	14.0	0.0	0.0	0	4.0		N	C	0.0	0	50	4.0	5.79	F	7.82	F
1241.0	Loop 1604	SH 16 (N)	Braun	1.48	S	4	D	75,900	6	50	14.0	0.0	0.0	0	4.0		N	C	0.0	0	50	4.0	5.79	F	7.82	F
1241.1	Loop 1604	Braun	Shaenfield	1.65	N	4	D	75,900	6	55	12.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	4.44	D	8.75	F
1241.1	Loop 1604	Braun	Shaenfield	1.65	S	4	D	75,900	6	55	12.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	4.44	D	8.75	F
1241.2	Loop 1604	Shaenfield	Culebra	1.58	N	4	D	42,900	6	55	12.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	4.15	D	6.78	F
1241.2	Loop 1604	Shaenfield	Culebra	1.58	S	4	D	42,900	6	55	12.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	4.15	D	6.78	F
1242.0	Loop 1604	SH 16 (S)	US 281 (S)	6.98	E	2	U	6,930	7	60	21.0	9.5	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	1.67	B	4.58	E
1242.0	Loop 1604	SH 16 (S)	US 281 (S)	6.98	W	2	U	6,930	7	60	23.5	7.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	1.67	B	4.44	D
1242.1	Loop 1604 Frontage (WB)	Bitters	US 281	4.09	W	2	OW	39,645	5	55	20.5	9.0	0.0	0	4.0		N	C	0.0	0	50	6.0	2.16	B	7.25	F
1242.2	Loop 1604 Frontage (WB)	US 281	FM 2252	7.56	W	2	OW	10,141	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.66	E	4.89	E
1242.3	Loop 1604 Frontage (EB)	Bitters	US 281	4.04	E	2	OW	38,366	5	55	21.5	9.5	0.0	0	4.0	4.0	N	S	0.0	0	25	5.0	1.69	B	7.33	F
1242.4	Loop 1604 Frontage (EB)	US 281	FM 2252	7.51	E	2	OW	21,393	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	5.04	E	6.08	F
1243.0	Loop 1604 Frontage (WB)	FM 2252	IH 35	1.88	W	2	OW	14,281	4	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.83	E	5.32	E
1243.1	Loop 1604 Frontage (WB)	IH 35	SH 218	0.48	W	2	OW	18,488	4	45	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.12	E	5.77	F
1243.2	Loop 1604 Frontage (EB)	FM 2252	IH 35	1.84	E	2	OW	13,924	4	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.56	E	5.09	E
1243.3	Loop 1604 Frontage (WB)	IH 35	SH 218	0.31	W	2	OW	10,705	4	45	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.58	E	4.75	E
1243.4	Loop 1604	SH 218	FM 78	2.49	E	2	D	69,300	6	45	12.0	2.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	6.40	F	12.09	F
1243.4	Loop 1604	SH 218	FM 78	2.49	W	2	D	69,300	6	45	12.0	2.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	6.40	F	12.09	F
1250.0	Loop 1604 Frontage (WB)	Somerset	Zarzamora	3.63	W	3	OW	6,440	4	50	15.0	3.0	0.0	0	4.0	3.0	N	C	0.0	0	0	0.0	3.40	C	4.18	D
1250.1	Loop 1604 Frontage (EB)	Somerset	Zarzamora	3.66	E	2	OW	732	4	50	20.0	8.0	0.0	0	4.0	3.0	N	C	0.0	0	0	0.0	0.24	A	3.45	C
1260.0	Lord	WW White	Semlinger	0.86	E	2	U	2,150	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	1.80	B	2.33	B
1260.0	Lord	WW White	Semlinger	0.86	W	2	U	2,150	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	1.80	B	2.33	B
1270.0	Lower Seguin	Rocket/ Schafer	FM 1518	3.66	NE	2	U	2,695	4	50	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.66	B	3.34	C
1270.0	Lower Seguin	Rocket/ Schafer	FM 1518	3.66	SW	2	U	2,695	4	50	20.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.66	B	3.34	C
1280.0	Macdona/Lacoste	County Boundary	Loop 1604	7.33	E	2	U	1,762	4	45	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.65	C	3.42	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						1280.0	Macdona/Lacoste				County Boundary	Loop 1604	7.33		W	2							U	1,762	4	45
1290.0	Main	Summit	San Pedro	1.32	N	2	U	3,274	2	30	14.5	0.0	0.0	0	2.5		N	C	8.0	35	100	4.0	3.32	C	1.70	B
1290.0	Main	Summit	San Pedro	1.32	S	2	U	3,274	2	30	14.5	0.0	0.0	0	2.5		N	C	7.0	35	100	4.0	3.32	C	1.78	B
1291.0	Main (SB)	Nueva	San Pedro	0.42	S	4	OW	3,558	2	30	17.0	0.0	0.0	0	4.0		N	C	0.0	0	100	12.0	2.28	B	1.72	B
1300.0	Marbach	Hunt	Loop 1604	2.84	E	4	S	11,904	4	40	12.5	0.0	0.0	0	2.5		N	C	0.0	0	100	4.0	4.98	E	3.15	C
1300.0	Marbach	Hunt	Loop 1604	2.84	W	4	S	11,904	4	40	12.5	0.0	0.0	0	2.5		N	C	2.0	0	100	4.0	4.98	E	3.08	C
1301.0	Marbach	Hunt	Loop 410	1.18	E	4	S	39,307	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	75	6.0	5.22	E	4.92	E
1301.0	Marbach	Hunt	Loop 410	1.18	W	4	S	39,307	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	75	5.0	5.22	E	4.98	E
1301.1	Marbach	Loop 410	Military	1.21	E	4	S	28,415	4	35	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	5.05	E	3.91	D
1301.1	Marbach	Loop 410	Military	1.21	W	4	S	28,415	4	35	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.93	E	3.87	D
1310.0	Martin	General Mc Mullen	24 th Street	0.70	E	2	U	5,577	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.69	C	2.52	C
1310.0	Martin	General Mc Mullen	24 th Street	0.70	W	2	U	5,577	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.69	C	2.52	C
1311.0	Martin	24th	Zarzamora	0.95	E	4	U	5,577	2	35	11.0	0.0	0.0	0	2.0		N	C	0.0	0	100	5.0	4.45	D	2.56	C
1311.0	Martin	24th	Zarzamora	0.95	W	4	U	5,577	2	35	11.0	0.0	0.0	0	2.0		N	C	0.0	0	100	5.0	4.45	D	2.56	C
1312.0	Martin	Zarzamora	Medina	1.32	E	4	U	6,300	2	35	12.0	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	4.47	D	2.63	C
1312.0	Martin	Zarzamora	Medina	1.32	W	4	U	6,300	2	35	12.0	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	4.47	D	2.63	C
1320.0	Martin Luther King	New Braunfels	IH 10	1.77	E	4	U	7,321	2	35	10.0	0.0	0.0	0	3.0		N	C	0.0	0	75	4.0	4.02	D	3.16	C
1320.0	Martin Luther King	New Braunfels	IH 10	1.77	W	4	U	7,321	2	35	10.0	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	4.02	D	2.75	C
1321.0	Martin Luther King	New Braunfels	WW White	1.62	E	4	U	7,559	2	35	10.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.68	D	2.83	C
1321.0	Martin Luther King	New Braunfels	WW White	1.62	W	4	U	7,559	2	35	10.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.68	D	2.83	C
1340.0	Mc Cullough	Loop 410	Oblcve	1.09	S	4	U	18,897	3	35	13.0	0.0	0.0	0	2.5		N	C	4.0	140	100	3.0	4.80	E	3.32	C
1340.0	Mc Cullough	Loop 410	Oblcve	1.09	W	4	U	18,897	3	35	12.0	0.0	0.0	0	2.5		N	C	11.0	0	100	4.5	4.93	E	3.02	C
1341.0	Mc Cullough	Basse	Jackson Keller	0.29	N	4	S	11,058	3	35	16.0	0.0	0.0	0	3.0		N	S	0.0	0	0	6.0	3.74	D	3.80	D
1341.0	Mc Cullough	Basse	Jackson Keller	0.29	S	4	S	11,058	3	35	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.17	D	4.06	D
1341.1	Mc Cullough	Jackson Keller	Oblcve	0.83	N	4	U	15,100	3	35	10.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.68	E	4.61	E
1341.1	Mc Cullough	Jackson Keller	Oblcve	0.83	S	4	U	15,100	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.62	E	4.55	E
1342.0	Mc Cullough	RR Xing	Hildebrand	1.02	N	2	U	9,957	2	30	17.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.13	C	4.09	D
1342.0	Mc Cullough	RR Xing	Hildebrand	1.02	S	2	U	9,957	2	30	18.5	0.0	0.0	0	4.0		N	C	0.0	0	25	5.0	2.95	C	3.77	D
1342.1	Mc Cullough	Basse	RR Xing	0.47	N	2	S	9,957	2	35	14.5	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	3.58	D	3.30	C
1342.1	Mc Cullough	Basse	RR Xing	0.47	S	2	S	9,957	2	35	13.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	3.79	D	3.35	C
1343.0	Mc Cullough	Hildebrand	Mulberry	0.66	N	2	U	12,308	3	30	18.0	5.0	0.0	0	3.0	2.5	Y	C	5.0	82	100	4.0	2.63	C	3.14	C
1343.0	Mc Cullough	Hildebrand	Mulberry	0.66	S	2	U	12,308	3	30	18.5	6.0	0.0	0	3.0	2.5	Y	C	3.5	82	100	4.0	2.27	B	3.20	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1344.0	Mc Cullough	Mulberry	Ashby	0.53	N	2	U	16,384	3	30	17.5	5.0	0.0	0	2.0	2.0	Y	C	5.0	77	100	4.0	3.88	D	3.62	D
1344.0	Mc Cullough	Mulberry	Ashby	0.53	S	2	U	16,384	3	30	17.5	5.5	0.0	0	2.0	2.0	Y	C	0.0	77	100	9.0	3.76	D	3.64	D
1344.1	Mc Cullough	Ashby	Cypress	0.58	N	4	U	11,405	3	30	10.5	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	4.33	D	2.80	C
1344.1	Mc Cullough	Ashby	Cypress	0.58	S	4	U	11,405	3	30	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.33	D	2.79	C
1344.2	Mc Cullough	Cypress	Navarro	0.76	E	2	U	12,387	3	30	17.0	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	3.83	D	3.36	C
1344.2	Mc Cullough	Cypress	Navarro	0.76	W	2	U	12,387	3	30	19.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.47	C	3.32	C
1350.0	Medical	IH 10	Fredericksburg	1.17	E	2	S	27,331	4	30	14.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.48	D	5.29	E
1350.0	Medical	IH 10	Fredericksburg	1.17	W	2	S	27,331	4	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	3.5	4.41	D	5.40	E
1362.0	Military	Potranco	Loop 410	0.67	N	4	D	12,552	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	75	5.0	4.48	D	3.59	D
1362.0	Military	Potranco	Loop 410	0.67	S	4	D	12,552	4	45	11.5	0.0	0.0	0	4.0		N	C	0.0	0	50	6.0	4.54	E	3.90	D
1362.1	Military	Loop 410	SH 151	0.73	N	4	S	21,910	4	45	12.5	0.0	0.0	0	3.5		N	C	0.0	0	25	5.0	4.85	E	4.75	E
1362.1	Military	Loop 410	SH 151	0.73	S	4	S	21,910	4	45	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.79	E	5.02	E
1363.0	Military	SH 151	Brownleaf	0.47	N	4	S	17,969	3	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.15	D	4.50	D
1363.0	Military	SH 151	Brownleaf	0.47	S	4	S	17,969	3	35	12.0	0.0	0.0	0	4.0		N	C	7.0	0	100	4.0	4.21	D	3.14	C
1363.1	Military	Brownleaf	Marbach	0.90	N	4	S	17,969	3	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.15	D	3.36	C
1363.1	Military	Brownleaf	Marbach	0.90	S	4	S	17,969	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	3.0	4.21	D	3.55	D
1364.0	Military	Marbach	US 90	1.04	N	4	S	22,887	4	35	12.5	0.0	0.0	0	4.0		N	C	7.0	0	25	4.0	4.50	D	4.46	D
1364.0	Military	Marbach	US 90	1.04	S	4	S	22,887	4	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	25	4.0	4.50	D	4.52	E
1365.0	Military	US 90	Five Palms	1.96	N	4	S	42,900	5	45	17.0	0.0	0.0	0	3.5		N	C	0.0	0	0	6.0	4.80	E	5.95	F
1365.0	Military	US 90	Five Palms	1.96	S	6	S	42,900	5	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	50	6.0	5.06	E	4.69	E
1366.0	Military (Loop 13)	Five Palms	FM 2536	1.75	N	6	S	13,090	4	45	15.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.81	D	4.01	D
1366.0	Military (Loop 13)	Five Palms	FM 2536	1.75	S	6	S	13,090	4	45	14.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.96	D	2.86	C
1366.1	Military (Loop 13)	FM 2536	New Laredo Highway	1.90	E	6	D	26,400	4	45	13.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.53	E	4.77	E
1366.1	Military (Loop 13)	FM 2536	New Laredo Highway	1.90	W	6	D	26,400	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.65	E	4.87	E
1367.0	Military (Loop 13)	Laredo Highway	Zarzamora	1.53	E	6	S	28,600	4	40	12.5	0.0	0.0	0	4.0		N	C	7.0	0	100	5.0	4.53	E	3.23	C
1367.0	Military (Loop 13)	Laredo Highway	Zarzamora	1.53	W	6	S	28,600	4	40	12.5	0.0	0.0	0	4.0		N	C	10.0	0	75	5.0	4.53	E	3.54	D
1368.0	Military (Loop 13)	Zarzamora	Commercial	1.08	E	6	D	48,546	5	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	5.05	E	4.11	D
1368.0	Military (Loop 13)	Zarzamora	Commercial	1.08	W	6	D	48,546	5	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	5.17	E	4.21	D
1368.1	Military (Loop 13)	Commercial	Flores	1.53	E	6	D	36,771	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.66	E	3.63	D
1368.1	Military (Loop 13)	Commercial	Flores	1.53	W	6	D	36,771	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.66	E	3.63	D
1369.0	Military (Loop 13)	Flores	So. Presa	1.83	E	6	S/D	34,100	4	40	13.5	0.0	0.0	0	4.0		N	C	2.0	0	50	4.0	4.49	D	4.27	D
1369.0	Military (Loop 13)	Flores	So. Presa	1.83	W	6	S/D	34,100	4	40	13.5	0.0	0.0	0	4.0		N	C	2.0	0	50	4.0	4.49	D	4.27	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1370.0	Military (Loop 13)	So. Presa	Goliad	1.85	E	6	D	27,500	4	45	12.0	0.0	0.0	0	4.0		N	C	20.0	0	25	4.0	4.67	E	4.46	D
1370.0	Military (Loop 13)	So. Presa	Goliad	1.85	W	6	D	27,500	4	45	12.0	0.0	0.0	0	4.0		N	C	10.0	0	50	4.0	4.67	E	4.14	D
1372.0	Military (Loop 13)	Goliad	WW White	1.67	E	4	U	18,590	4	45	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.94	E	5.02	E
1372.0	Military (Loop 13)	Goliad	WW White	1.67	W	4	U	18,590	4	45	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.94	E	5.02	E
1380.0	Miller Road	New World	Kitty Hawk	0.76	N	4	U	6,180	2	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.24	C	3.51	D
1380.0	Miller Road	New World	Kitty Hawk	0.76	S	4	U	6,180	2	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.24	C	3.51	D
1381.0	Glen Mont	Crestway	Glen Fair	0.33	N	2	U	3,912	2	30	15.0	0.0	0.0	0	4.0		N	C	5.5	0	75	3.5	3.01	C	2.70	C
1381.0	Glen Mont	Crestway	Glen Fair	0.33	S	2	U	3,912	2	30	15.0	0.0	0.0	0	4.0		N	C	5.5	0	75	3.5	3.01	C	2.70	C
1381.1	Glen Mont	Glen Fair	Montgomery	0.51	N	2	U	2,511	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	100	3.0	1.99	B	2.30	B
1381.1	Glen Mont	Glen Fair	Montgomery	0.51	S	2	U	2,511	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	100	3.0	1.99	B	2.30	B
1381.2	Glen Mont	Montgomery	Walzem	0.75	N	2	U	2,912	2	30	15.5	0.0	0.0	0	4.0		N	C	5.0	0	50	3.0	2.09	B	2.87	C
1381.2	Glen Mont	Montgomery	Walzem	0.75	S	2	U	2,912	2	30	15.5	0.0	0.0	0	4.0		N	C	5.0	0	100	3.0	2.09	B	2.36	B
1400.0	Misty Wcver Lane	Deer Cross Lane	Timberline Dr.	0.96	N	2	U	751	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.32	A	2.72	C
1400.0	Misty Wcver Lane	Deer Cross Lane	Timberline Dr.	0.96	S	2	U	751	2	30	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.52	B	2.78	C
1410.0	Montana	IH 37	New Braunfels	1.12	E	2	U	2,822	2	30	17.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	1.92	B	2.23	B
1410.0	Montana	IH 37	New Braunfels	1.12	W	2	U	2,822	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	1.63	B	2.30	B
1411.0	Montana	New Braunfels	Rio Grande	0.83	E	2	U	1,000	2	30	18.0	0.0	0.0	0	2.5		N	C	0.0	0	100	4.0	0.00	A	2.08	B
1411.0	Montana	New Braunfels	Rio Grande	0.83	W	2	U	1,000	2	30	18.0	0.0	0.0	0	2.5		N	C	0.0	0	100	4.0	0.00	A	2.08	B
1420.0	Montgomery	US 90	Macdona Lacoste	3.43	N	2	U	3,960	4	45	12.0	2.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.46	D	4.49	D
1420.0	Montgomery	US 90	Macdona Lacoste	3.43	S	2	U	3,960	4	45	12.0	2.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.46	D	4.49	D
1430.0	Mulberry	Ripley	Mc Cullough	0.76	E	2	U	3,230	2	30	15.0	0.0	0.0	25	2.0		N	C	13.0	16	100	4.0	4.22	D	0.91	A
1430.0	Mulberry	Ripley	Mc Cullough	0.76	W	2	U	3,230	2	30	15.0	0.0	0.0	0	2.0		N	C	9.0	16	100	4.0	3.80	D	1.26	A
1431.0	Mulberry	Mc Cullough	St. Mary's (N)	0.75	E	2	U	8,865	2	30	14.0	0.0	0.0	0	3.0		N	C	8.5	0	100	4.5	3.94	D	2.83	C
1431.0	Mulberry	Mc Cullough	St. Mary's (N)	0.75	W	2	U	8,865	2	30	13.5	0.0	0.0	0	3.0		N	C	9.5	80	100	5.0	4.01	D	2.53	C
1431.1	Mulberry	St. Mary's (N)	Broadway	0.51	E	2	U	9,573	2	25	14.0	4.0	0.0	0	5.0	4.5	N	S	0.0	0	0	0.0	2.63	C	4.20	D
1431.1	Mulberry	St. Mary's (N)	Broadway	0.51	W	2	U	9,573	2	25	14.0	2.0	0.0	0	5.0	4.5	N	S	0.0	0	0	0.0	3.27	C	4.20	D
1440.0	N.W. Military (FM 1535)	Camp Bullis	Loop 1604	3.37	N	2	U	3,630	4	45	20.5	9.5	0.0	0	3.0	2.5	N	S	0.0	0	0	0.0	0.45	A	3.59	D
1440.0	N.W. Military (FM 1535)	Camp Bullis	Loop 1604	3.37	S	2	U	3,630	4	45	20.0	9.0	0.0	0	3.0	2.5	N	S	0.0	0	0	0.0	0.75	A	3.61	D
1441.0	N.W. Military (FM 1535)	Loop 1604	Huebner	2.02	N	4	U	13,310	4	45	11.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.26	E	4.66	E
1441.0	N.W. Military (FM 1535)	Loop 1604	Huebner	2.02	S	4	U	13,310	4	45	11.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.32	E	4.71	E
1442.0	N.W. Military (FM 1535)	Huebner	Wurzbach	1.33	N	4	U	18,920	4	45	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.13	E	5.05	E
1442.0	N.W. Military (FM 1535)	Huebner	Wurzbach	1.33	S	4	U	18,920	4	45	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.08	E	5.00	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1443.0	N.W. Military (FM 1535)	Wurzbach	Braesview	0.94	N	4	U	18,920	4	45	10.5	0.0	0.0	0	4.0		N	S	0.0	0	100	5.5	4.86	E	3.65	D
1443.0	N.W. Military (FM 1535)	Wurzbach	Braesview	0.94	S	4	U	18,920	4	45	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.63	E	4.89	E
1450.0	Nacogdoches (FM 2252)	Loop 1604	Judson	1.56	NE	4	S	20,680	4	45	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.33	D	3.65	D
1450.0	Nacogdoches (FM 2252)	Loop 1604	Judson	1.56	SW	4	S	20,680	4	45	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.33	D	3.65	D
1452.0	Nacogdoches	Higgins	Thousand Oaks	1.32	NE	4	S	30,800	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.93	E	4.48	D
1452.0	Nacogdoches	Higgins	Thousand Oaks	1.32	SW	4	S	30,800	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.93	E	4.48	D
1453.0	Nacogdoches	Wurzbach Parkway	Thousand Oaks	1.22	NE	4	S	28,053	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.89	E	4.32	D
1453.0	Nacogdoches	Wurzbach Parkway	Thousand Oaks	1.22	SW	4	S	28,053	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.89	E	4.32	D
1454.0	Nacogdoches	Wurzbach Parkway	Loop 410	2.46	NE	4	S	26,717	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.86	E	4.24	D
1454.0	Nacogdoches	Wurzbach Parkway	Loop 410	2.46	SW	4	S	26,717	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.86	E	4.24	D
1454.1	Nacogdoches	Loop 410	New Braunfels	0.87	NE	4	U	19,692	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.94	E	4.83	E
1454.1	Nacogdoches	Loop 410	New Braunfels	0.87	SW	4	U	19,692	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.94	E	3.52	D
1455.0	Nacogdoches	New Braunfels	Broadway	0.64	NE	2	S	14,370	3	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.33	D	3.74	D
1455.0	Nacogdoches	New Braunfels	Broadway	0.64	SW	2	S	14,370	3	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.33	D	3.74	D
1461.1	New Braunfels	Larkwood	Eisenhauer	0.45	NW	4	U	15,916	3	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.44	C	3.96	D
1461.1	New Braunfels	Larkwood	Eisenhauer	0.45	SE	4	U	15,916	3	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.44	C	3.96	D
1462.1	New Braunfels	Brees Blvd	Austin Highway	0.49	N	4	U	19,841	3	30	19.0	0.0	0.0	0	3.5		N	C	8.0	0	50	4.0	3.18	C	3.44	C
1462.1	New Braunfels	Brees Blvd	Austin Highway	0.49	S	4	U	19,841	3	30	17.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.54	D	4.12	D
1463.0	New Braunfels	Austin Highway	Burr Road	1.03	N	2	U	9,390	2	30	18.0	0.0	0.0	0	2.5		N	C	5.0	0	100	4.0	3.69	D	2.93	C
1463.0	New Braunfels	Austin Highway	Burr Road	1.03	S	2	U	9,390	2	30	18.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	3.69	D	3.98	D
1464.0	New Braunfels	Burr Road	Funston	0.73	N	2	U	11,204	3	30	19.0	0.0	0.0	0	2.5		N	C	5.0	0	50	3.0	3.78	D	3.69	D
1464.0	New Braunfels	Burr Road	Funston	0.73	S	2	U	11,204	3	30	19.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	3.78	D	4.14	D
1466.0	New Braunfels	IH 35	Houston	0.89	N	4	U	21,912	4	30	13.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.49	D	3.32	C
1466.0	New Braunfels	IH 35	Houston	0.89	S	4	U	21,912	4	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.68	E	3.37	C
1467.0	New Braunfels	Houston	Paso Hondo	0.27	N	4	U	12,477	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.32	D	2.84	C
1467.0	New Braunfels	Houston	Paso Hondo	0.27	S	4	U	12,477	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.32	D	2.67	C
1467.1	New Braunfels	Paso Hondo	Martin Luther King	0.53	N	2	S	12,477	3	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.82	D	3.50	C
1467.1	New Braunfels	Paso Hondo	Martin Luther King	0.53	S	2	S	12,477	3	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.82	D	3.57	D
1468.0	New Braunfels	Martin Luther King	South of Rigsby	1.10	N	4	U	14,907	3	30	10.5	0.0	0.0	0	3.5		N	C	4.0	0	100	5.0	4.29	D	2.87	C
1468.0	New Braunfels	Martin Luther King	South of Rigsby	1.10	S	4	U	14,907	3	30	10.5	0.0	0.0	0	3.5		N	C	7.0	0	100	4.0	4.29	D	2.88	C
1469.0	New Braunfels	Kayton	Vanderbilt	0.54	N	4	U	10,016	3	30	10.5	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	4.09	D	2.76	C
1469.0	New Braunfels	Kayton	Vanderbilt	0.54	S	4	U	10,016	3	30	10.5	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	4.09	D	2.76	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1469.1	New Braunfels	Vanderbilt	Fair	0.38	N	2	U	10,016	3	30	22.0	6.0	0.0	0	3.5	3.0	N	C	0.0	0	100	4.0	1.07	A	3.04	C
1469.1	New Braunfels	Vanderbilt	Fair	0.38	S	2	U	10,016	3	30	22.0	6.0	0.0	0	3.5	3.0	N	C	10.0	0	100	4.0	1.07	A	2.77	C
1469.2	New Braunfels	Fair	Southcross	0.60	N	4	S	11,307	3	30	12.5	0.0	0.0	0	3.0		N	C	15.0	0	100	4.0	4.10	D	2.38	B
1469.2	New Braunfels	Fair	Southcross	0.60	S	4	S	11,307	3	30	14.0	0.0	0.0	0	3.0		N	C	10.0	0	100	4.0	3.90	D	2.46	B
1470.0	New Braunfels	Southcross	Hotwells	0.47	N	4	U	16,904	3	30	11.5	0.0	0.0	0	3.5		N	S	2.5	0	25	3.0	4.24	D	4.13	D
1470.0	New Braunfels	Southcross	Hotwells	0.47	S	4	U	16,904	3	30	11.5	0.0	0.0	0	3.5		N	C	2.5	0	100	4.0	4.24	D	3.12	C
1470.1	New Braunfels	Hot Wells	Military	1.56	N	4	U	12,233	4	40	11.0	0.0	0.0	0	4.0		N	S	10.0	0	25	5.0	4.48	D	4.06	D
1470.1	New Braunfels	Hot Wells	Military	1.56	S	4	U	12,233	4	40	11.0	0.0	0.0	0	4.0		N	S	15.0	20	25	4.0	4.48	D	3.77	D
1480.0	New Sulphur Springs	W.W. White	Loop 410	0.63	E	4	U	23,100	4	40	18.5	6.5	0.0	0	4.0	4.0	Y	C	2.5	0	100	4.0	2.28	B	3.54	D
1480.0	New Sulphur Springs	W.W. White	Loop 410	0.63	W	4	U	23,100	4	40	18.5	6.5	0.0	0	4.0	4.0	Y	C	2.5	0	100	4.0	2.28	B	3.54	D
1480.1	New Sulphur Springs	Loop 410	Foster	2.14	EB	2	U	9,753	6	45	19.0	7.0	0.0	0	2.5	3.5	N	S	0.0	0	0	0.0	3.29	C	4.41	D
1480.1	New Sulphur Springs	Loop 410	Foster	2.14	WB	2	U	9,753	6	45	19.0	7.0	0.0	0	2.5	3.5	N	S	0.0	0	0	0.0	3.29	C	4.41	D
1490.0	New World	Crestway	Montgomery (Formerly O'Connor)	0.73	N	2	U	3,913	2	30	12.0	0.0	0.0	25	3.5		N	C	3.0	0	100	4.0	3.85	D	2.37	B
1490.0	New World	Crestway	Montgomery (Formerly O'Connor)	0.73	S	2	U	3,913	2	30	12.0	0.0	0.0	25	3.5		N	C	3.0	0	100	4.0	3.85	D	2.37	B
1491.0	New World	Montgomery (Formerly Crestway)	Walzem (Formerly Eisenhauer)	1.34	N	2	U	4,718	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.71	D	2.75	C
1491.0	New World	Montgomery (Formerly Crestway)	Walzem (Formerly Eisenhauer)	1.34	S	2	U	4,718	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.71	D	2.75	C
1500.0	Nogalitos	Flores	Furnish	0.55	N	2	U	8,851	2	30	18.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.21	C	2.91	C
1500.0	Nogalitos	Flores	Furnish	0.55	S	2	U	8,851	2	30	18.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.21	C	2.91	C
1500.1	Nogalitos	Furnish	Cumberland	0.36	N	4	U	8,647	2	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	3.96	D	2.44	B
1500.1	Nogalitos	Furnish	Cumberland	0.36	S	4	U	8,647	2	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	3.96	D	2.52	C
1500.2	Nogalitos	Cumberland	US 90	0.33	N	4	U	19,087	3	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.12	D	3.17	C
1500.2	Nogalitos	Cumberland	US 90	0.33	S	4	U	19,087	3	30	13.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.06	D	3.27	C
1501.0	Nogalitos	US 90	Division	1.46	N	4	U	23,100	4	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	5.00	E	3.51	D
1501.0	Nogalitos	US 90	Division	1.46	S	4	U	23,100	4	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	5.00	E	3.51	D
1520.0	O'Connor	Stahl	Nacogdoches	0.89	N	4	U	14,375	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.78	E	3.21	C
1520.0	O'Connor	Stahl	Nacogdoches	0.89	S	4	U	14,375	4	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.78	E	3.21	C
1521.0	O'Connor	Nacogdoches	Lookout	1.05	N	4	U	29,190	4	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.96	E	5.39	E
1521.0	O'Connor	Nacogdoches	Lookout	1.05	S	4	U	29,190	4	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.96	E	5.39	E
1522.0	O'Connor	Lookout	Randolph	1.23	NE	4	U	20,074	4	45	12.0	0.0	0.0	0	4.5		N	C	0.0	0	100	6.0	4.62	E	3.61	D
1522.0	O'Connor	Lookout	Randolph	1.23	SW	4	U	20,074	4	45	12.0	0.0	0.0	0	4.5		N	C	0.0	0	100	6.0	4.62	E	3.61	D
1523.0	O'Connor	Randolph Blvd.	Miller	1.20	NW	4	U	19,099	4	40	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.80	E	4.69	E
1523.0	O'Connor	Randolph Blvd.	Miller	1.20	SE	4	U	19,099	4	40	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.80	E	4.69	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1530.0	Oak Estcvcs	Blanco Rd.	Deer Cross	1.73	E	2	U	1,941	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.16	B	3.07	C
1530.0	Oak Estcvcs	Blanco Rd.	Deer Cross	1.73	W	2	U	1,941	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.16	B	3.07	C
1540.0	Old Hwy 90	US 90	SH 151	2.19	E	4	U	10,138	4	40	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.15	D	4.15	D
1540.0	Old Hwy 90	US 90	SH 151	2.19	W	4	U	10,138	4	40	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.21	D	4.19	D
1540.1	Old Hwy 90	SH 151	Commerce	2.02	E	4	U	23,047	4	40	22.5	11.0	0.0	0	2.5	2.0	N	C	17.0	0	0	5.0	0.49	A	4.25	D
1540.1	Old Hwy 90	SH 151	Commerce	2.02	W	4	U	23,047	4	40	22.5	11.0	0.0	0	2.5	2.0	N	C	10.0	0	0	4.0	0.49	A	4.25	D
1551.0	Nacogdoches	Judson	Higgins	1.52	NE	4	U	35,200	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	5.00	E	4.74	E
1551.0	Nacogdoches	Judson	Higgins	1.52	SW	4	U	35,200	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	5.00	E	4.74	E
1560.0	Park	Hildebrand	E Olmos	0.34	N	2	U	418	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	0.81	A	2.43	B
1560.0	Park	Hildebrand	E Olmos	0.34	S	2	U	418	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	0.81	A	2.43	B
1560.1	Park	E Olmos	Devine	0.40	E	2	U	2,653	2	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	2.71	C	3.32	C
1560.1	Park	E Olmos	Devine	0.40	W	2	U	2,653	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.71	C	3.32	C
1570.0	Parkridge	Wetmore	Airport	0.49	E	2	U	10,536	3	35	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.22	D	4.47	D
1570.0	Parkridge	Wetmore	Airport	0.49	W	2	U	10,536	3	35	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.22	D	4.47	D
1580.0	Pcvrcia/Braesview	West Ave.	NW Military Hwy (FM 1535)	1.38	E	2	S	14,514	3	35	15.0	4.5	0.0	0	4.0	4.0	N	C	5.0	0	100	3.0	3.28	C	3.90	D
1580.0	Pcvrcia/Braesview	West Ave.	NW Military Hwy (FM 1535)	1.38	W	2	S	14,514	3	35	15.0	4.5	0.0	0	4.0	4.0	N	C	5.5	0	100	4.0	3.28	C	3.76	D
1591.0	Pecan Valley	Southcross	Roland	1.34	NB	4	U	5,824	2	35	11.0	0.0	0.0	0	3.5		N	C	1.0	0	100	4.0	3.34	C	2.67	C
1591.0	Pecan Valley	Southcross	Roland	1.34	SB	4	U	5,824	2	35	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.34	C	2.71	C
1592.0	Pecan Valley	Southcross	Goliad	1.05	NB	4	D	10,570	3	35	16.0	0.0	0.0	0	3.5		N	C	0.0	0	25	4.0	3.54	D	3.53	D
1592.0	Pecan Valley	Southcross	Goliad	1.05	SB	4	D	10,570	3	35	16.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.54	D	3.77	D
1593.0	Pecan Valley	Goliad	So. New Braunfels	0.70	NE	4	U	13,275	3	30	11.0	0.0	0.0	0	3.5		N	C	2.0	0	25	4.0	4.18	D	3.92	D
1593.0	Pecan Valley	Goliad	So. New Braunfels	0.70	SW	4	U	13,275	3	30	11.0	0.0	0.0	0	3.5		N	C	2.0	0	50	4.0	4.18	D	3.60	D
1600.0	Perrin Beitel (FM 2252)	Naco-Perin	Thousand Oaks	0.47	N	2	U	26,400	4	30	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.07	E	6.62	F
1600.0	Perrin Beitel (FM 2252)	Naco-Perin	Thousand Oaks	0.47	S	2	U	26,400	4	30	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.07	E	6.62	F
1601.0	Perrin Beitel (FM 2252)	Wurzbach Pkwy.	Naco-Perin	0.61	N	4	S	26,400	4	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.65	E	3.85	D
1601.0	Perrin Beitel (FM 2252)	Wurzbach Pkwy.	Naco-Perin	0.61	S	4	S	26,400	4	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.65	E	3.85	D
1602.0	Perrin Beitel (FM 2252)	Barrington Court	Wurzbach Pkwy.	0.84	N	4	S	45,100	5	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	5.17	E	4.96	E
1602.0	Perrin Beitel (FM 2252)	Barrington Court	Wurzbach Pkwy.	0.84	S	4	S	45,100	5	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	5.17	E	4.96	E
1603.0	Perrin Beitel (FM 2252)	Loop 410	Barrington Court	0.52	N	4	S	45,100	5	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	5.17	E	4.96	E
1603.0	Perrin Beitel (FM 2252)	Loop 410	Barrington Court	0.52	S	4	S	45,100	5	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	5.17	E	4.96	E
1604.0	Perrin Beitel	Austin Highway	Loop 410	0.02	N	4	S	21,093	4	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	50	5.0	4.54	E	4.12	D
1604.0	Perrin Beitel	Austin Highway	Loop 410	0.02	S	4	S	21,093	4	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.54	E	3.53	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1610.0	Perrin Central	Nacogdoches	Perrin Beitel	0.77	NW	2	U	5,512	3	40	22.0	0.0	0.0	0	4.0		N	C	3.0	0	50	5.0	2.38	B	3.08	C
1610.0	Perrin Central	Nacogdoches	Perrin Beitel	0.77	SE	2	U	5,512	3	40	22.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	2.38	B	2.62	C
1660.0	Presa	Durango	S Alamo	0.16	N	2	U	2,654	2	30	16.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.03	B	2.36	B
1660.0	Presa	Durango	S Alamo	0.16	S	2	U	2,654	2	30	15.0	0.0	0.0	75	3.0		N	C	1.0	0	100	4.0	3.54	D	1.91	B
1660.1	Presa	S Alamo	Carolina	0.66	N	2	U	6,898	2	30	19.5	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	2.90	C	2.66	C
1660.1	Presa	S Alamo	Carolina	0.66	S	2	U	6,898	2	30	19.5	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	2.90	C	2.66	C
1661.0	Presa	Carolina	Lowell	0.49	N	2	U	8,076	2	30	17.0	0.0	0.0	0	3.5		N	C	2.0	0	75	4.0	3.25	C	3.15	C
1661.0	Presa	Carolina	Lowell	0.49	S	2	U	8,076	2	30	17.0	0.0	0.0	0	3.5		N	C	2.0	0	75	4.0	3.25	C	3.15	C
1661.1	Presa	Lowell	IH 10	0.46	N	2	U	8,424	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.52	C	2.89	C
1661.1	Presa	Lowell	IH 10	0.46	S	2	U	8,424	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.52	C	2.89	C
1661.2	Presa	IH 10	Steves	0.24	N	2	U	9,156	2	30	18.0	0.0	0.0	0	3.0		N	C	4.5	0	100	4.0	3.32	C	2.92	C
1661.2	Presa	IH 10	Steves	0.24	S	2	U	9,156	2	30	18.0	0.0	0.0	0	3.0		N	C	4.5	0	100	4.0	3.32	C	2.92	C
1662.0	Presa	Steves	Ada	0.68	N	2	U	9,751	2	30	20.5	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	2.70	C	2.99	C
1662.0	Presa	Steves	Ada	0.68	S	2	U	9,751	2	30	20.5	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	2.70	C	2.99	C
1662.1	Presa	Ada	Southcross	0.46	N	4	U	10,580	3	35	16.5	0.0	0.0	0	3.5		N	C	2.0	0	75	4.0	3.46	C	2.97	C
1662.1	Presa	Ada	Southcross	0.46	S	4	U	10,580	3	35	15.5	0.0	0.0	0	3.5		N	C	2.0	0	50	4.0	3.62	D	3.28	C
1663.0	Presa	Southcross	Stcve Hospital	1.44	NW	4	U	12,511	3	35	14.5	0.0	0.0	0	3.0		N	C	5.0	0	50	4.0	4.03	D	3.40	C
1663.0	Presa	Southcross	Stcve Hospital	1.44	SE	4	U	12,511	3	35	14.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.03	D	4.01	D
1663.1	Presa	Stcve Hospital	S.E. Military	0.37	NW	4	U	8,011	3	40	10.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.24	D	4.28	D
1663.1	Presa	Stcve Hospital	S.E. Military	0.37	SE	4	U	8,011	3	40	12.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.01	D	4.06	D
1664.0	Presa	SE Military	Graf	1.22	NW	4	U	7,590	4	50	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.68	E	4.49	D
1664.0	Presa	SE Military	Graf	1.22	SE	4	U	7,590	4	50	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.68	E	4.49	D
1664.1	Presa	Graf	Loop 410	1.39	NW	2	U	7,920	4	50	22.0	10.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.60	A	4.20	D
1664.1	Presa	Graf	Loop 410	1.39	SE	2	U	7,920	4	50	22.0	10.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.60	A	4.20	D
1665.0	Presa (Spur 122/US 181)	Loop 410	County Boundary	10.03	NW	2	U	4,620	5	50	21.0	9.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.06	A	3.87	D
1665.0	Presa (Spur 122/US 181)	Loop 410	County Boundary	10.03	SE	2	U	4,620	5	50	21.0	9.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.06	A	3.87	D
1670.1	Prue	Old Prue	Country Dawn	1.65	E	2	U	16,006	3	35	12.5	0.0	0.0	0	3.0		N	S	5.5	0	0	4.0	4.77	E	5.34	E
1670.1	Prue	Old Prue	Country Dawn	1.65	W	2	U	16,006	3	35	19.0	0.0	0.0	0	3.0		N	S	0.0	0	75	0.0	3.75	D	4.84	E
1671.0	Prue	Babcock	Network	1.74	E	2	U	13,502	4	40	12.0	0.0	0.0	0	4.0		N	S	20.5	0	0	3.0	4.77	E	5.25	E
1671.0	Prue	Babcock	Network	1.74	W	2	U	13,502	4	40	11.5	0.0	0.0	0	4.0		N	S	20.0	0	0	3.0	4.83	E	5.30	E
1680.0	Quill	Benrus	Hillcrest	0.76	E	2	U	4,235	2	30	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.58	D	3.68	D
1680.0	Quill	Benrus	Hillcrest	0.76	W	2	U	4,235	2	30	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.58	D	3.68	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1680.1	Quill	Hillcrest	Bandera	0.32	E	2	U	4,190	2	30	17.0	0.0	0.0	0	3.0		N	S	6.0	0	100	4.0	3.10	C	2.32	B
1680.1	Quill	Hillcrest	Bandera	0.32	W	2	U	4,190	2	30	18.0	0.0	0.0	0	3.0		N	C	4.5	0	100	4.0	2.93	C	2.33	B
1690.0	Ralph Fair (FM 3351)	Dietz Elkhorne	IH 10	3.92	N	2	U	10,120	10	55	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	7.36	F	5.52	F
1690.0	Ralph Fair (FM 3351)	Dietz Elkhorne	IH 10	3.92	S	2	U	10,120	10	55	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	7.36	F	5.52	F
1700.1	Ramsey	San Pedro	Jones Maltsberger	0.85	E	4	U	9,029	2	30	11.0	0.0	0.0	0	2.5		N	C	0.0	0	25	6.5	4.34	D	3.63	D
1700.1	Ramsey	San Pedro	Jones Maltsberger	0.85	W	4	U	9,029	2	30	12.0	0.0	0.0	0	2.5		N	C	2.5	0	25	4.0	4.23	D	3.59	D
1710.0	Randolph	Judson	O'Connor	0.94	E	4	U	4,596	3	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.22	C	3.47	C
1710.0	Randolph	Judson	O'Connor	0.94	W	4	U	4,596	3	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.22	C	3.47	C
1711.0	Randolph	O'Connor	Weidner	0.99	NE	2	U	9,305	3	45	17.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.03	D	4.49	D
1711.0	Randolph	O'Connor	Weidner	0.99	SW	2	U	9,305	3	45	17.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.03	D	4.49	D
1712.0	Randolph	Weidner	Crestway	0.90	N	2	U	9,581	3	45	17.0	0.0	0.0	0	3.0		N	S	10.0	0	75	4.0	4.05	D	3.61	D
1712.0	Randolph	Weidner	Crestway	0.90	S	2	U	9,581	3	45	17.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.05	D	4.53	E
1720.0	Ray Ellison	Valley Hi	Loop 410	1.75	N	2	U	8,424	3	40	18.0	6.0	0.0	0	2.0	2.0	N	S	6.0	0	100	4.0	3.46	C	3.07	C
1720.0	Ray Ellison	Valley Hi	Loop 410	1.75	N	2	U	8,424	3	40	16.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	5.06	E	4.30	D
1721.0	Ray Ellison	Loop 410	Five Palms	1.11	E	2	U	5,424	2	35	12.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	5.08	E	4.14	D
1721.0	Ray Ellison	Loop 410	Five Palms	1.11	W	2	U	5,424	2	35	12.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	5.02	E	4.08	D
1721.1	Ray Ellison	Five Palms	Pearsall Road	0.74	E	4	U	3,824	2	35	12.5	0.0	0.0	0	2.5		N	C	19.0	0	75	5.0	2.83	C	2.31	B
1721.1	Ray Ellison	Five Palms	Pearsall Road	0.74	W	4	U	3,824	2	35	12.5	0.0	0.0	0	2.5		N	C	2.0	0	50	5.0	2.83	C	3.00	C
1722.0	Ray Ellison	US 90	Valley Hi	1.39	N	2	U	8,721	3	40	21.0	8.0	0.0	0	2.0	1.0	N	S	4.0	0	100	5.0	2.15	B	2.99	C
1722.0	Ray Ellison	US 90	Valley Hi	1.39	S	2	U	8,721	3	40	21.0	8.0	0.0	0	2.0	1.0	N	S	4.0	0	0	0.0	2.15	B	4.00	D
1730.0	Redland	US 281	Loop 1604	2.05	N	2	U	7,837	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.67	E	4.75	E
1730.0	Redland	US 281	Loop 1604	2.05	S	2	U	7,837	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.67	E	4.75	E
1731.1	Redland	Jones Maltsberger	Loop 1604	0.70	NW	2	U	13,029	4	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.08	E	5.20	E
1731.1	Redland	Jones Maltsberger	Loop 1604	0.70	SE	2	U	13,029	4	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.08	E	5.20	E
1740.0	Rigsby	Hackberry	New Braunfels	0.74	E	2	U	1,858	2	30	22.0	0.0	0.0	25	3.0		N	C	0.0	0	100	4.0	0.00	A	1.92	B
1740.0	Rigsby	Hackberry	New Braunfels	0.74	W	2	U	1,858	2	30	22.0	0.0	0.0	25	3.0		N	C	0.0	0	100	4.0	0.00	A	1.92	B
1741.0	Rigsby	New Braunfels	Clark	0.78	E	2	U	5,837	2	35	20.0	0.0	0.0	25	3.5		N	C	6.0	0	100	4.0	3.14	C	2.43	B
1741.0	Rigsby	New Braunfels	Clark	0.78	W	2	U	5,837	2	35	20.0	0.0	0.0	25	3.5		N	C	6.0	0	100	4.0	3.14	C	2.43	B
1741.1	Rigsby	Clark	Roland	0.73	E	4	D	3,989	3	40	16.0	0.0	0.0	0	3.0		N		0.0	0	50	4.0	1.73	B	3.04	C
1741.1	Rigsby	Clark	Roland	0.73	W	4	D	3,989	3	40	16.0	0.0	0.0	0	3.0		N		0.0	0	50	4.0	1.73	B	3.04	C
1742.0	Rigsby	Roland	bridge	0.49	E	4	S	14,410	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.52	E	4.31	D
1742.0	Rigsby	Roland	bridge	0.49	W	4	S	14,410	4	40	14.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	4.52	E	3.14	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1742.1	Rigsby	Amity	WW White	1.45	E	4	S/U	16,116	4	40	13.5	0.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	4.47	D	4.46	D
1742.1	Rigsby	Amity	WW White	1.45	W	4	S/U	16,116	4	40	13.5	0.0	0.0	0	3.5	3.5	N	S	18.0	0	100	4.0	4.47	D	2.83	C
1742.2	Rigsby	WW White	410	0.93	E	4	S	23,234	4	40	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.43	D	3.78	D
1742.2	Rigsby	WW White	410	0.93	W	4	S	23,234	4	40	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.43	D	3.78	D
1750.0	Rittiman	Austin Highway	Harry Wurzbach	1.38	E	2	U	6,528	2	35	14.0	4.0	0.0	0	3.5	3.5	Y	C	0.0	0	0	0.0	3.10	C	4.08	D
1750.0	Rittiman	Austin Highway	Harry Wurzbach	1.38	W	2	U	6,528	2	35	14.0	4.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	5.0	3.10	C	2.90	C
1751.0	Rittiman	Harry Wurzbach	Holbrook	0.84	E	4	U	17,283	4	40	17.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.15	D	3.21	C
1751.0	Rittiman	Harry Wurzbach	Holbrook	0.84	W	4	U	17,283	4	40	17.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.15	D	3.21	C
1752.0	Rittiman	Holbrook	IH 35	0.80	E	4	U	20,410	4	40	17.0	0.0	0.0	0	3.5		N	C	6.0	0	100	5.0	4.06	D	3.22	C
1752.0	Rittiman	Holbrook	IH 35	0.80	W	4	U	20,410	4	40	17.0	0.0	0.0	0	3.5		N	C	6.0	0	100	5.0	4.06	D	3.22	C
1753.0	Rittiman	IH 35	Gibbs-Sprawl (FM	2.09	E	4	S	25,264	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.90	E	3.95	D
1753.0	Rittiman	IH 35	Gibbs-Sprawl (FM	2.09	W	4	S	25,264	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.90	E	3.95	D
1754.0	Rittiman	Gibbs Sprawl	FM 78	0.71	NW	4	S	20,331	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.79	E	4.84	E
1754.0	Rittiman	Gibbs Sprawl	FM 78	0.71	SE	4	S	20,331	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.79	E	4.84	E
1760.0	Roland	Twohig	Rigsby	0.76	NW	4	U	10,019	4	40	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.19	D	2.76	C
1760.0	Roland	Twohig	Rigsby	0.76	SE	4	U	10,019	4	40	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.19	D	2.76	C
1760.1	Roland	Rigsby	Sinclair	1.71	NW	2	U	4,245	3	40	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.84	D	3.96	D
1760.1	Roland	Rigsby	Sinclair	1.71	SE	2	U	4,245	3	40	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.84	D	3.96	D
1761.0	Roland	Sinclair	Southcross	0.94	N	2	U	3,980	3	40	13.5	0.0	0.0	0	3.5		N	S	5.0	0	25	4.0	3.86	D	3.65	D
1761.0	Roland	Sinclair	Southcross	0.94	S	2	U	3,980	3	40	13.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.86	D	3.96	D
1761.1	Carolina	St. Mary's	Presa	0.11	NW	2	U	3,715	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	25	3.0	3.78	D	3.68	D
1761.1	Carolina	St. Mary's	Presa	0.11	SE	4	U	3,715	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	25	3.0	2.58	C	3.47	C
1761.2	Carolina	Presa	37	0.26	NW	4	U	5,306	2	35	14.0	0.0	0.0	0	4.5		N	C	5.0	0	100	4.0	2.27	B	2.39	B
1761.2	Carolina	Presa	37	0.26	SE	2	U	5,306	2	35	14.0	0.0	0.0	0	4.5		N	C	5.0	0	100	4.0	3.39	C	2.71	C
1761.3	Carolina/Cherry	37	Denver	0.33	E	2	U	2,419	2	35	12.0	0.0	0.0	0	3.0		N	S	12.0	0	25	4.0	3.01	C	3.39	C
1761.3	Carolina/Cherry	37	Denver	0.33	W	2	U	2,419	2	35	12.0	0.0	0.0	0	3.0		N	S	12.0	0	25	4.0	3.01	C	3.39	C
1761.4	Denver	Cherry	Hackberry	0.18	E	2	U	2,366	2	30	24.0	0.0	0.0	0	3.5		N	C	18.0	0	100	4.0	0.00	A	1.64	B
1761.4	Denver	Cherry	Hackberry	0.18	W	2	U	2,366	2	30	24.0	0.0	0.0	0	3.5		N	C	18.0	0	100	4.0	0.00	A	1.64	B
1761.5	Denver	Hackberry	New Braunfels	0.72	E	2	U	977	2	30	13.0	0.0	0.0	0	2.5		N	C	20.0	0	100	4.0	1.57	B	1.66	B
1761.5	Denver	Hackberry	New Braunfels	0.72	W	2	U	977	2	30	13.0	0.0	0.0	0	2.5		N	C	20.0	0	100	4.0	1.57	B	1.66	B
1761.6	Denver	New Braunfels	Walters	0.54	E	2	U	977	2	30	13.0	0.0	0.0	0	2.5		N	C	20.0	0	100	4.0	1.57	B	1.66	B
1761.6	Denver	New Braunfels	Walters	0.54	W	2	U	977	2	30	13.0	0.0	0.0	0	2.5		N	C	20.0	0	100	4.0	1.57	B	1.66	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1761.7	Porter	Walters	Clark	0.19	E	2	U	2,123	2	30	18.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	0.54	A	2.12	B
1761.7	Porter	Walters	Clark	0.19	W	2	U	2,123	2	30	18.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	0.54	A	2.12	B
1761.8	Clark	Porter	J St	0.10	N	2	U	2,654	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.14	B	2.39	B
1761.8	Clark	Porter	J St	0.10	S	2	U	2,654	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.14	B	2.39	B
1761.9	J St	Clark	Roland	0.16	E	2	U	4,690	2	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	3.15	C	2.53	C
1761.9	J St	Clark	Roland	0.16	W	2	U	4,690	2	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	3.15	C	2.53	C
1780.0	Roselawn	Kelly Annex AFB	Dead End	0.61	E	2	U	3,339	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.90	C	2.36	B
1780.0	Roselawn	Kelly Annex AFB	Dead End	0.61	W	2	U	3,339	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.90	C	2.36	B
1800.0	SH 151 N (Frontage)	Callaghan	US 90	1.56	N	2	OW	1,593	4	60	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.94	D	4.62	E
1800.1	SH 151 S (Frontage)	Callaghan	US 90	1.46	S	2	OW	1,593	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	3.87	D
1801.0	SH 151 N (Frontage)	Potranco	Loop 410	1.26	N	2	OW	16,171	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.71	A	5.40	E
1801.1	SH 151 N (Frontage)	Loop 410	Military	0.79	N	2	OW	4,776	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.09	A	4.20	D
1801.2	SH 151 N (Frontage)	Military	Callaghan	2.00	N	2	OW	5,837	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.19	A	4.31	D
1801.3	SH 151 S (Frontage)	Military	Callaghan	1.98	S	2	OW	5,837	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.19	A	4.31	D
1801.4	SH 151 S (Frontage)	Loop 410	Military	0.84	S	2	OW	4,776	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.09	A	4.20	D
1801.5	SH 151 S (Frontage)	Potranco	Loop 410	1.24	S	2	OW	18,441	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.77	A	5.65	F
1802.0	SH 151 N (Frontage)	Military	Potranco	1.43	N	2	OW	9,550	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.44	A	4.70	E
1802.1	SH 151 S (Frontage)	Military	Potranco	1.43	S	2	OW	9,550	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.44	A	4.70	E
1803.0	SH 151 N (Frontage)	Military	Loop 1604	2.84	N	2	OW	4,776	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.09	A	4.20	D
1803.1	SH 151 S (Frontage)	Military	Loop 1604	2.72	S	2	OW	4,776	4	60	22.0	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.09	A	4.20	D
1810.0	SH 16 (S)	Walsh	County Boundary	8.55	N	4	D	17,458	10	70	30.0	12.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.00	A	4.88	E
1810.0	SH 16 (S)	Walsh	County Boundary	8.55	S	4	D	17,458	10	70	22.0	11.5	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	2.18	B	5.26	E
1820.0	SH 211	FM 1957	US 90	3.02	N	2	U	7,150	7	65	30.5	11.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.00	A	4.39	D
1820.0	SH 211	FM 1957	US 90	3.02	S	2	U	7,150	7	65	24.5	13.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.00	A	4.66	E
1830.0	SH 211	SH 16	County Boundary	5.41	N	2	U	2,090	5	65	23.0	11.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	4.13	D
1830.0	SH 211	SH 16	County Boundary	5.41	S	2	U	2,090	5	65	24.0	12.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	4.08	D
1840.0	Semlinger	Lord	Rice	0.31	N	2	U	1,958	2	30	15.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	1.10	A	2.31	B
1840.0	Semlinger	Lord	Rice	0.31	S	2	U	1,958	2	30	15.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	1.10	A	2.31	B
1840.1	Semlinger	Rice	US 87	0.75	N	2	U	2,619	2	30	15.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	1.78	B	2.38	B
1840.1	Semlinger	Rice	US 87	0.75	S	2	U	2,619	2	30	15.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	1.78	B	2.38	B
1850.0	Schaeffer/Rocket	Loop 1604	FM 78	1.81	E	2	U	1,698	2	35	12.0	0.0	0.0	25	3.0		N	S	5.0	0	50	5.0	2.87	C	2.88	C
1850.0	Schaeffer/Rocket	Loop 1604	FM 78	1.81	W	2	U	1,698	2	35	12.0	0.0	0.0	25	3.0		N	S	6.0	0	50	5.0	2.87	C	2.87	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1860.0	Schertz/Lookout	Lookout	Seguin/ FM 78	3.12	N	4	D	6,778	2	35	12.0	0.0	0.0	0	4.0		N	C	3.0	0	100	5.0	3.30	C	2.50	B
1860.0	Schertz/Lookout	Lookout	Seguin/ FM 78	3.12	S	4	D	6,778	2	35	12.0	0.0	0.0	0	4.0		N	C	3.0	0	100	5.0	3.30	C	2.50	B
1870.0	Shook	Huisache Ave.	Hildebrand	0.67	N	2	U	3,296	2	30	15.0	0.0	0.0	0	2.0		N	C	8.0	20	75	4.0	3.87	D	1.96	B
1870.0	Shook	Huisache Ave.	Hildebrand	0.67	S	2	U	3,296	2	30	14.5	0.0	0.0	0	2.0		N	C	8.5	0	75	4.0	3.95	D	2.54	C
1880.0	Sinclair	Roland	WW White	0.45	E	2	U	1,195	2	30	10.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.31	B	3.02	C
1880.0	Sinclair	Roland	WW White	0.45	W	2	U	1,195	2	30	10.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.31	B	3.02	C
1880.1	Sinclair	WW White	Loop 410	0.87	E	2	U	1,434	3	40	20.0	6.0	0.0	0	3.5	3.5	N	C	0.0	0	100	4.0	0.00	A	2.35	B
1880.1	Sinclair	WW White	Loop 410	0.87	W	2	U	1,434	3	40	20.0	6.0	0.0	0	3.5	3.5	N	C	0.0	0	100	4.0	0.00	A	2.35	B
1880.2	Sinclair	410	Lakeland	0.87	E	2	U	876	2	30	11.5	0.0	0.0	0	3.0		N	C/S	0.0	0	0	0.0	1.67	B	2.81	C
1880.2	Sinclair	410	Lakeland	0.87	W	2	U	876	2	30	11.5	0.0	0.0	0	3.0		N	C/S	0.0	0	0	0.0	1.67	B	2.81	C
1880.3	Sinclair	Lakeland	Lake Meadow	0.12	EB	2	U	876	2	30	22.0	0.0	0.0	0	3.5		N	C	3.0	0	100	4.0	0.00	A	1.86	B
1880.3	Sinclair	Lakeland	Lake Meadow	0.12	WB	2	U	876	2	30	22.0	0.0	0.0	0	3.5		N	C	5.0	0	100	3.0	0.00	A	1.92	B
1890.0	Somerset	IH 35	Loop 410	1.07	N	2	U	3,342	4	45	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.39	D	4.13	D
1890.0	Somerset	IH 35	Loop 410	1.07	S	2	U	3,342	4	45	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.14	D	3.97	D
1890.1	Somerset	Loop 410	Medina River	3.92	N	2	U	6,490	7	55	20.0	9.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.24	B	4.35	D
1890.1	Somerset	Loop 410	Medina River	3.92	S	2	U	6,490	7	55	21.0	9.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.95	B	4.30	D
1890.2	Somerset	Medina River	Dixon	3.76	N	2	U	3,182	5	50	16.0	4.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.69	C	4.03	D
1890.2	Somerset	Medina River	Dixon	3.76	S	2	U	3,182	5	50	16.0	4.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.69	C	4.03	D
1900.0	Southcross	Zarzamora	Laredo	0.67	E	4	U	8,165	2	35	10.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.94	D	2.87	C
1900.0	Southcross	Zarzamora	Laredo	0.67	W	4	U	8,165	2	35	11.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.89	D	4.08	D
1901.0	Southcross	Zarzamora	Shelby	0.68	E	4	U	18,384	3	35	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.62	E	3.44	C
1901.0	Southcross	Zarzamora	Shelby	0.68	W	4	U	18,384	3	35	11.0	0.0	0.0	0	3.0		N	C	5.0	0	100	4.0	4.67	E	3.27	C
1901.1	Southcross	Shelby	Pleasanton	1.13	E	4	U	18,384	3	35	11.5	0.0	0.0	0	3.0		N	C	3.0	0	25	4.0	4.62	E	4.31	D
1901.1	Southcross	Shelby	Pleasanton	1.13	W	4	U	18,384	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	4.73	E	3.65	D
1902.0	Southcross	Pleasanton	Flores	0.49	E	4	U	9,373	2	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.19	D	2.94	C
1902.0	Southcross	Pleasanton	Flores	0.49	W	4	U	9,373	2	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.19	D	2.94	C
1903.0	Southcross	Flores	Mission	0.60	E	4	U	9,280	2	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.18	D	2.93	C
1903.0	Southcross	Flores	Mission	0.60	W	4	U	9,280	2	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.18	D	2.93	C
1903.1	Southcross	Mission	Presa	0.82	E	4	U	14,091	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.59	E	4.50	D
1903.1	Southcross	Mission	Presa	0.82	W	4	U	14,091	3	35	10.5	0.0	0.0	0	3.0		N	C	1.0	0	50	5.0	4.59	E	3.77	D
1904.0	Southcross	Presa	US 281	0.95	E	4	U	10,508	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.09	D	2.82	C
1904.0	Southcross	Presa	US 281	0.95	W	4	U	10,508	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.09	D	2.82	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1904.1	Southcross	US 281	Goliad	0.72	E	4	D	13,286	3	35	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.29	D	3.20	C
1904.1	Southcross	US 281	Goliad	0.72	W	4	D	13,286	3	35	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.29	D	3.20	C
1905.0	Southcross	Goliad	Pecan Valley	0.98	E	4	U	10,438	3	35	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.21	D	2.98	C
1905.0	Southcross	Goliad	Pecan Valley	0.98	W	4	U	10,438	3	35	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.21	D	2.98	C
1906.0	Southcross	Pecan Valley	WW White	1.36	E	4	D	18,150	4	40	13.0	0.0	0.0	0	4.0		N	C	2.0	0	25	5.0	4.44	D	4.30	D
1906.0	Southcross	Pecan Valley	WW White	1.36	W	4	D	18,150	4	40	12.0	0.0	0.0	0	4.0		N	C	2.0	0	50	4.0	4.57	E	4.10	D
1906.1	Southcross	WW White	Gittinger	0.38	E	4	S	13,074	4	40	12.0	0.0	0.0	0	4.5		N	C	7.0	0	100	3.5	4.30	D	3.06	C
1906.1	Southcross	WW White	Gittinger	0.38	W	4	S	13,074	4	40	12.0	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	4.30	D	4.42	D
1921.0	St. Cloud	Donaldson	Babcock	0.81	N	4	U	11,819	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.12	D	3.00	C
1921.0	St. Cloud	Donaldson	Babcock	0.81	S	4	U	11,819	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	3.0	4.12	D	3.23	C
1925.0	St. Cloud	Donaldson	Bandera	0.75	N	4	U	16,690	3	35	10.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.35	D	3.38	C
1925.0	St. Cloud	Donaldson	Bandera	0.75	S	4	U	16,690	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	75	4.5	4.29	D	3.62	D
1925.1	St. Cloud	Bandera	Culebra	0.44	N	4	U	18,835	3	35	14.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.24	D	3.28	C
1925.1	St. Cloud	Bandera	Culebra	0.44	S	4	U	18,835	3	35	14.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.5	4.24	D	3.11	C
1930.0	Starcrest	Wetmore	Budding	1.85	NW	4	D	33,680	4	40	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.91	E	5.56	F
1930.0	Starcrest	Wetmore	Budding	1.85	SE	4	D	33,680	4	40	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.91	E	5.56	F
1930.1	Starcrest	Budding	Jones Maltsberger	0.22	NW	4	S	35,244	4	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.80	E	4.38	D
1930.1	Starcrest	Budding	Jones Maltsberger	0.22	SE	4	S	35,244	4	40	14.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.80	E	4.38	D
1931.0	Starcrest	Jones Maltsberger	Bitters	0.45	NW	4	U	35,244	4	35	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.84	E	5.41	E
1931.0	Starcrest	Jones Maltsberger	Bitters	0.45	SE	4	U	35,244	4	35	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.84	E	4.23	D
1940.0	Steves	Presa	Roosevelt	0.35	E	4	U	9,222	2	35	20.0	9.0	0.0	25	5.0		N	C	2.0	0	100	4.0	0.04	A	2.39	B
1940.0	Steves	Presa	Roosevelt	0.35	W	4	U	9,222	2	35	20.0	9.0	0.0	0	5.0		N	C	2.0	0	100	4.0	0.04	A	2.53	C
1940.1	Steves	Roosevelt	Mission Road	0.32	E	4	S	10,379	3	35	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.68	D	2.82	C
1940.1	Steves	Roosevelt	Mission Road	0.32	W	4	S	10,379	3	35	15.0	0.0	0.0	0	3.5		N	C	4.0	0	100	4.0	3.68	D	2.69	C
1941.0	Steves	Presa	New Braunfels	1.17	E	4	U	10,442	3	35	11.0	0.0	0.0	0	5.0		N	C	1.0	0	100	4.0	3.90	D	2.94	C
1941.0	Steves	Presa	New Braunfels	1.17	W	4	U	10,442	3	35	11.0	0.0	0.0	0	5.0		N	C	1.0	0	100	4.0	3.90	D	2.94	C
1942.0	Steves	Clark	Elgin	0.30	E	2	U	5,920	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	100	4.0	3.17	C	2.78	C
1942.0	Steves	Clark	Elgin	0.30	W	2	U	5,920	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	100	4.0	3.17	C	2.78	C
1942.1	Steves	Clark	New Braunfels	0.78	E	4	U	5,700	2	35	10.5	0.0	0.0	0	4.0		N	C	1.0	0	75	4.0	3.25	C	3.01	C
1942.1	Steves	Clark	New Braunfels	0.78	W	4	U	5,700	2	35	10.5	0.0	0.0	0	4.0		N	C	1.0	0	100	4.0	3.25	C	2.68	C
1950.0	Stone Oak	US 281	Loop 1604	4.95	N	4	D	38,187	4	40	11.0	0.0	0.0	0	3.0		N	C	2.0	90	50	4.0	5.39	E	5.33	E
1950.0	Stone Oak	US 281	Loop 1604	4.95	S	4	D	38,187	4	40	11.0	0.0	0.0	0	4.0		N	C	0.0	90	100	6.0	5.06	E	4.56	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
1960.0	Sunset	Jones Maltsberger	Broadway	0.94	E	4	S	13,920	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	50	5.0	4.24	D	3.68	D
1960.0	Sunset	Jones Maltsberger	Broadway	0.94	W	4	S	13,920	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.24	D	3.03	C
1960.1	Sunset	Broadway	Nacogdoches	0.43	E	2	U	13,963	3	30	14.0	0.0	0.0	25	3.0		N	C	0.0	0	100	4.0	4.67	E	3.60	D
1960.1	Sunset	Broadway	Nacogdoches	0.43	W	2	U	13,963	3	30	14.0	0.0	0.0	25	3.0		N	C	0.0	0	100	4.0	4.67	E	3.60	D
1960.2	Rockhill	Nacogdoches	Vandiver	0.96	E	2	U	2,380	2	30	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.31	B	3.03	C
1960.2	Rockhill	Nacogdoches	Vandiver	0.96	W	2	U	2,380	2	30	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.31	B	3.03	C
1970.0	Sunshine	Babcock	Quill	2.21	E	2	U	4,127	2	30	14.5	0.0	0.0	0	3.0		N	S	0.0	0	50	4.5	3.48	C	3.07	C
1970.0	Sunshine	Babcock	Quill	2.21	W	2	U	4,127	2	30	15.5	0.0	0.0	0	3.0		N	S	0.0	0	50	4.5	3.33	C	3.01	C
1980.0	Talley	FM 471	FM 1957	5.81	N	2	U	5,165	6	40	14.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.47	D	4.03	D
1980.0	Talley	FM 471	FM 1957	5.81	S	2	U	5,165	6	40	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.61	E	4.11	D
1990.0	Texas Ave.	Woodlawn Lake	Wilson	0.39	E	2	U	3,184	2	35	14.0	0.0	0.0	0	2.5		N	C	10.5	0	50	3.5	3.47	C	3.01	C
1990.0	Texas Ave.	Woodlawn Lake	Wilson	0.39	W	2	U	3,184	2	35	14.0	0.0	0.0	0	2.5		N	C	10.5	0	50	4.5	3.47	C	2.95	C
2002.0	Tezel	Dover Ridge	Emerald Spring	1.46	N	4	D	21,021	4	40	16.0	5.5	0.0	5	5.0	5.0	Y	C	0.0	0	100	5.0	2.89	C	3.43	C
2002.0	Tezel	Dover Ridge	Emerald Spring	1.46	S	2	D	21,021	4	40	16.5	5.5	0.0	5	5.0	5.0	Y	C	0.0	0	100	6.5	3.13	C	4.56	E
2002.1	Tezel	Emerald Spring	Grissom	0.53	N	4	D	19,494	3	35	14.0	0.0	0.0	5	3.5		N	C	0.0	0	100	4.0	4.22	D	3.37	C
2002.1	Tezel	Emerald Spring	Grissom	0.53	N	4	D	19,494	3	35	14.0	0.0	0.0	5	3.5		N	C	0.0	0	100	4.0	4.22	D	3.37	C
2010.0	Thousand Oaks	US 281	Henderson Pass	1.53	NW	4	U	21,524	4	40	12.0	0.0	0.0	0	4.5		N	C	0.0	0	50	4.0	4.56	E	4.35	D
2010.0	Thousand Oaks	US 281	Henderson Pass	1.53	NW	4	U	21,524	4	40	12.0	0.0	0.0	0	4.5		N	C	0.0	0	50	4.0	4.56	E	4.35	D
2011.0	Thousand Oaks	Henderson Pass	Jones Maltsberger	0.78	NW	4	U	29,349	4	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.83	E	3.95	D
2011.0	Thousand Oaks	Henderson Pass	Jones Maltsberger	0.78	SE	4	U	29,349	4	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.83	E	3.95	D
2012.0	Thousand Oaks	Jones Maltsberger	Wetmore	1.68	NW	4	S	37,655	4	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.78	E	4.69	E
2012.0	Thousand Oaks	Jones Maltsberger	Wetmore	1.68	SE	4	S	37,655	4	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.78	E	4.69	E
2013.0	Thousand Oaks	Wetmore	Scarsdale	0.83	NW	2	S	22,223	4	35	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.63	E	4.77	E
2013.0	Thousand Oaks	Wetmore	Scarsdale	0.83	SE	2	S	22,223	4	35	14.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.63	E	5.95	F
2013.1	Thousand Oaks	Scarsdale	Nacogdoches	0.32	NW	2	S	22,223	4	35	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.63	E	4.77	E
2013.1	Thousand Oaks	Scarsdale	Nacogdoches	0.32	SE	2	S	22,223	4	35	14.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.63	E	5.95	F
2014.0	Thousand Oaks	Nacogdoches	Schertz	0.81	NW	4	D	22,223	4	35	14.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.28	D	4.62	E
2014.0	Thousand Oaks	Nacogdoches	Schertz	0.81	SE	4	D	22,223	4	35	14.0	0.0	0.0	0	4.0		N	C	10.0	0	100	4.0	4.28	D	3.24	C
2014.1	Thousand Oaks	Schertz	IH 35	0.84	NW	4	S	37,984	4	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.78	E	4.71	E
2014.1	Thousand Oaks	Schertz	IH 35	0.84	SE	4	S	37,984	4	45	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.78	E	4.71	E
2020.0	Toepperwein	Nacogdoches	Lookout	1.07	N	2	U	36,356	4	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.47	E	7.84	F
2020.0	Toepperwein	Nacogdoches	Lookout	1.07	S	2	U	36,356	4	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.47	E	7.84	F



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2022.0	Toepperwein	Lookout	Kitty Hawk	2.94	NW	4	U	24,511	4	40	14.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	5.15	E	4.91	E
2022.0	Toepperwein	Lookout	Kitty Hawk	2.94	SE	4	U	24,511	4	40	14.0	0.0	0.0	0	2.5		N	C	6.0	0	50	4.0	5.15	E	4.28	D
2023.0	Toepperwein	Kitty Hawk	Crossbow Peak	0.85	NW	2	U	11,056	3	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.01	E	4.81	E
2023.0	Toepperwein	Kitty Hawk	Crossbow Peak	0.85	SE	2	U	11,056	3	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.01	E	4.81	E
2023.1	Toepperwein	Crossbow Peak	Gibbs Sprawl	0.74	NW	2	U	7,636	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.62	E	4.40	D
2023.1	Toepperwein	Crossbow Peak	Gibbs Sprawl	0.74	SE	2	U	7,636	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.62	E	4.40	D
2030.0	Tuxedo	Broadway	Devine	0.80	E	2	U	4,798	2	30	15.0	0.0	0.0	25	3.5		0	C	0.0	0	0	0.0	3.66	D	3.65	D
2030.0	Tuxedo	Broadway	Devine	0.80	W	2	U	4,798	2	30	15.0	0.0	0.0	25	3.5		0	C	0.0	0	0	0.0	3.66	D	3.65	D
2040.0	US 87	I-410	Foster Road	1.83	EB	4	D	33,000	5	55	22.5	10.5	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.68	A	5.41	E
2040.0	US 87	I-410	Foster Road	1.83	WB	4	D	33,000	5	55	22.5	10.5	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.68	A	5.41	E
2041.0	US 87	Foster Road	FM 1628	4.75	EB	4	D	19,140	10	50	22.5	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.19	B	4.38	D
2041.0	US 87	Foster Road	FM 1628	4.75	WB	4	D	19,140	10	50	22.5	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.19	B	4.38	D
2042.0	US 87	FM 1628	Pitman/Crow	5.11	E	4	D	13,640	10	60	22.5	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.29	B	4.49	D
2042.0	US 87	FM 1628	Pitman/Crow	5.11	W	4	D	13,640	10	60	22.5	10.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.29	B	4.49	D
2050.0	US 91	County Boundary	SH 211	2.52	E	4	D	22,000	12	65	23.0	11.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	3.19	C	5.20	E
2050.0	US 90	County Boundary	SH 211	2.52	W	4	D	22,000	12	65	23.0	11.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	3.19	C	5.20	E
2050.1	US 93	SH 211	Loop 1604	3.92	E	4	D	48,400	6	65	23.0	11.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	1.15	A	6.78	F
2050.1	US 92	SH 211	Loop 1604	3.92	W	4	D	48,400	6	65	23.0	11.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	1.15	A	6.78	F
2051.0	US 90 Frontage(WB)	Castroville	36th	1.44	W	2	OW	6,112	3	45	12.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	4.84	E	4.46	D
2051.1	US 90 Frontage (EB)	Castroville	36th	1.49	E	2	OW	4,160	3	45	12.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	4.66	E	4.26	D
2060.0	UTSA	Babcock	Edward Ximenes	0.85	E	2	U	13,273	4	45	17.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.05	D	4.93	E
2060.0	UTSA	Babcock	Edward Ximenes	0.85	W	2	U	13,273	4	45	18.0	0.0	0.0	0	4.0		N	C	0.0	0	25	5.0	3.96	D	4.64	E
2060.1	UTSA	Edward Ximenes	Valero	0.56	E	2	S	15,290	4	45	13.5	2.5	0.0	0	4.0	4.0	N	C	0.0	0	0	0.0	4.37	D	5.49	E
2060.1	UTSA	Edward Ximenes	Valero	0.56	W	2	S	15,290	4	45	12.5	1.5	0.0	0	4.0	4.0	N	S	0.0	0	25	0.0	4.87	E	5.58	F
2060.2	UTEX	Valero	UTEX	0.32	E	2	U	29,700	4	45	18.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.06	E	6.86	F
2060.2	UTEX	Valero	UTEX	0.32	W	2	U	29,700	4	45	18.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.06	E	6.86	F
2071.0	Vance Jackson	Beckwith	De Zavala	0.59	N	4	D	21,613	4	40	11.5	0.0	0.0	0	2.5		N	C	2.5	0	100	4.0	5.41	E	3.68	D
2071.0	Vance Jackson	Beckwith	De Zavala	0.59	S	4	D	21,613	4	40	11.5	0.0	0.0	0	2.5		N	C	3.5	0	75	3.5	5.41	E	4.03	D
2073.0	Vance Jackson	Huebner	Wurzbach	1.38	N	2	U	16,980	3	35	12.0	0.0	0.0	0	3.0	1.5	N	S	5.5	0	100	4.0	4.87	E	4.15	D
2073.0	Vance Jackson	Huebner	Wurzbach	1.38	S	2	U	16,980	3	35	12.5	0.0	0.0	0	3.0	1.5	N	S	5.5	0	100	5.0	4.80	E	4.02	D
2074.0	Vance Jackson	Wurzbach	Parman	1.07	N	2	S	12,242	3	35	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	3.5	4.51	E	4.81	E
2074.0	Vance Jackson	Wurzbach	Parman	1.07	S	2	S	12,242	3	35	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	6.0	4.51	E	4.81	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₂ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2074.1	Vance Jackson	Parman	Callaghan	0.29	N	4	U	21,768	4	35	10.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.70	E	4.95	E
2074.1	Vance Jackson	Parman	Callaghan	0.29	S	4	U	21,768	4	35	11.0	0.0	0.0	0	4.0		N	S	0.0	0	50	4.5	4.64	E	4.24	D
2075.0	Vance Jackson	Callaghan	IH 10	2.81	N	4	U	17,943	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.27	D	3.34	C
2075.0	Vance Jackson	Callaghan	IH 10	2.81	S	4	U	17,943	3	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	50	5.0	4.09	D	3.85	D
2075.1	Vance Jackson	IH 10	Fredericksburg	0.74	N	4	U	17,782	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	50	4.5	4.54	E	3.94	D
2075.1	Vance Jackson	IH 10	Fredericksburg	0.74	S	4	U	17,782	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.54	E	3.26	C
2081.0	WW White (Loop 13)	Houston	Martin Luther Kin	0.72	N	4	S	11,672	4	40	23.5	11.0	0.0	0	3.5	3.0	N	C	2.0	0	100	5.0	0.00	A	2.64	C
2081.0	WW White (Loop 13)	Houston	Martin Luther Kin	0.72	S	4	S	11,672	4	40	22.0	8.0	0.0	0	3.5	2.5	N	C	2.0	0	100	5.0	0.72	A	2.67	C
2082.0	WW White (Loop 13)	Martin Luther Kin	Rigsby	1.06	N	4	S	18,746	4	40	26.5	14.5	0.0	0	4.0	4.0	N	C	6.0	0	25	5.5	0.00	A	3.55	D
2082.0	WW White (Loop 13)	Martin Luther Kin	Rigsby	1.06	S	4	S	18,746	4	40	25.5	12.5	0.0	0	4.0	2.0	N	C	0.0	0	100	6.0	0.00	A	2.98	C
2082.1	WW White (Loop 13)	Rigsby	New Sulphur Sprin	1.60	N	4	U	19,910	4	45	21.0	9.0	0.0	0	3.5	3.0	N	S	10.0	0	25	5.0	1.09	A	4.03	D
2082.1	WW White (Loop 13)	Rigsby	New Sulphur Sprin	1.60	S	4	U	19,910	4	45	21.0	9.0	0.0	0	3.5	3.0	N	S	10.0	0	50	4.0	1.09	A	3.78	D
2083.0	WW White (Loop 13)	New Sulphur Spring	SE Military	1.04	N	4	U	13,970	4	45	12.5	1.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	4.47	D	4.59	E
2083.0	WW White (Loop 13)	New Sulphur Spring	SE Military	1.04	S	4	U	13,970	4	45	12.5	1.0	0.0	0	4.0	4.0	N	S	16.0	0	100	4.0	4.47	D	2.96	C
2084.0	WW White/Hildebrandt	SE Military	410	0.50	NW	2	U	8,541	6	45	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.14	B	4.19	D
2084.0	WW White/Hildebrandt	SE Military	410	0.50	SE	2	U	8,541	6	45	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.14	B	4.19	D
2084.1	WW White/Hildebrandt	410	Foster	3.83	NW	2	U	1,857	4	40	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.98	B	3.05	C
2084.1	WW White/Hildebrandt	410	Foster	3.83	SE	2	U	1,857	4	40	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.98	B	3.05	C
2090.0	Walters	Ft. Sam Houston	IH 35	0.60	N	4	U	15,815	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.32	D	3.01	C
2090.0	Walters	Ft. Sam Houston	IH 35	0.60	S	4	U	15,815	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.32	D	4.31	D
2090.1	Walters	IH 35	Hays	0.73	N	4	U	17,002	3	35	11.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	4.46	D	3.19	C
2090.1	Walters	IH 35	Hays	0.73	S	4	U	17,002	3	35	11.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	4.46	D	3.19	C
2091.0	Walters	Hays Street	Houston Street	0.27	N	4	U	15,833	3	35	10.5	0.0	0.0	0	3.5		0	C	2.0	0	100	4.0	4.47	D	3.24	C
2091.0	Walters	Hays Street	Houston Street	0.27	S	4	U	15,833	3	35	10.5	0.0	0.0	0	3.5		0	C	2.0	0	100	4.0	4.47	D	3.24	C
2092.0	Walters	Houston	Martin Luther Kin	0.81	N	4	U	8,106	2	35	10.5	0.0	0.0	0	2.5		N	C	2.0	0	100	4.0	4.47	D	2.77	C
2092.0	Walters	Houston	Martin Luther Kin	0.81	S	4	U	8,106	2	35	10.5	0.0	0.0	0	2.5		N	C	2.0	0	100	4.0	4.47	D	2.77	C
2093.0	Walters	Martin Luther King	Rigsby	1.03	N	4	U	3,907	2	35	10.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.16	C	2.51	C
2093.0	Walters	Martin Luther King	Rigsby	1.03	S	4	U	3,907	2	35	10.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.16	C	2.51	C
2103.0	Walzem (FM 1776)	Eaglecrest	New World	1.08	NW	6	S	17,820	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.35	D	4.33	D
2103.0	Walzem (FM 1776)	Eaglecrest	New World	1.08	SE	6	S	17,820	4	45	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.35	D	4.33	D
2104.0	Walzem (FM 1776)	New World	Gibbs Sprawl	0.70	E	6	U	17,820	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.52	E	4.33	D
2104.0	Walzem (FM 1776)	New World	Gibbs Sprawl	0.70	W	6	U	17,820	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.52	E	4.33	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2104.1	Walzem				Walzem Road	Gibbs Sprawl (FM 1976)	0.22		E	2							U	27,825	4	30
2104.1	Walzem	Walzem Road	Gibbs Sprawl (FM 1976)	0.22	W	2	U	27,825	4	30	13.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.79	E	6.55	F
2105.0	Walzem	Gibbs-Sprawl	FM 78	1.12	NW	4	S	24,753	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.89	E	5.10	E
2105.0	Walzem	Gibbs-Sprawl	FM 78	1.12	SE	4	S	24,753	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.89	E	5.10	E
2106.0	Walzem (FM 1976)	Windway	Midcrown	0.46	E	6	U	45,100	5	45	16.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.78	E	4.17	D
2106.0	Walzem (FM 1976)	Windway	Midcrown	0.46	W	6	U	45,100	5	45	16.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.78	E	4.17	D
2106.1	Walzem (FM 1976)	IH 35	Windway	0.59	E	4	U	30,544	4	45	16.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.52	E	4.21	D
2106.1	Walzem (FM 1976)	IH 35	Windway	0.59	W	4	U	30,544	4	45	16.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.52	E	4.21	D
2107.0	Walzem (FM 1976)	Midcrown	Eaglecrest	0.53	E	4	U	45,100	5	45	16.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.99	E	5.07	E
2107.0	Walzem (FM 1976)	Midcrown	Eaglecrest	0.53	W	4	U	45,100	5	45	16.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.99	E	5.07	E
2110.0	Weidner/O'Connor	Lookout	Schertz	0.70	N	2	U	4,670	3	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.32	D	4.20	D
2110.0	Weidner/O'Connor	Lookout	Schertz	0.70	S	2	U	4,670	3	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.32	D	4.20	D
2120.0	West Avenue	Bitters	Nakoma	1.27	N	4	U	14,832	4	40	12.0	0.0	0.0	0	4.0		N	S	3.5	0	25	4.0	4.47	D	4.21	D
2120.0	West Avenue	Bitters	Nakoma	1.27	S	4	U	14,832	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	75	4.0	4.47	D	3.65	D
2120.1	West Avenue	Nakoma	Silver Sands	0.38	E	4	U	24,996	4	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.00	E	5.23	E
2120.1	West Avenue	Nakoma	Silver Sands	0.38	W	4	U	24,996	4	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.00	E	5.23	E
2121.0	West Avenue	Silversands	Blanco	0.35	N	4	U	24,996	4	40	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.87	E	4.99	E
2121.0	West Avenue	Silversands	Blanco	0.35	S	4	U	24,996	4	40	12.5	0.0	0.0	0	3.0		N	S	6.0	0	50	4.0	5.00	E	4.40	D
2122.0	West Avenue	Blanco	Loop 410	2.39	N	4	U	18,893	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.24	D	4.62	E
2122.0	West Avenue	Blanco	Loop 410	2.39	S	4	U	18,893	3	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	25	4.0	4.18	D	4.27	D
2123.0	West Avenue	Loop 410	Basse	2.12	N	4	U	18,350	3	35	11.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.5	4.18	D	3.28	C
2123.0	West Avenue	Loop 410	Basse	2.12	S	4	U	18,350	3	35	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.5	4.07	D	3.24	C
2124.0	West Avenue	Basse	Fredericksburg	1.38	N	2	S	25,413	4	30	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.65	E	5.13	E
2124.0	West Avenue	Basse	Fredericksburg	1.38	S	2	S	25,413	4	30	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.72	E	5.08	E
2140.0	Wetmore	Thousand Oaks	Loop 410	4.43	NE	4	U	23,255	5	55	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	5.38	E	5.60	F
2140.0	Wetmore	Thousand Oaks	Loop 410	4.43	SW	4	U	23,255	5	55	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	5.38	E	5.60	F
2160.0	Wilson Dr.	Cincinnati	Culebra St.	0.30	N	4	U	11,691	3	30	13.5	0.0	0.0	0	3.0		N	C	0.0	0	25	5.0	3.98	D	3.61	D
2160.0	Wilson Dr.	Cincinnati	Culebra St.	0.30	S	4	U	11,691	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.17	D	2.88	C
2160.1	Wilson Dr.	Woodlawn Ave.	Cincinnati	0.30	N	4	U	11,691	3	30	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.91	D	3.87	D
2160.1	Wilson Dr.	Woodlawn Ave.	Cincinnati	0.30	S	4	U	11,691	3	30	18.0	0.0	0.0	0	3.0		N	S	0.0	0	100	2.5	3.27	C	2.88	C
2171.0	Woodlawn	Zarzamora	IH 10	0.05	E	2	U	6,272	2	35	16.0	0.0	0.0	0	3.0		N	C	25.0	0	100	3.0	3.60	D	2.34	B
2171.0	Woodlawn	Zarzamora	IH 10	0.05	W	2	U	6,272	2	35	15.5	0.0	0.0	0	3.0		N	C	15.0	0	100	4.0	3.68	D	2.48	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2171.1	Woodlawn	IH 10	Blanco	0.41	E	2	U	6,849	2	30	16.5	0.0	0.0	0	3.0		N	C	16.0	0	100	4.0	3.43	C	2.38	B
2171.1	Woodlawn	IH 10	Blanco	0.41	W	2	U	6,849	2	30	16.0	0.0	0.0	0	3.0		N	C	17.0	0	100	4.5	3.51	D	2.33	B
2172.0	Woodlawn	Blanco	S.P.R.R	0.52	E	2	D	6,320	2	30	19.5	0.0	0.0	0	3.0		N	C	10.0	0	100	4.0	2.85	C	2.39	B
2172.0	Woodlawn	Blanco	S.P.R.R	0.52	W	2	D	6,320	2	30	19.5	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	2.85	C	2.56	C
2172.1	Woodlawn	SPRR	McCullough	0.45	E	2	D	4,581	2	30	19.0	0.0	0.0	25	3.0		N	C	10.0	100	100	4.0	3.22	C	1.91	B
2172.1	Woodlawn	SPRR	McCullough	0.45	W	2	D	4,581	2	30	19.0	0.0	0.0	25	3.0		N	C	11.5	50	100	4.0	3.22	C	1.63	B
2180.0	Wurzbach	Ingram	Bandera	1.94	N	4	S	22,098	4	40	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.5	4.48	D	3.43	C
2180.0	Wurzbach	Ingram	Bandera	1.94	S	4	S	22,098	4	40	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.48	D	3.56	D
2181.0	Wurzbach	Bandera	Babcock	1.86	N	4	S	23,380	4	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.57	E	3.71	D
2181.0	Wurzbach	Bandera	Babcock	1.86	S	4	S	23,380	4	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.57	E	3.71	D
2182.0	Wurzbach	Babcock	Fredericksburg	1.27	N	4	D	28,335	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.85	E	4.18	D
2182.0	Wurzbach	Babcock	Fredericksburg	1.27	S	4	D	28,335	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.79	E	3.94	D
2183.0	Wurzbach	Fredericksburg	Vance Jackson	1.87	E	4	S	29,302	4	40	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	5.20	E	4.17	D
2183.0	Wurzbach	Fredericksburg	Vance Jackson	1.87	W	4	S	29,302	4	40	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	5.20	E	4.17	D
2184.0	Wurzbach	Vance Jackson	Lockhill	1.01	N	4	U	25,318	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	5.01	E	3.90	D
2184.0	Wurzbach	Vance Jackson	Lockhill	1.01	S	4	U	25,318	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	5.01	E	3.84	D
2190.0	Wurzbach Parkway	Lockhill Selma	NW Military	0.58	N	3	D	37,400	5	50	17.0	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	5.5	3.70	D	4.73	E
2190.0	Wurzbach Parkway	Lockhill Selma	NW Military	0.58	S	2	D	37,400	5	50	16.5	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	5.0	4.16	D	7.02	F
2191.0	Wurzbach Parkway	NW Military	Blanco	1.16	E	6	D	17,580	4	55	16.5	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	6.0	2.84	C	3.38	C
2191.0	Wurzbach Parkway	NW Military	Blanco	1.16	W	6	D	17,580	4	55	16.5	5.0	0.0	0	5.0	4.5	Y	C	0.0	0	100	5.0	2.84	C	3.46	C
2195.0	Wurzbach Parkway	Wetmore	Nacogdoches	0.99	E	4	D	33,000	5	60	14.0	4.0	0.0	0	4.0	4.0	Y	C	0.0	0	0	0.0	4.58	E	6.22	F
2195.0	Wurzbach Parkway	Wetmore	Nacogdoches	0.99	W	4	D	33,000	5	60	14.0	4.0	0.0	0	4.0	4.0	Y	C	0.0	0	0	0.0	4.58	E	6.22	F
2196.0	Wurzbach Parkway	Nacogdoches	Thousand Oaks	2.08	E	6	D	22,000	5	60	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	5.06	E	5.32	E
2196.0	Wurzbach Parkway	Nacogdoches	Thousand Oaks	2.08	W	6	D	22,000	5	60	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	5.06	E	5.32	E
2197.0	Wurzbach Parkway	Thousand Oaks	O'Connor	1.26	NE	6	D	16,060	4	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.55	E	4.45	D
2197.0	Wurzbach Parkway	Thousand Oaks	O'Connor	1.26	SW	6	D	16,060	4	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.55	E	4.45	D
2200.0	Zarzamora	Fredericksburg	Woodlawn	0.52	N	2	U	8,654	2	35	18.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.34	C	3.99	D
2200.0	Zarzamora	Fredericksburg	Woodlawn	0.52	S	2	U	8,654	2	35	18.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	3.34	C	3.07	C
2202.0	Zarzamora	Martin	Guadalupe	0.86	N	4	U	10,820	3	30	12.0	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	4.49	D	2.71	C
2202.0	Zarzamora	Martin	Guadalupe	0.86	S	4	U	10,820	3	30	11.5	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	4.55	E	2.72	C
2203.0	Zarzamora	Guadalupe	Brady	1.18	N	4	U	12,982	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.34	D	3.00	C
2203.0	Zarzamora	Guadalupe	Brady	1.18	S	4	U	12,982	3	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.28	D	2.86	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2203.1	Zarzamora	Brady	Malone	1.02	N	4	U	23,758	4	35	14.0	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	E	3.54	D	
2203.1	Zarzamora	Brady	Malone	1.02	S	4	U	23,758	4	35	14.5	0.0	0.0	0	2.5		N	C	0.0	0	100	4.93	E	3.64	D	
2204.0	Zarzamora	Malone	Culberson	0.44	N	4	U	16,882	3	35	11.5	0.0	0.0	0	4.5		N	C	15.0	0	100	4.14	D	2.77	C	
2204.0	Zarzamora	Malone	Culberson	0.44	S	4	U	16,882	3	35	12.5	0.0	0.0	0	4.5		N	C	16.0	0	100	4.02	D	2.72	C	
2204.1	Zarzamora	Culberson	Nogalitos	0.45	N	4	U	16,390	3	35	27.5	16.5	0.0	0	4.5	3.5	N	S	2.0	0	25	0.00	A	3.28	C	
2204.1	Zarzamora	Culberson	Nogalitos	0.45	S	4	U	16,390	3	35	22.0	0.0	0.0	0	4.5	3.5	N	S	0.0	0	0	2.37	B	3.73	D	
2206.1	Zarzamora	IH 35	Hutchinson	0.34	N	4	U	22,111	4	35	14.5	0.0	0.0	0	2.5		N	C	0.0	0	100	4.89	E	3.42	C	
2206.1	Zarzamora	IH 35	Hutchinson	0.34	S	4	U	22,111	4	35	14.0	0.0	0.0	0	2.5		N	C	24.0	0	100	4.97	E	2.72	C	
2206.2	Zarzamora	Hutchinson	Gillette	1.07	N	4	U	19,684	3	35	16.0	0.0	0.0	0	2.5		N	S	17.0	0	25	4.39	D	3.98	D	
2206.2	Zarzamora	Hutchinson	Gillette	1.07	S	4	U	19,684	3	35	16.0	0.0	0.0	0	2.5		N	S	0.0	0	0	4.39	D	4.32	D	
2207.0	Zarzamora	Gillette	Loop 410	0.69	N	4	U	22,821	4	40	15.5	0.0	0.0	0	2.5		N	S	0.0	0	0	4.89	E	4.69	E	
2207.0	Zarzamora	Gillette	Loop 410	0.69	S	4	U	22,821	4	40	15.5	0.0	0.0	0	2.5		N	S	0.0	0	0	4.89	E	4.69	E	
2207.1	Zarzamora	Loop 410	SH 16	2.70	N	2	U	4,584	4	40	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	4.42	D	4.09	D	
2207.1	Zarzamora	Loop 410	SH 16	2.70	S	2	U	4,584	4	40	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	4.28	D	3.99	D	
2208.0	Zarzamora	Martin	Woodlawn	1.51	N	2	U	11,205	3	30	18.5	0.0	0.0	0	3.0		N	C	5.0	0	100	3.51	D	3.04	C	
2208.0	Zarzamora	Martin	Woodlawn	1.51	S	2	U	11,205	3	30	19.0	0.0	0.0	0	3.0		N	C	4.0	0	100	3.41	C	3.10	C	
2210.0	Roosevelt (Spur 536)	S. St. Marys	E Mitchell St	0.54	N	4	U	9,411	2	35	10.0	0.0	0.0	0	3.0		N	C	1.0	0	75	4.24	D	3.26	C	
2210.0	Roosevelt (Spur 536)	S. St. Marys	E Mitchell St	0.54	S	4	U	9,411	2	35	10.0	0.0	0.0	0	3.0		N	C	1.0	0	75	4.24	D	3.26	C	
2211.0	Roosevelt	Southcross	McDonald	0.62	N	4	U	19,360	4	40	10.0	0.0	0.0	0	3.0		N	S	0.0	0	0	5.15	E	5.02	E	
2211.0	Roosevelt	Southcross	McDonald	0.62	S	4	U	19,360	4	40	10.0	0.0	0.0	0	3.0		N	S	9.0	0	25	5.15	E	4.61	E	
2212.0	Roosevelt	Southcross	Mission	0.70	NB	4	U	18,430	4	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	5.02	E	4.84	E	
2212.0	Roosevelt	Southcross	Mission	0.70	SB	4	U	18,430	4	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	5.02	E	4.84	E	
2212.1	Roosevelt	Mission	Military	0.51	N	4	U	20,276	4	40	12.0	1.5	0.0	0	4.0		N	C	5.0	0	50	4.62	E	4.12	D	
2212.1	Roosevelt	Mission	Military	0.51	S	4	U	20,276	4	40	13.5	1.5	0.0	0	4.0		N	C	2.5	0	100	4.43	D	3.37	C	
2213.0	Roosevelt	SE Military	Ashley	1.48	N	4	U	17,930	4	45	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	5.05	E	4.94	E	
2213.0	Roosevelt	SE Military	Ashley	1.48	S	4	U	17,930	4	45	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	5.05	E	4.94	E	
2220.0	Stahl	Nacogdoches	Green Mountain	0.55	N	2	U	5,984	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	3.68	D	4.08	D	
2220.0	Stahl	Nacogdoches	Green Mountain	0.55	S	2	U	5,984	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	3.68	D	4.08	D	
2221.0	Stahl	Green Mountain	Judson	1.14	E	2	U	7,713	2	35	11.0	0.0	0.0	0	4.5		N	S	0.0	0	0	3.95	D	4.51	E	
2221.0	Stahl	Green Mountain	Judson	1.14	W	2	U	7,713	2	35	11.0	0.0	0.0	0	4.5		N	S	0.0	0	0	3.95	D	4.51	E	
2222.0	Stahl	Judson	O'Connor	1.24	NE	4	S	10,418	4	40	12.0	0.0	0.0	0	4.5		N	C	6.0	0	100	4.19	D	2.77	C	
2222.0	Stahl	Judson	O'Connor	1.24	SW	4	S	10,418	4	40	12.0	0.0	0.0	0	4.5		N	C	3.0	0	100	4.19	D	2.98	C	



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2223.0	Stahl	O'Connor	Classen	0.31	NE	2	U	5,889	3	40	22.0	0.0	0.0	0	3.5		N	S	0.0	0	100	5.0	2.56	C	2.72	C
2223.0	Stahl	O'Connor	Classen	0.31	SW	2	U	5,889	3	40	22.0	0.0	0.0	0	3.5		N	S	12.0	0	100	5.0	2.56	C	2.44	B
2224.0	Stahl	Classen	Fairway Oaks	0.74	NW	2	U	13,931	3	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.76	E	5.16	E
2224.0	Stahl	Classen	Fairway Oaks	0.74	SE	2	U	13,931	3	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.76	E	5.16	E
2224.1	Stahl	Fairway Oaks	Bulverde	0.73	NW	4	U	9,371	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.02	D	4.06	D
2224.1	Stahl	Fairway Oaks	Bulverde	0.73	SE	4	U	9,371	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.02	D	2.66	C
2230.0	San Pedro	US 281	Loop 410	1.13	N	6	D	57,200	5	45	14.5	0.0	0.0	0	4.0		N	C	14.0	0	100	4.0	4.98	E	4.39	D
2230.0	San Pedro	US 281	Loop 410	1.13	S	6	D	57,200	5	45	12.0	0.0	0.0	0	4.0		N	C	11.5	0	75	5.5	5.31	E	4.82	E
2231.0	San Pedro	Loop 410	Basse	1.87	N	6	S	26,749	4	40	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.94	E	3.33	C
2231.0	San Pedro	Loop 410	Basse	1.87	S	6	S	26,749	4	40	12.5	0.0	0.0	0	3.0		N	C	11.0	0	100	5.5	4.82	E	3.01	C
2232.0	San Pedro	Basse	Olmos	1.19	N	4	S	31,089	4	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	5.15	E	4.21	D
2232.0	San Pedro	Basse	Olmos	1.19	S	4	S	31,089	4	35	12.0	0.0	0.0	0	3.0		N	C	7.0	0	100	5.0	5.04	E	3.81	D
2233.0	San Pedro	Olmos	Ashley	1.50	N	4	U	19,800	3	35	10.0	0.0	0.0	0	4.0		N	C	4.0	0	100	4.0	4.48	D	3.42	C
2233.0	San Pedro	Olmos	Ashley	1.50	S	4	U	19,800	3	35	10.5	0.0	0.0	0	4.0		N	C	3.0	0	100	4.5	4.43	D	3.37	C
2234.0	San Pedro	Ashby	IH 35	1.17	N	4	S	28,235	4	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.81	E	3.75	D
2234.0	San Pedro	Ashby	IH 35	1.17	S	4	S	28,235	4	30	11.5	0.0	0.0	0	3.0		N	C	5.0	0	100	4.0	4.87	E	3.70	D
2240.0	Alamo	Jones	Travis	0.68	N	2	U	1,231	2	30	22.0	0.0	0.0	50	3.5		N	C	0.0	0	100	10.0	0.00	A	1.48	A
2240.0	Alamo	Jones	Travis	0.68	S	2	U	1,231	2	30	21.0	0.0	0.0	50	3.5		N	C	5.0	0	100	5.0	0.00	A	1.56	B
2241.0	Alamo	Travis	Commerce	0.27	N	3	OW	8,489	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	28.0	3.86	D	1.42	A
2242.0	Boerne Stage	Kendall County Line	Dos Cerros	1.50	N	2	U	1,687	4	45	16.0	4.0	0.0	0	5.0		N	S	0.0	0	0	0.0	0.75	A	3.66	D
2242.0	Boerne Stage	Kendall County Line	Dos Cerros	1.50	S	2	U	1,687	4	45	15.5	4.0	0.0	0	5.0		N	S	0.0	0	0	0.0	0.96	A	3.69	D
2242.1	Boerne Stage	Dos Cerros	Scenic Loop Road	2.63	N	2	U	2,358	4	45	15.5	4.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	1.61	B	3.78	D
2242.1	Boerne Stage	Dos Cerros	Scenic Loop Road	2.63	S	2	U	2,358	4	45	15.5	4.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	1.61	B	3.78	D
2242.2	Boerne Stage	Scenic Loop Road	IH 10	2.90	E	2	U	12,923	8	45	15.5	4.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	4.69	E	5.04	E
2242.2	Boerne Stage	Scenic Loop Road	IH 10	2.90	W	2	U	12,923	8	45	16.0	4.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	4.60	E	5.00	E
2243.0	Toutant Beauregard	Kendall County Line	Karsch	1.23	N	2	U	493	3	40	15.5	3.5	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.00	A	3.38	C
2243.0	Toutant Beauregard	Kendall County Line	Karsch	1.23	S	2	U	493	3	40	16.0	4.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.00	A	3.34	C
2243.1	Toutant Beauregard	Karsch	Scenic Loop Road	4.36	N	2	U	2,426	4	40	15.5	4.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	1.58	B	3.61	D
2243.1	Toutant Beauregard	Karsch	Scenic Loop Road	4.36	S	2	U	2,426	4	40	16.0	4.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	1.41	A	3.58	D
2244.0	Scenic Loop	Boerne Stage Rd	Babcock	2.66	N	2	U	1,941	4	40	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.40	B	3.17	C
2244.0	Scenic Loop	Boerne Stage Rd	Babcock	2.66	S	2	U	1,941	4	40	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.40	B	3.17	C
2244.1	Scenic Loop	Babcock	Menchaca	2.73	N	2	U	1,557	3	30	11.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.86	C	3.00	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2244.1	Scenic Loop	Babcock	Menchaca	2.73	S	2	U	1,557	3	30	10.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.28	C	3.18	C
2244.2	Scenic Loop	Menchaca	Bandera	1.93	N	2	U	2,811	4	40	16.5	5.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.59	B	3.59	D
2244.2	Scenic Loop	Menchaca	Bandera	1.93	S	2	U	2,811	4	40	16.5	5.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.59	B	3.59	D
2245.0	Hwy 16 (Bandera)	Medina Co. Line	Hwy 211	1.69	N	4	D	8,757	7	65	23.0	11.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.64	A	4.41	D
2245.0	Hwy 16 (Bandera)	Medina Co. Line	Hwy 211	1.69	S	4	D	8,757	7	65	22.5	11.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.81	A	4.45	D
2246.0	Old Bandera Road	SH 16 (N)	Riggs	0.40	E	2	U	993	2	30	21.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.00	A	2.09	B
2246.0	Old Bandera Road	SH 16 (N)	Riggs	0.40	W	2	U	993	2	30	20.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.00	A	2.15	B
2247.0	Riggs	Old Bandera Road	FM 1560	0.84	N	2	U	2,262	2	30	15.5	0.0	0.0	25	4.0		N	S	0.0	0	0	9.0	1.97	B	3.32	C
2247.0	Riggs	Old Bandera Road	FM 1560	0.84	S	2	U	2,262	2	30	18.5	0.0	0.0	25	4.0		N	S	0.0	0	0	4.0	1.03	A	3.10	C
2248.0	FM 1560	Bandera	Alta Loma	1.18	N	2	U	11,000	4	55	18.0	6.5	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.96	C	5.02	E
2248.0	FM 1560	Bandera	Alta Loma	1.18	S	2	U	11,000	4	55	18.5	6.5	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	2.83	C	4.98	E
2248.1	FM 1560	Alta Loma	Braun	1.09	N	2	U	11,000	4	55	18.5	6.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.78	C	4.98	E
2248.1	FM 1560	Alta Loma	Braun	1.09	S	2	U	11,000	4	55	17.5	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.53	C	5.06	E
2248.2	FM 1560	Braun	Galm	1.36	N	2	U	13,312	4	55	17.5	6.5	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	3.00	C	5.34	E
2248.2	FM 1560	Braun	Galm	1.36	S	2	U	13,312	4	55	18.0	6.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	3.00	C	5.30	E
2248.3	FM 1560	Galm	SH 471	1.69	N	2	U	10,560	4	55	18.0	6.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.88	C	4.97	E
2248.3	FM 1560	Galm	SH 471	1.69	S	2	U	10,560	4	55	19.0	7.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.38	B	4.91	E
2249.0	Galm	FM 1560	Government Canyon Entrance	1.94	E	2	U	1,403	3	40	12.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.12	B	3.13	C
2249.0	Galm	FM 1560	Government Canyon Entrance	1.94	W	2	U	1,403	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.44	B	3.24	C
2249.1	Galm	Government Canyon Entrance	SH 471	1.63	N	2	U	1,011	3	40	15.5	4.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.31	A	3.44	C
2249.1	Galm	Government Canyon Entrance	SH 471	1.63	S	2	U	1,011	3	40	16.5	4.5	0.0	0	3.0		N	S	0.0	0	0	0.0	0.00	A	3.37	C
2250.0	Shaenfield	FM 1560	Cavern Hill	0.84	E	2	U	4,950	3	40	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.29	D	4.17	D
2250.0	Shaenfield	FM 1560	Cavern Hill	0.84	W	2	U	4,950	3	40	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.23	D	4.14	D
2250.1	Shaenfield	Cavern Hill	1604	0.76	E	2	U	12,846	4	40	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.88	E	5.03	E
2250.1	Shaenfield	Cavern Hill	1604	0.76	W	2	U	12,846	4	40	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.01	E	5.12	E
2251.0	Culebra (FM 471)	State Hwy 211	Old FM 471 W Access	1.28	E	2	U	9,683	7	65	19.5	8.5	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	2.74	C	5.25	E
2251.0	Culebra (FM 471)	State Hwy 211	Old FM 471 W Access	1.28	W	2	U	9,683	7	65	19.0	7.5	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	3.15	C	5.28	E
2251.1	Culebra (FM 471)	Old FM 471 W Access	Kallison	1.47	E	4	S	9,295	7	65	14.0	25.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	0.00	A	5.05	E
2251.1	Culebra (FM 471)	Old FM 471 W Access	Kallison	1.47	W	4	S	9,295	7	65	13.0	2.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	5.29	E	5.15	E
2251.2	Culebra (FM 471)	Kallison	FM 1560	2.34	E	2	S	15,950	10	65	14.0	3.0	0.0	0	5.0		N	S	0.0	0	0	0.0	6.50	F	6.41	F
2251.2	Culebra (FM 471)	Kallison	FM 1560	2.34	W	2	S	15,950	10	65	12.5	2.0	0.0	0	5.0		N	S	0.0	0	0	0.0	7.16	F	6.54	F
2251.3	Culebra (FM 471)	FM 1560	1604	1.57	E	4	S	28,600	5	50	17.0	5.0	0.0	0	5.0	5.0	N	C	0.0	0	100	5.0	3.40	C	4.24	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2251.3	Culebra (FM 471)				FM 1560	1604	1.57		W	4							S	28,600	5	50
2251.4	Culebra (FM 471)	1604	Les Harrison	0.89	E	4	S	42,902	5	45	15.5	0.0	0.0	0	4.0		N	C	0.0	0	50	7.0	4.89	E	5.43	E
2251.4	Culebra (FM 471)	1604	Les Harrison	0.89	W	4	S	42,902	5	45	14.5	0.0	0.0	0	4.0		N	C	0.0	0	75	5.0	5.04	E	5.28	E
2251.5	Culebra (FM 471)	Les Harrison	Tezel	1.56	E	4	S	33,000	4	45	14.0	0.0	0.0	0	3.0		N	C	0.0	0	50	6.0	5.04	E	4.96	E
2251.5	Culebra (FM 471)	Les Harrison	Tezel	1.56	W	4	S	33,000	4	45	15.0	0.0	0.0	0	3.0		N	C	0.0	0	75	6.0	4.89	E	4.60	E
2251.6	Culebra (FM 3487)	Tezel	Timber Path	1.25	E	4	S	33,000	5	50	12.0	0.0	0.0	0	3.0		N	C	20.5	0	25	5.0	5.66	F	5.51	F
2251.6	Culebra (FM 3487)	Tezel	Timber Path	1.25	W	4	S	33,000	5	50	12.0	0.0	0.0	0	3.0		N	C	20.5	0	75	5.0	5.66	F	4.57	E
2252.0	Prue	Old Prue	Bandera	0.33	E	4	D	15,417	3	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	75	6.0	4.34	D	3.33	C
2252.0	Prue	Old Prue	Bandera	0.33	W	4	D	15,417	3	35	12.5	0.0	0.0	0	3.0		N	C	2.5	0	75	4.0	4.40	D	3.44	C
2253.0	Tezel	Bandera	Shade Tree	0.31	N	4	D	7,222	2	35	12.5	0.0	0.0	0	5.0		N	C	4.0	0	100	3.0	3.18	C	2.73	C
2253.0	Tezel	Bandera	Shade Tree	0.31	S	4	D	7,222	2	35	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	3.5	3.25	C	2.82	C
2253.1	Tezel	Shade Tree	Braun	0.59	N	4	U	6,589	2	35	11.5	0.0	0.0	0	5.0		N	C	0.0	0	75	3.5	3.16	C	3.09	C
2253.1	Tezel	Shade Tree	Braun	0.59	S	4	U	6,589	2	35	11.0	0.0	0.0	0	5.0		N	C	0.0	0	100	3.5	3.24	C	2.84	C
2253.2	Tezel	Braun	Guilbeau	0.97	N	4	D	9,572	2	35	12.0	0.0	0.0	0	4.0		N	C	4.5	0	100	4.5	3.70	D	2.67	C
2253.2	Tezel	Braun	Guilbeau	0.97	S	4	D	9,572	2	35	11.5	0.0	0.0	0	4.0		N	C	5.0	0	100	4.0	3.75	D	2.72	C
2253.3	Tezel	Guilbeau	Dover Ridge	0.49	N	4	S	13,538	4	40	16.0	5.0	0.0	0	5.0	5.0	Y	C	0.0	0	75	7.0	2.78	C	3.18	C
2253.3	Tezel	Guilbeau	Dover Ridge	0.49	S	4	S	13,538	4	40	16.0	5.5	0.0	0	5.0	5.0	Y	C	3.0	0	75	6.0	2.67	C	3.16	C
2254.0	New Guilbeau	1604	Old Tezel	1.27	E	4	D	13,696	3	35	12.5	0.0	0.0	0	5.0		N	C	2.0	0	100	4.0	3.86	D	3.03	C
2254.0	New Guilbeau	1604	Old Tezel	1.27	W	4	D	13,696	3	35	12.5	0.0	0.0	0	5.0		N	C	2.5	0	100	4.0	3.86	D	3.02	C
2255.0	Guilbeau	Tezel	HEB Entrance	1.08	E	4	U	19,645	3	35	11.5	0.0	0.0	0	5.0		N	C	7.5	0	100	4.0	4.16	D	3.24	C
2255.0	Guilbeau	Tezel	HEB Entrance	1.08	W	4	U	19,645	3	35	11.0	0.0	0.0	0	5.0		N	C	2.5	0	100	4.5	4.22	D	3.36	C
2255.1	Guilbeau	HEB Entrance	Bandera	0.43	E	4	U	25,231	4	45	11.0	0.0	0.0	0	4.5		N	C	0.0	0	100	5.0	4.85	E	4.06	D
2255.1	Guilbeau	HEB Entrance	Bandera	0.43	W	4	U	25,231	4	45	11.0	0.0	0.0	0	4.5		N	C	0.0	0	100	5.0	4.85	E	4.06	D
2255.2	Guilbeau	Old Tezel	Tezel	0.39	E	4	U	15,584	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.20	D	3.28	C
2255.2	Guilbeau	Old Tezel	Tezel	0.39	W	4	U	15,584	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.20	D	3.28	C
2256.0	Dover Ridge	Weybridge	Tezel	1.52	E	2	U	13,103	3	30	19.5	6.5	0.0	0	4.0	3.5	Y	C	0.0	0	100	4.0	1.59	B	3.48	C
2256.0	Dover Ridge	Weybridge	Tezel	1.52	W	2	U	13,103	3	30	20.0	5.5	0.0	0	4.0	3.5	Y	C	0.0	0	100	3.5	1.72	B	3.53	D
2257.0	Weybridge	Dover Ridge	Les Harrison	0.63	N	2	U	5,252	2	30	20.0	7.0	0.0	0	3.0	2.5	Y	C	0.0	0	100	3.0	1.01	A	2.66	C
2257.0	Weybridge	Dover Ridge	Les Harrison	0.63	S	2	U	5,252	2	30	20.0	7.0	0.0	0	3.0	2.5	Y	C	0.0	0	100	3.5	1.01	A	2.59	C
2258.0	Les Harrison	Weybridge	Culebra	1.05	N	2	U	16,414	3	30	22.0	7.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	3.5	0.88	A	3.87	D
2258.0	Les Harrison	Weybridge	Culebra	1.05	S	2	U	16,414	3	30	22.5	6.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	4.0	0.88	A	3.79	D
2259.0	Timber Path	Les Harrison	Tezel	1.67	E	2	U	6,260	2	35	19.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	3.5	1.43	A	2.85	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2259.0	Timber Path	Les Harrison	Tezel	1.67	W	2	U	6,260	2	35	20.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	4.0	1.17	A	2.77	C
2259.1	Timber Path	Tezel	Grissom	0.94	E	2	U	9,008	2	35	20.0	5.5	0.0	0	3.0	2.5	Y	C	0.0	0	100	4.0	1.81	B	3.11	C
2259.1	Timber Path	Tezel	Grissom	0.94	W	2	U	9,008	2	35	20.5	5.5	0.0	0	3.0	2.5	Y	C	0.0	0	100	4.0	1.68	B	3.09	C
2259.2	Timber Path	Grissom	Culebra	0.53	E	2	U	9,006	3	45	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.80	E	4.94	E
2259.2	Timber Path	Grissom	Culebra	0.53	W	2	U	9,006	3	45	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.80	E	4.94	E
2260.0	Rogers	Culebra	Mt. Baker	0.19	S	4	S	2,833	2	30	14.0	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	2.70	C	2.01	B
2260.0	Rogers	Culebra	Mt. Baker	0.19	W	4	S	2,833	2	30	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	2.83	C	2.04	B
2260.1	Rogers	Mt. Baker	Mt. Evans	0.40	N	2	U	677	2	30	10.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	2.95	C	2.92	C
2260.1	Rogers	Mt. Baker	Mt. Evans	0.40	S	2	U	677	2	30	10.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	2.95	C	2.92	C
2260.2	Rogers	Wiseman	Western Cross	0.29	S	4	D	2,048	3	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	1.95	B	3.13	C
2260.2	Rogers	Wiseman	Western Cross	0.29	W	4	D	2,048	3	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	1.59	B	2.30	B
2260.3	Rogers	Western Cross	Westover Hills	0.62	N	4	D	1,570	3	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	50	7.0	1.31	A	2.98	C
2260.3	Rogers	Western Cross	Westover Hills	0.62	S	4	D	1,570	3	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	1.70	B	3.07	C
2260.4	Rogers	Westover Hills	Military	0.96	N	4	D	1,570	3	40	13.0	0.0	0.0	0	3.0		N	C	0.0	0	75	6.5	1.44	A	2.62	C
2260.4	Rogers	Westover Hills	Military	0.96	S	4	D	1,570	3	40	12.0	0.0	0.0	0	3.0		N	C	2.0	0	25	4.0	1.84	B	3.43	C
2261.0	Wiseman	1604	State Hwy 151	1.13	E	4	D	1,316	3	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	50	4.5	1.25	A	3.27	C
2261.0	Wiseman	1604	State Hwy 151	1.13	W	4	D	1,316	3	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	1.25	A	2.65	C
2261.1	Wiseman	State Hwy 151	Westover Hills	1.59	N	4	D	5,008	3	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	75	4.5	2.97	C	3.18	C
2261.1	Wiseman	State Hwy 151	Westover Hills	1.59	S	4	D	5,008	3	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	6.5	2.97	C	2.68	C
2262.0	Hunt	Westover Hills	Military	0.67	N	4	D	14,432	4	45	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	4.55	E	3.42	C
2262.0	Hunt	Westover Hills	Military	0.67	S	4	D	14,432	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	4.55	E	3.24	C
2262.1	Hunt	Military	State Hwy 151	0.94	N	4	D	10,695	4	45	12.0	0.0	0.0	0	3.0		N	C	2.0	0	25	4.0	4.73	E	4.14	D
2262.1	Hunt	Military	State Hwy 151	0.94	S	4	D	10,695	4	45	12.0	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	4.73	E	3.17	C
2262.2	Hunt	Old Hunt	Ingram	0.14	N	4	D	9,334	2	35	12.5	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	3.96	D	2.58	C
2262.2	Hunt	Old Hunt	Ingram	0.14	S	4	D	9,334	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.02	D	4.06	D
2262.3	Hunt	Ingram	Marbach	0.56	N	4	D	11,452	3	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	7.0	4.14	D	2.71	C
2262.3	Hunt	Ingram	Marbach	0.56	S	4	D	11,452	3	35	12.0	0.0	0.0	0	3.5		N	C	3.0	0	100	4.0	4.14	D	2.89	C
2262.4	Hunt	Marbach	Adams Hill	0.51	N	4	U	13,547	4	40	13.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.56	E	3.00	C
2262.4	Hunt	Marbach	Adams Hill	0.51	S	4	U	13,547	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.69	E	3.04	C
2262.5	Hunt	Adams Hill	US Hwy 90 W	1.23	N	4	S	12,456	4	40	13.0	0.0	0.0	0	2.5		N	C	0.0	0	100	6.0	4.94	E	2.96	C
2262.5	Hunt	Adams Hill	US Hwy 90 W	1.23	S	4	S	12,456	4	40	13.0	0.0	0.0	0	2.5		N	C	0.0	0	100	7.0	4.94	E	2.89	C
2263.0	Grissom	Tezel	Timber Path	0.60	E	4	S	25,300	4	45	14.5	0.0	0.0	0	3.0		N	C	24.0	0	25	5.0	4.83	E	4.65	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2263.0	Grissom				Tezel	Timber Path	0.60		W	4							S	25,300	4	45
2263.1	Grissom	Timber Path	Oakfield	0.93	E	4	S	24,607	4	45	15.0	0.0	0.0	0	3.0		N	C	18.0	0	25	4.0	4.75	E	4.62	E
2263.1	Grissom	Timber Path	Oakfield	0.93	W	4	S	24,607	4	45	15.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.67	E	3.86	D
2263.2	Grissom	Oakfield	Timber Hill	0.90	E	4	S	35,200	4	45	14.5	0.0	0.0	0	4.0		N	C	18.0	0	0	5.0	4.67	E	5.68	F
2263.2	Grissom	Oakfield	Timber Hill	0.90	W	4	S	35,200	4	45	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.60	E	4.47	D
2263.3	Grissom	Timber Hill	Shadow Mist	0.35	E	4	S	30,800	4	45	14.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.60	E	4.32	D
2263.3	Grissom	Timber Hill	Shadow Mist	0.35	W	4	S	30,800	4	45	16.0	0.0	0.0	0	4.0		N	C	5.0	0	100	5.0	4.37	D	4.08	D
2263.4	Grissom	Shadow Mist	Bandera	0.75	N	4	S	28,201	4	45	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.48	D	4.15	D
2263.4	Grissom	Shadow Mist	Bandera	0.75	S	4	S	28,201	4	45	16.0	0.0	0.0	0	4.0		N	C	4.0	0	100	5.0	4.33	D	3.94	D
2264.0	Westover Hills	Ellison	State Hwy 151	0.35	N	4	D	7,936	3	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.14	D	4.27	D
2264.0	Westover Hills	Ellison	State Hwy 151	0.35	S	4	D	7,936	3	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.14	D	4.27	D
2264.1	Westover Hills	State Hwy 151	Rogers	0.24	E	4	D	10,928	8	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.93	F	4.47	D
2264.1	Westover Hills	State Hwy 151	Rogers	0.24	W	4	D	10,928	8	45	11.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	6.04	F	4.57	E
2264.2	Westover Hills	Rogers	Wiseman	0.81	E	4	D	7,126	3	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	75	6.5	3.78	D	3.16	C
2264.2	Westover Hills	Rogers	Wiseman	0.81	W	4	D	7,126	3	45	12.0	0.0	0.0	0	4.0		N	C	2.0	0	75	4.0	3.78	D	3.30	C
2264.3	Westover Hills	Wiseman	Culebra	1.04	E	4	D	22,208	4	45	12.0	0.0	0.0	0	4.0		N	C		0	75	6.5	4.77	E	4.06	D
2264.3	Westover Hills	Wiseman	Culebra	1.04	W	4	D	22,208	4	45	12.0	0.0	0.0	0	4.0		N	C	2.0	0	50	4.0	4.77	E	4.51	E
2265.0	Ellison	1604	Wiseman	0.41	E	4	D	3,820	3	45	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	2.67	C	2.79	C
2265.0	Ellison	1604	Wiseman	0.41	W	4	D	3,820	3	45	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	2.67	C	2.79	C
2265.1	Ellison	Wiseman	Westover Hills	0.67	N	4	D	5,307	3	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.24	C	3.77	D
2265.1	Ellison	Wiseman	Westover Hills	0.67	S	4	D	5,307	3	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.24	C	3.77	D
2265.2	Ellison	Westover Hills	Military	0.99	N	4	D	6,493	3	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.84	D	3.81	D
2265.2	Ellison	Westover Hills	Military	0.99	S	4	D	6,493	3	40	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.84	D	3.81	D
2265.3	Ellison	Military	Potranco	0.95	N	4	D	4,736	3	40	12.5	0.0	0.0	0	4.5		N	C	0.0	0	100	7.0	2.72	C	2.45	B
2265.3	Ellison	Military	Potranco	0.95	S	4	D	4,736	3	40	13.5	0.0	0.0	0	4.5		N	C	0.0	0	100	4.0	2.46	B	2.68	C
2266.0	Westcreek Oaks	Sage Run	Larkshall	0.38	E	2	U	2,165	2	35	22.0	5.0	0.0	0	4.0	4.0	N	C	2.0	0	100	4.0	0.00	A	2.16	B
2266.0	Westcreek Oaks	Sage Run	Larkshall	0.38	W	2	U	2,165	2	35	22.0	5.0	0.0	0	4.0	4.0	N	C	7.0	0	100	4.0	0.00	A	2.03	B
2266.1	Westcreek Oaks	Larkshall	Dwyerbrook	0.42	E	2	D	2,538	2	35	22.0	5.0	0.0	0	4.0	4.0	N	C	8.0	0	100	3.0	0.45	A	2.16	B
2266.1	Westcreek Oaks	Larkshall	Dwyerbrook	0.42	W	2	D	2,538	2	35	22.0	5.0	0.0	0	4.0	4.0	N	C	8.0	0	100	3.0	0.45	A	2.16	B
2266.2	Westcreek Oaks	Dwyerbrook	1604	0.86	E	2	U	4,805	2	35	22.0	5.0	0.0	0	4.0	4.0	N	C	4.5	0	100	3.0	0.77	A	2.53	C
2266.2	Westcreek Oaks	Dwyerbrook	1604	0.86	W	2	U	4,805	2	35	22.0	5.0	0.0	0	4.0	4.0	N	C	4.0	0	100	3.0	0.77	A	2.54	C
2267.0	Military	Grosenbacher	Villages of Westcreek Rec Entrance	0.42	E	2	U	5,056	4	35	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	4.14	D	2.84	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC _t (1..5)	PC _l (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2267.0	Military	Grosenbacher	Villages of Westcreek Rec Entrance	0.42	W	2	U	5,056	4	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.14	D	4.09	D
2267.1	Military	Villages of Westcreek Rec Entrance	Westcreek Oaks	0.33	E	2	D	2,060	3	35	22.0	5.0	0.0	0	4.0	3.5	N	C	8.0	0	100	3.0	0.54	A	2.11	B
2267.1	Military	Villages of Westcreek Rec Entrance	Westcreek Oaks	0.33	W	2	D	2,060	3	35	22.0	5.0	0.0	0	4.0	3.5	N	C	6.0	0	100	3.0	0.54	A	2.15	B
2267.2	Military	Westcreek Oaks	1604	1.12	E	2	D	10,856	3	35	22.0	5.0	0.0	0	4.0	3.5	N	C	8.0	0	100	3.0	1.38	A	3.16	C
2267.2	Military	Westcreek Oaks	1604	1.12	W	2	D	10,856	3	35	22.0	5.0	0.0	0	4.0	3.5	N	C	6.0	0	100	3.0	1.38	A	3.21	C
2267.3	Military	1604	Hwy 151	1.63	E	4	D	18,716	4	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	50	6.0	5.01	E	4.23	D
2267.3	Military	1604	Hwy 151	1.63	W	4	D	18,716	4	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	50	6.0	5.01	E	4.23	D
2267.4	Military	Hwy 151	Hunt	1.04	N	4	D	3,386	3	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	2.82	C	2.61	C
2267.4	Military	HWY 151	Hunt	1.04	S	4	D	3,386	3	45	11.0	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	3.11	C	2.80	C
2267.5	Military	Hunt	Sequoia Ht	0.33	E	2	D	14,090	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.44	D	5.18	E
2267.5	Military	Hunt	Sequoia Ht	0.33	W	2	D	14,090	3	35	12.0	0.0	0.0	0	4.0		N	C	6.0	0	100	4.0	4.44	D	3.78	D
2267.6	Military	Sequoia Ht	Reed	0.37	E	2	U	14,090	3	35	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	4.44	D	3.92	D
2267.6	Military	Sequoia Ht	Reed	0.37	W	2	U	14,090	3	35	12.0	0.0	0.0	0	4.0		N	C	2.0	0	75	4.0	4.44	D	4.24	D
2268.0	Mechler	End of Mechler	Hwy 90	0.77	N	2	U	129	3	40	10.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	2.36	B	3.05	C
2268.0	Mechler	End of Mechler	Hwy 90	0.77	S	2	U	129	3	40	10.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	2.36	B	3.05	C
2268.1	Mechler	Hwy 90	Macdona-Lacoste	3.85	N	2	U	322	3	40	12.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.78	B	2.82	C
2268.1	Mechler	Hwy 90	Macdona-Lacoste	3.85	S	2	U	322	3	40	12.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.78	B	2.82	C
2269.0	Masterson	Hwy 90	Jungman	3.46	N	2	U	121	2	30	11.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.50	A	2.64	C
2269.0	Masterson	Hwy 90	Jungman	3.46	S	2	U	121	2	30	11.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.50	A	2.64	C
2270.0	Jungman	Hwy 90	Macdona-Lacoste	3.98	N	2	U	121	2	30	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.51	A	2.64	C
2270.0	Jungman	Hwy 90	Macdona-Lacoste	3.98	S	2	U	121	2	30	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.51	A	2.64	C
2271.0	Wisdom	Macdona-Lacoste	Atascosa Co. Line	4.97	N	2	U	984	3	40	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.12	A	2.91	C
2271.0	Wisdom	Macdona-Lacoste	Atascosa Co. Line	4.97	S	2	U	984	3	40	14.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.90	A	2.88	C
2272.0	Shepherd	Macdona-Lacoste	Pearsall	3.42	N	2	U	1,005	2	35	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.59	B	2.97	C
2272.0	Shepherd	Macdona-Lacoste	Pearsall	3.42	S	2	U	1,005	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.41	A	2.92	C
2272.1	Shepherd	Pearsall	IH 35	1.34	N	2	U	2,175	3	35	12.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.72	C	3.24	C
2272.1	Shepherd	Pearsall	IH 35	1.34	S	2	U	2,175	3	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.84	C	3.29	C
2272.2	Shepherd	IH 35	Fowler	0.86	N	2	U	2,061	3	35	10.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.42	C	3.48	C
2272.2	Shepherd	IH 35	Fowler	0.86	S	2	U	2,061	3	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.93	C	3.25	C
2273.0	Old Frio City	FM 2790	Pearsall	2.50	E	2	U	608	2	30	10.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.53	B	2.90	C
2273.0	Old Frio City	FM 2790	Pearsall	2.50	W	2	U	608	2	30	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.18	A	2.78	C
2274.0	Pearsall	Atascosa Co. Line	Old Frio City	1.18	E	2	U	448	3	40	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.37	A	3.02	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2274.0	Pearsall				Atascosa Co. Line	Old Frio City	1.18		W	2							U	448	3	40
2274.1	Pearsall	Old Frio City	Luckey	0.93	E	2	U	1,531	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.50	B	3.22	C
2274.1	Pearsall	Old Frio City	Luckey	0.93	W	2	U	1,531	4	40	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.34	B	3.17	C
2274.2	Pearsall	Luckey	Wheeler	1.23	E	2	U	1,463	3	40	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.04	B	3.15	C
2274.2	Pearsall	Luckey	Wheeler	1.23	W	2	U	1,463	3	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.20	B	3.20	C
2274.3	Pearsall	Wheeler	Shepherd	1.29	E	2	U	2,450	4	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.50	C	3.58	D
2274.3	Pearsall	Wheeler	Shepherd	1.29	W	2	U	2,450	4	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	2.0	3.38	C	3.93	D
2274.4	Pearsall	Shepherd	Kearney	1.99	E	2	U	3,370	3	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.47	C	3.71	D
2274.4	Pearsall	Shepherd	Kearney	1.99	W	2	U	3,370	3	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.47	C	3.71	D
2274.5	Pearsall	Kearney	1604	1.45	E	2	U	3,333	3	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.45	C	3.70	D
2274.5	Pearsall	Kearney	1604	1.45	W	2	U	3,333	3	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.45	C	3.70	D
2275.0	Old Pearsall	1604	Nelson	2.18	E	2	U	7,150	6	45	24.5	13.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.00	A	3.78	D
2275.0	Old Pearsall	1604	Nelson	2.18	W	2	U	7,150	6	45	16.5	5.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	3.84	D	4.27	D
2275.1	Old Pearsall	Nelson	410	1.76	E	2	U	7,590	7	55	21.0	10.0	0.0	0	3.0	3.0	N	C	0.0	0	0	0.0	1.90	B	4.43	D
2275.1	Old Pearsall	Nelson	410	1.76	W	2	U	7,590	7	55	21.0	9.0	0.0	0	3.0	3.0	N	C	0.0	0	0	0.0	2.21	B	4.43	D
2275.2	Old Pearsall	410	Five Palms	0.73	E	4	S	24,200	4	35	17.5	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	5.0	2.77	C	3.45	C
2275.2	Old Pearsall	410	Five Palms	0.73	W	4	S	24,200	4	35	17.5	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.0	2.77	C	3.38	C
2275.3	Old Pearsall	Five Palms	Ray Ellison	0.88	E	4	S	14,410	3	35	17.0	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.0	2.29	B	2.81	C
2275.3	Old Pearsall	Five Palms	Ray Ellison	0.88	W	4	S	14,410	3	35	17.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.0	2.18	B	2.80	C
2275.4	Old Pearsall	Ray Ellison	Military	1.17	E	4	S	14,410	4	45	17.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	5.0	2.62	C	3.19	C
2275.4	Old Pearsall	Ray Ellison	Military	1.17	W	4	S	14,410	4	45	17.0	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.0	2.85	C	3.13	C
2276.0	Grosenbacher	Military	Potranco	0.68	N	4	D	5,037	4	30	12.5	0.0	0.0	0	4.0		N	C	4.0	0	100	4.0	2.87	C	2.31	B
2276.0	Grosenbacher	Military	Potranco	0.68	S	4	D	5,037	4	30	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	2.87	C	2.19	B
2276.1	Grosenbacher	Potranco	Canthree	1.30	N	2	U	2,378	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.60	D	3.66	D
2276.1	Grosenbacher	Potranco	Canthree	1.30	S	2	U	2,378	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.60	D	3.66	D
2276.2	Grosenbacher	Canthree	Hwy 90	2.91	N	2	U	2,647	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.80	D	3.76	D
2276.2	Grosenbacher	Canthree	Hwy 90	2.91	S	2	U	2,647	4	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.80	D	3.76	D
2277.0	Kearney	Wolf	Pearsall	2.25	S	2	U	369	2	35	9.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.98	B	3.10	C
2277.0	Kearney	Wolf	Pearsall	2.25	W	2	U	369	2	35	9.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.98	B	3.10	C
2277.1	Kearney	Pearsall	Quintana	1.14	N	2	U	335	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.12	A	2.83	C
2277.1	Kearney	Pearsall	Quintana	1.14	S	2	U	335	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.12	A	2.83	C
2278.0	Loop 1604	Potranco	Marbach	2.27	N	2	U	18,569	3	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.03	E	5.81	F



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2278.0	Loop 1604	Potranco	Marbach	2.27	S	2	U	18,569	3	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.03	E	5.81	F
2279.0	Cagnon	1604	Hwy 90	1.98	S	2	U		2	35	14.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	Constr.	Constr.	Constr.	Constr.
2279.0	Cagnon	1604	Hwy 90	1.98	S	2	U		2	35	14.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	Constr.	Constr.	Constr.	Constr.
2280.0	Potranco	Medina Co. Line	State Hwy 211	1.49	E	2	U	3,410	5	65	20.0	9.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.93	A	4.46	D
2280.0	Potranco	Medina Co. Line	State Hwy 211	1.49	W	2	U	3,410	5	65	21.0	8.5	0.0	0	4.0	3.5	N	S	0.0	0	0	0.0	0.56	A	4.41	D
2280.1	Potranco	State Hwy 211	Talley	2.29	E	2	U	7,260	7	60	20.5	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.53	C	4.64	E
2280.1	Potranco	State Hwy 211	Talley	2.29	W	2	U	7,260	7	60	19.0	8.5	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.81	C	4.74	E
2280.2	Potranco	Talley	1604	2.26	E	2	U	24,200	12	60	19.0	8.5	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	5.30	E	6.77	F
2280.2	Potranco	Talley	1604	2.26	W	2	U	24,200	12	60	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	5.16	E	6.70	F
2280.3	Potranco	1604	Ellison	1.57	E	4	S	24,200	4	45	14.0	0.0	0.0	0	4.5		N	C	0.0	0	100	6.0	4.45	D	3.80	D
2280.3	Potranco	1604	Ellison	1.57	W	4	S	24,200	4	45	14.0	0.0	0.0	0	4.5		N	C	0.0	0	100	7.0	4.45	D	3.74	D
2280.4	Potranco	Ellison	Hwy 151	1.40	E	4	S	18,715	4	45	14.5	0.0	0.0	0	4.5		N	C	3.0	0	75	5.0	4.25	D	3.76	D
2280.4	Potranco	Ellison	Hwy 151	1.40	W	4	S	18,715	4	45	14.0	0.0	0.0	0	4.5		N	C	0.0	0	75	7.0	4.32	D	3.74	D
2280.5	Potranco	Hwy 151	Culebra	1.97	E	4	S	21,670	4	45	14.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.43	D	4.88	E
2280.5	Potranco	Hwy 151	Culebra	1.97	E	4	S	21,670	4	45	13.5	0.0	0.0	0	4.0		N	C	0.0	0	25	6.0	4.57	E	4.64	E
2280.6	Potranco	Culebra	Ingram	0.46	N	4	D	8,591	3	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	3.88	D	4.33	D
2280.6	Potranco	Culebra	Ingram	0.46	S	4	D	8,591	3	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.5	4.37	D	2.89	C
2281.0	Richland Hills	Turquoise Way	Foxgrove Way	0.09	N	2	U	10,398	3	30	24.0	0.0	0.0	0	5.0		N	C	2.0	0	100	4.0	1.82	B	2.98	C
2281.0	Richland Hills	Turquoise Way	Foxgrove Way	0.09	S	2	U	10,398	3	30	24.0	0.0	0.0	0	5.0		N	C	2.0	0	100	4.0	1.82	B	2.98	C
2281.1	Richland Hills	Foxgrove Way	Rich Way	0.80	N	2	U	10,398	3	30	26.0	14.5	9.0	0	4.5	4.5	Y	C	0.0	0	100	5.0	0.00	A	2.89	C
2281.1	Richland Hills	Foxgrove Way	Rich Way	0.80	S	2	U	10,398	3	30	17.5	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	25	5.0	2.00	B	3.89	D
2281.2	Richland Hills	Rich Way	Potranco	0.22	N	2	U	10,175	3	30	22.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	2.27	B	3.83	D
2281.2	Richland Hills	Rich Way	Potranco	0.22	S	2	U	10,175	3	30	21.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	2.48	B	3.89	D
2282.0	Ingram	Potranco	Hwy 151	0.71	N	4	D	6,239	2	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	50	7.0	3.03	C	3.10	C
2282.0	Ingram	Potranco	Hwy 151	0.71	S	4	D	6,239	2	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	50	6.0	3.03	C	3.13	C
2282.1	Ingram	Hwy 151	Lakeside Pkwy	0.48	N	4	D	6,604	2	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.15	C	3.63	D
2282.1	Ingram	Hwy 151	Lakeside Pkwy	0.48	S	4	D	6,604	2	35	12.5	0.0	0.0	0	4.0		N	C	12.0	0	50	4.0	3.15	C	3.06	C
2282.2	Ingram	Lakeside Pkwy	Waters Edge	0.39	N	4	D	6,541	2	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.13	C	3.63	D
2282.2	Ingram	Lakeside Pkwy	Waters Edge	0.39	S	4	D	6,541	2	35	12.5	0.0	0.0	0	4.0		N	C	5.0	0	100	4.0	3.13	C	2.51	C
2282.3	Ingram	Waters Edge	Hunt	0.31	N	4	D	8,215	2	35	12.5	0.0	0.0	0	4.0		N	C	3.0	0	100	4.0	3.56	D	2.67	C
2282.3	Ingram	Waters Edge	Hunt	0.31	S	4	D	8,215	2	35	12.5	0.0	0.0	0	4.0		N	C	5.0	0	100	4.0	3.56	D	2.61	C
2282.4	Ingram	Hunt	Old Hunt	0.15	N	2	U	2,536	2	35	19.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	0.86	A	2.31	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2282.4	Ingram	Hunt	Old Hunt	0.15	S	2	U	2,536	2	35	22.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.00	A	2.66	C
2282.5	Ingram	Old Hunt	Marbach	0.38	N	2	U	8,114	2	35	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.84	D	4.37	D
2282.5	Ingram	Old Hunt	Marbach	0.38	S	2	U	8,114	2	35	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.84	D	4.37	D
2283.0	Horl	Marbach	Hwy 90	1.56	N	2	S	15,056	3	30	16.5	5.0	0.0	0	2.5	2.0	Y	C	0.0	0	100	5.0	3.42	C	3.72	D
2283.0	Horl	Marbach	Hwy 90	1.56	S	2	S	15,056	3	30	16.0	5.0	0.0	0	2.5	2.0	Y	C	0.0	0	100	5.0	3.53	D	3.73	D
2284.0	Senior	Somerset	1604	2.92	N	2	U	1,166	3	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.23	B	3.12	C
2284.0	Senior	Somerset	1604	2.92	S	2	U	1,166	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.56	C	3.23	C
2284.1	Senior	1604	.3 mile South of Smith	2.21	N	2	U	1,149	3	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.57	C	3.10	C
2284.1	Senior	1604	.3 mile South of Smith	2.21	S	2	U	1,149	3	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.57	C	3.10	C
2285.0	Noyes	Senior	Hwy 16	2.80	E	2	U	261	3	40	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.05	A	2.91	C
2285.0	Noyes	Senior	Hwy 16	2.80	W	2	U	261	3	40	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.05	A	2.91	C
2286.0	Kinney	IH 35	Briggs	2.27	N	2	U	1,543	4	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.66	C	3.22	C
2286.0	Kinney	IH 35	Briggs	2.27	S	2	U	1,543	4	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.95	C	3.33	C
2287.0	Fischer	.1 mile north of Moreno	Quintana	0.83	N	4	U	867	2	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	0	6.0	0.85	A	3.60	D
2287.0	Fischer	.1 mile north of Moreno	Quintana	0.83	S	4	U	867	2	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	7.0	0.44	A	3.49	C
2287.1	Fischer	Quintana	Somerset	1.74	N	2	U	2,653	3	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.19	C	3.45	C
2287.1	Fischer	Quintana	Somerset	1.74	S	2	U	2,653	3	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.19	C	3.45	C
2288.0	Watson	Somerset	SH 16	2.94	E	2	U	2,358	4	40	12.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.74	D	3.45	C
2288.0	Watson	Somerset	SH 16	2.94	W	2	U	2,358	4	40	12.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.74	D	3.45	C
2288.1	Watson (Spur 66)	SH 16 (S)	Applewhite	1.46	E	4	D	24,200	12	55	22.0	9.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	3.67	D	4.91	E
2288.1	Watson (Spur 66)	SH 16 (S)	Applewhite	1.46	W	4	D	24,200	12	55	19.0	7.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	5.10	E	5.09	E
2289.0	Applewhite	SH 16 (S)	Zarzamora	1.14	N	2	U	2,880	2	35	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.71	C	3.35	C
2289.0	Applewhite	SH 16 (S)	Zarzamora	1.14	S	2	U	2,880	2	35	13.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.82	C	3.38	C
2289.1	Applewhite	Zarzamora	1604	5.47	N	4	D	5,809	6	45	18.0	6.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	1.54	B	3.65	D
2289.1	Applewhite	Zarzamora	1604	5.47	S	4	D	5,809	6	45	16.5	4.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	2.41	B	3.77	D
2289.2	Applewhite	1604	.4 mile south of Silver Mountain	2.06	N	2	U	927	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.48	A	2.90	C
2289.2	Applewhite	1604	.4 mile south of Silver Mountain	2.06	S	2	U	927	2	35	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.67	B	2.95	C
2290.0	Pleasanton	Flores	Division	0.46	N	2	U	10,101	3	35	22.0	0.0	0.0	0	2.5		N	C	0.0	0	75	4.0	3.26	C	3.37	C
2290.0	Pleasanton	Flores	Division	0.46	S	2	U	10,101	3	35	17.5	0.0	0.0	0	2.5		N	C	3.0	0	75	4.0	4.15	D	3.48	C
2290.1	Pleasanton	Division	Beatrice	0.20	N	4	U	12,113	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.31	D	2.95	C
2290.1	Pleasanton	Division	Beatrice	0.20	S	4	U	12,113	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.31	D	2.73	C
2290.11	Pleasanton	Mauersund	Mauermann	1.93	N	2	U	4,003	4	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.31	D	4.12	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₂ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2290.11	Pleasanton				Mauersund	Mauermann	1.93		S	2							U	4,003	4	40
2290.12	Pleasanton	Mauermann	FM 2537	2.28	N	2	U	2,931	4	40	16.0	4.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	1.33	A	3.64	D
2290.12	Pleasanton	Mauermann	FM 2537	2.28	S	2	U	2,931	4	40	16.0	4.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	1.33	A	3.64	D
2290.13	Pleasanton	FM 2537	1604	2.82	N	2	U	2,433	4	40	16.0	5.0	0.0	0	3.0	2.5	N	S	0.0	0	0	0.0	0.61	A	3.58	D
2290.13	Pleasanton	FM 2537	1604	2.82	S	2	U	2,433	4	40	16.0	5.0	0.0	0	3.0	2.5	N	S	0.0	0	0	0.0	0.61	A	3.58	D
2290.14	Pleasanton	1604	Englehart	1.79	N	2	U	2,853	4	40	16.0	5.0	0.0	0	4.0	3.0	N	S	0.0	0	0	0.0	0.79	A	3.62	D
2290.14	Pleasanton	1604	Englehart	1.79	S	2	U	2,853	4	40	16.0	5.0	0.0	0	4.0	3.0	N	S	0.0	0	0	0.0	0.79	A	3.62	D
2290.15	Pleasanton	Englehart	Atascosa Co. Line	2.95	N	2	U	2,267	4	40	16.0	5.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	0.21	A	3.56	D
2290.15	Pleasanton	Englehart	Atascosa Co. Line	2.95	S	2	U	2,267	4	40	16.0	5.0	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	0.21	A	3.56	D
2290.2	Pleasanton	Beatrice	Southcross	0.57	N	4	U	15,056	3	30	11.0	0.0	0.0	0	2.5		N	C	0.0	0	100	4.0	4.78	E	3.12	C
2290.2	Pleasanton	Beatrice	Southcross	0.57	S	4	U	15,056	3	30	11.0	0.0	0.0	0	2.5		N	C	0.0	0	100	4.0	4.78	E	3.12	C
2290.3	Pleasanton	Southcross	Mayfield	0.46	N	4	S	17,526	3	30	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.10	D	3.03	C
2290.3	Pleasanton	Southcross	Mayfield	0.46	S	4	S	17,526	3	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.04	D	3.01	C
2290.4	Pleasanton	Mayfield	Military	0.35	N	4	U	15,363	3	35	10.5	0.0	0.0	0	4.0		N	C	7.0	0	100	6.0	4.31	D	2.85	C
2290.4	Pleasanton	Mayfield	Military	0.35	S	4	U	15,363	3	35	10.5	0.0	0.0	0	4.0		N	C	7.0	0	100	4.0	4.31	D	3.04	C
2290.5	Pleasanton	Military	Hutchins Place	0.76	N	4	S	26,242	4	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.50	D	3.73	D
2290.5	Pleasanton	Military	Hutchins Place	0.76	S	4	S	26,242	4	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.56	E	3.74	D
2290.6	Pleasanton	Hutchins Place	Moursund	0.53	N	4	S	24,724	4	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.65	E	3.82	D
2290.6	Pleasanton	Hutchins Place	Moursund	0.53	S	4	S	24,724	4	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.65	E	3.82	D
2290.7	Pleasanton	Moursund	Gillette	0.58	N	2	S	5,278	2	30	15.5	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.38	B	2.48	B
2290.7	Pleasanton	Moursund	Gillette	0.58	S	2	S	5,278	2	30	15.5	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.38	B	2.48	B
2290.8	Pleasanton	Gillette	Loop 410 Access	0.66	N	2	U	2,805	2	30	15.5	5.0	0.0	0	3.5	3.5	Y	C	1.0	0	100	5.0	1.38	A	2.25	B
2290.8	Pleasanton	Gillette	Loop 410 Access	0.66	S	2	U	2,805	2	30	15.5	5.0	0.0	0	3.5	3.5	Y	C	1.0	0	100	5.0	1.38	A	2.25	B
2290.9	Pleasanton	Loop 410 Access	Moursund	0.58	N	2	U	532	2	30	11.0	0.0	0.0	0	3.0		N	S	20.0	0	25	5.0	1.40	A	3.04	C
2290.9	Pleasanton	Loop 410 Access	Moursund	0.58	S	2	U	532	2	30	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.40	A	2.76	C
2291.0	Moursund	Pleasanton	410	1.22	N	4	S	11,363	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.49	D	3.15	C
2291.0	Moursund	Pleasanton	410	1.22	S	4	S	11,363	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.49	D	3.15	C
2291.1	Moursund	410	Pleasanton	0.63	N	2	U	19,619	4	40	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.90	E	5.93	F
2291.1	Moursund	410	Pleasanton	0.63	S	2	U	19,619	4	40	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.90	E	5.93	F
2292.0	Fowler	McConnell	Shepherd	0.44	E	2	U	754	2	35	10.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.17	B	3.07	C
2292.0	Fowler	McConnell	Shepherd	0.44	W	2	U	754	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.83	B	2.96	C
2293.0	McConnell	Fowler	Briggs	0.50	N	2	U	335	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.12	A	2.83	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2293.0	McConnell	Fowler	Briggs	0.50	S	2	U	335	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.12	A	2.83	C
2293.1	McConnell	Briggs	FM 2790	0.78	N	2	U	335	2	35	10.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.51	B	2.95	C
2293.1	McConnell	Briggs	FM 2790	0.78	S	2	U	335	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.70	A	2.72	C
2294.0	Briggs	McConnell	McConnell	0.28	E	2	U	1,031	2	35	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.98	B	2.98	C
2294.0	Briggs	McConnell	McConnell	0.28	W	2	U	1,031	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.80	B	2.93	C
2294.1	Briggs	McConnell	Benton City Road	2.64	E	2	U	600	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.57	B	3.00	C
2294.1	Briggs	McConnell	Benton City Road	2.64	W	2	U	600	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.57	B	3.00	C
2295.0	FM 2790	Atascosa Co. Line	Somerset City Limit	3.67	E	2	U	1,730	5	60	16.0	5.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.36	A	4.30	D
2295.0	FM 2790	Atascosa Co. Line	Somerset City Limit	3.67	W	2	U	1,730	5	60	16.0	5.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.36	A	4.30	D
2295.1	FM 2790	Somerset City Limit	Somerset	0.95	E	2	U	7,511	6	40	15.5	4.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	4.15	D	4.22	D
2295.1	FM 2790	Somerset City Limit	Somerset	0.95	W	2	U	7,511	6	40	16.0	4.5	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	3.95	D	4.19	D
2296.0	FM 476	FM 2790	Atascosa Co. Line	0.98	N	2	U	2,513	5	60	20.0	8.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	0.00	A	4.10	D
2296.0	FM 476	FM 2790	Atascosa Co. Line	0.98	S	2	U	2,513	5	60	20.0	8.0	0.0	0	5.0	5.0	N	S	0.0	0	0	0.0	0.00	A	4.10	D
2297.0	Smith	Atascosa Co. Line	Senior	2.03	E	2	U	673	2	35	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.56	B	2.94	C
2297.0	Smith	Atascosa Co. Line	Senior	2.03	W	2	U	673	2	35	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.36	A	2.87	C
2298.0	Campbellton	1604	Hickory	3.09	NB	2	U	2,852	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.51	D	3.67	D
2298.0	Campbellton	1604	Hickory	3.09	SB	2	U	2,852	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.51	D	3.67	D
2298.1	Campbellton	Hickory	Mogford	1.74	NB	2	U	2,211	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.06	C	3.44	C
2298.1	Campbellton	Hickory	Mogford	1.74	SB	2	U	2,211	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.06	C	3.44	C
2298.2	Campbellton	Mogford	Hardy	1.28	NB	2	U	577	3	40	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.60	B	3.05	C
2298.2	Campbellton	Mogford	Hardy	1.28	SB	2	U	577	3	40	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.60	B	3.05	C
2298.3	Campbellton	Hardy	Atascosa Co. Line	1.26	NB	2	U	182	3	40	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.45	A	2.89	C
2298.3	Campbellton	Hardy	Atascosa Co. Line	1.26	SB	2	U	182	3	40	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.45	A	2.89	C
2299.0	Mathis	Campbellton	IH 37	1.87	NW	2	U	1,113	2	30	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.57	B	2.82	C
2299.0	Mathis	Campbellton	IH 37	1.87	SE	2	U	1,113	2	30	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.57	B	2.82	C
2300.0	FM 1303	1604	Wilson Co. Line	2.22	EB	2	U	3,959	5	60	13.0	2.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	5.01	E	5.00	E
2300.0	FM 1303	1604	Wilson Co. Line	2.22	WB	2	U	3,959	5	60	13.0	2.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	5.01	E	5.00	E
2301.0	FM 2537	Pleasanton	281	1.49	NW	2	U	2,196	4	45	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.00	A	3.44	C
2301.0	FM 2537	Pleasanton	281	1.49	SE	2	U	2,196	4	45	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.00	A	3.44	C
2302.0	Rabel	FM 1937	Terminus	2.32	E	2	U	234	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.03	A	2.57	C
2302.0	Rabel	FM 1937	Terminus	2.32	W	2	U	234	2	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.03	A	2.57	C
2303.0	FM 1937	281	Goeth	1.52	N	2	U	3,978	5	55	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.61	B	4.05	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2303.0	FM 1937	281	Goeth	1.52	S	2	U	3,978	5	55	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.61	B	4.05	D
2303.1	FM 1937	Goeth	Valley	3.03	N	2	U	2,678	4	40	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.00	A	3.32	C
2303.1	FM 1937	Goeth	Valley	3.03	S	2	U	2,678	4	40	20.0	8.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.00	A	3.32	C
2303.2	FM 1937	Valley	Seradio	0.61	N	2	U	1,593	4	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.86	C	3.31	C
2303.2	FM 1937	Valley	Seradio	0.61	S	2	U	1,593	4	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.86	C	3.31	C
2303.3	FM 1937	Seradio	Martinez Losoya	0.70	N	2	U	1,593	4	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.89	C	3.26	C
2303.3	FM 1937	Seradio	Martinez Losoya	0.70	S	2	U	1,593	4	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.89	C	3.26	C
2303.4	FM 1937	Martinez Losoya	1604	0.87	NW	2	U	2,163	5	50	15.0	3.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.40	B	3.97	D
2303.4	FM 1937	Martinez Losoya	1604	0.87	SE	2	U	2,163	5	50	15.0	3.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.40	B	3.97	D
2304.0	FM 3499	FM 1937	1604	0.50	N	2	U	525	4	50	15.5	3.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.04	A	3.75	D
2304.0	FM 3499	FM 1937	1604	0.50	S	2	U	525	4	50	15.5	3.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.04	A	3.75	D
2305.0	Blue Wing	FM 1937	Salado Creek	2.24	N	2	U	448	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.11	A	2.91	C
2305.0	Blue Wing	FM 1937	Salado Creek	2.24	S	2	U	448	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.11	A	2.91	C
2305.1	Blue Wing	Salado Creek	Southton	1.79	E	2	U	983	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.85	B	3.06	C
2305.1	Blue Wing	Salado Creek	Southton	1.79	W	2	U	983	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.85	B	3.06	C
2305.2	Blue Wing	Southton	37	1.35	NE	2	U	447	2	35	14.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.00	A	2.53	C
2305.2	Blue Wing	Southton	37	1.35	SW	2	U	447	2	35	14.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.00	A	2.53	C
2306.0	Southton	Presa	410	0.20	N	2	U	3,376	3	45	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.65	D	3.83	D
2306.0	Southton	Presa	410	0.20	S	2	U	3,376	3	45	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.65	D	3.83	D
2306.1	Southton	410	Farm Rd	0.93	N	2	U	2,903	3	45	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.30	C	3.67	D
2306.1	Southton	410	Farm Rd	0.93	S	2	U	2,903	3	45	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.30	C	3.67	D
2306.2	Southton	Farm Rd	Blue Wing	1.42	N	2	U	1,097	3	45	14.0	2.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.91	B	3.26	C
2306.2	Southton	Farm Rd	Blue Wing	1.42	S	2	U	1,097	3	45	14.0	2.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	1.91	B	3.26	C
2306.3	Southton	Blue Wing	RR Xing	0.52	N	2	U	1,356	3	45	14.0	2.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.20	B	3.35	C
2306.3	Southton	Blue Wing	RR Xing	0.52	S	2	U	1,356	3	45	14.0	2.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	2.20	B	3.35	C
2306.4	Southton	RR Xing	37	1.18	N	2	U	1,477	3	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.28	B	3.37	C
2306.4	Southton	RR Xing	37	1.18	S	2	U	1,477	3	45	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.28	B	3.37	C
2307.0	Old Corpus Christi	410	37	1.00	N	2	U	1,125	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.90	B	2.95	C
2307.0	Old Corpus Christi	410	37	1.00	S	2	U	1,125	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.90	B	2.95	C
2307.1	Old Corpus Christi	37	Presa	0.77	NW	2	U	2,068	3	35	16.0	4.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.76	A	3.38	C
2307.1	Old Corpus Christi	37	Presa	0.77	SE	2	U	2,068	3	35	16.0	4.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	0.76	A	3.38	C
2307.2	Old Corpus Christi	Presa	181	0.40	NW	2	U	2,173	3	35	17.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.30	A	2.86	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2307.2	Old Corpus Christi				Presa	181	0.40		SE	2							U	2,173	3	35
2307.3	Old Corpus Christi	181	Donop	0.95	NW	2	U	2,173	4	40	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.63	C	3.29	C
2307.3	Old Corpus Christi	181	Donop	0.95	SE	2	U	2,173	4	40	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.63	C	3.29	C
2307.4	Old Corpus Christi	Donop	Streich	1.42	NW	2	U	1,596	4	40	12.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.56	C	3.20	C
2307.4	Old Corpus Christi	Donop	Streich	1.42	SE	2	U	1,596	4	40	12.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.56	C	3.20	C
2307.5	Old Corpus Christi	Streich	Richter	1.12	NW	2	U	2,329	4	40	20.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.52	A	2.83	C
2307.5	Old Corpus Christi	Streich	Richter	1.12	SE	2	U	2,329	4	40	20.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.52	A	2.83	C
2307.6	Old Corpus Christi	Richter	1st	1.61	NW	2	U	2,224	4	40	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.67	C	3.30	C
2307.6	Old Corpus Christi	Richter	1st	1.61	SE	2	U	2,224	4	40	13.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.67	C	3.30	C
2307.7	Old Corpus Christi	1st	Pvt Rd at 17325 Old Corpus Christi	0.75	NW	2	U	2,224	3	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.90	C	3.17	C
2307.7	Old Corpus Christi	1st	Pvt Rd at 17325 Old Corpus Christi	0.75	SE	2	U	2,224	3	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.90	C	3.17	C
2307.8	Old Corpus Christi	Pvt Rd at 17325 Old Corpus Christi	La Gloria	0.62	NW	2	U	954	3	40	13.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.25	A	2.91	C
2307.8	Old Corpus Christi	Pvt Rd at 17325 Old Corpus Christi	La Gloria	0.62	SE	2	U	954	3	40	13.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.25	A	2.91	C
2307.9	Old Corpus Christi	La Gloria	Wilson Co. Line	1.14	NW	2	U	739	3	40	14.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.47	A	2.81	C
2307.9	Old Corpus Christi	La Gloria	Wilson Co. Line	1.14	SE	2	U	739	3	40	14.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.47	A	2.81	C
2308.0	Donop	Old Corpus Christi	IH 37	1.10	NB	2	U	898	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.46	A	2.89	C
2308.0	Donop	Old Corpus Christi	IH 37	1.10	SB	2	U	898	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.46	A	2.89	C
2309.0	Foster	New Sulphur Spgs	Cacias	1.29	NB	2	U	1,088	3	40	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.16	A	2.74	C
2309.0	Foster	New Sulphur Spgs	Cacias	1.29	SB	2	U	1,088	3	40	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.16	A	2.74	C
2309.1	Foster	Cacias	Burshard	0.98	NB	2	U	960	3	40	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.00	A	2.70	C
2309.1	Foster	Cacias	Burshard	0.98	SB	2	U	960	3	40	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.00	A	2.70	C
2309.2	Foster	Burshard	Hildebrandt	1.25	NB	2	U	2,158	4	40	16.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	1.71	B	3.07	C
2309.2	Foster	Burshard	Hildebrandt	1.25	SB	2	U	2,158	4	40	16.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	1.71	B	3.07	C
2310.0	Burshard	Foster	Gardner	1.47	EB	2	U	1,055	2	35	14.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.70	A	2.75	C
2310.0	Burshard	Foster	Gardner	1.47	WB	2	U	1,055	2	35	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.30	A	2.88	C
2311.0	Stuart	New Sulphur Spgs	1604	4.58	NB	2	U	1,042	3	40	12.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	1.68	B	3.08	C
2311.0	Stuart	New Sulphur Spgs	1604	4.58	SB	2	U	1,042	3	40	12.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	1.68	B	3.08	C
2312.0	New Sulphur Spgs	Foster	Stuart	4.10	EB	2	U	2,987	4	45	19.0	7.0	0.0	0	2.5	2.5	N	S	0.0	0	0	0.0	1.30	A	3.60	D
2312.0	New Sulphur Spgs	Foster	Stuart	4.10	WB	2	U	2,987	4	45	19.0	7.0	0.0	0	2.5	2.5	N	S	0.0	0	0	0.0	1.30	A	3.60	D
2312.1	New Sulphur Spgs	Stuart	1604	2.67	EB	2	U	2,970	5	55	20.5	8.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.38	A	3.90	D
2312.1	New Sulphur Spgs	Stuart	1604	2.67	WB	2	U	2,970	5	55	20.5	8.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.38	A	3.90	D
2312.2	New Sulphur Spgs	1604	Wilson Co. Line	1.53	EB	2	U	2,310	5	60	13.0	1.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	3.63	D	4.27	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2312.2	New Sulphur Spgs	1604	Wilson Co. Line	1.53	WB	2	U	2,310	5	60	13.0	1.0	0.0	0	4.5	4.5	N	S	0.0	0	0	0.0	3.63	D	4.27	D
2313.0	Beck	Hwy 87	New Sulphur Spgs	1.91	EB	2	U	1,603	3	35	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.36	B	3.16	C
2313.0	Beck	Hwy 87	New Sulphur Spgs	1.91	WB	2	U	1,603	3	35	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.36	B	3.16	C
2314.0	Cooksey	Hwy 87	1604	2.97	NB	2	U	539	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.26	A	2.93	C
2314.0	Cooksey	Hwy 87	1604	2.97	SB	2	U	539	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.26	A	2.93	C
2315.0	Pittman	Hwy 87	Crow	1.59	NB	2	U	708	2	35	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.41	A	2.94	C
2315.0	Pittman	Hwy 87	Crow	1.59	SB	2	U	708	2	35	11.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.41	A	2.94	C
2315.1	Pittman	Crow	Wilson Co. Line	0.85	E	2	U	253	2	35	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.76	A	2.81	C
2315.1	Pittman	Crow	Wilson Co. Line	0.85	W	2	U	253	2	35	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.76	A	2.81	C
2316.0	Crow	New Sulphur Spgs	Pitman	1.64	N	2	U	283	2	35	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.93	A	2.83	C
2316.0	Crow	New Sulphur Spgs	Pitman	1.64	S	2	U	283	2	35	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.93	A	2.83	C
2317.0	Houston	Commerce	WW White	1.18	E	4	U	16,520	4	40	11.0	0.0	0.0	0	3.5		N	C	3.0	0	75	5.0	4.79	E	3.63	D
2317.0	Houston	Commerce	WW White	1.18	W	4	U	16,520	4	40	11.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	4.79	E	3.26	C
2317.1	Houston	WW White	Pop Gunn	0.61	E	4	S	12,853	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.55	E	3.24	C
2317.1	Houston	WW White	Pop Gunn	0.61	W	4	S	12,853	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.55	E	3.24	C
2317.2	Houston	Pop Gunn	IH 410	0.36	E	4	S	16,280	4	40	16.5	4.0	0.0	0	3.0	3.0	N	C	0.0	0	100	6.0	3.46	C	3.08	C
2317.2	Houston	Pop Gunn	IH 410	0.36	W	4	S	16,280	4	40	16.5	4.0	0.0	0	3.0	3.0	N	C	0.0	0	100	6.0	3.46	C	3.08	C
2317.3	Houston	IH 410	St. Arc	1.28	EB	4	S	12,100	4	50	16.0	5.0	0.0	0	3.0	3.0	N	C	0.0	0	100	6.0	3.39	C	3.21	C
2317.3	Houston	IH 410	St. Arc	1.28	WB	4	S	12,100	4	50	16.0	5.0	0.0	0	3.0	3.0	N	C	0.0	0	100	6.0	3.39	C	3.21	C
2317.4	Houston	St. Arc	Foster	0.48	EB	2.0	U	12,100	10	50	19.0	7.5	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	4.23	D	4.88	E
2317.4	Houston	St. Arc	Foster	0.48	WB	2.0	U	12,100	10	50	21.0	9.5	0.0	0	3.5	3.0	N	S	0.0	0	0	0.0	3.09	C	4.76	E
2318.0	FM 1516	FM 1346	Tierra Bonita	1.36	NB	2	U	3,190	5	55	16.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.94	C	4.24	D
2318.0	FM 1516	FM 1346	Tierra Bonita	1.36	SB	2	U	3,190	5	55	16.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.94	C	4.24	D
2318.1	FM 1516	Tierra Bonita	Hwy 87	0.88	NB	2	U	3,190	2	5	16.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.74	A	3.04	C
2318.1	FM 1516	Tierra Bonita	Hwy 87	0.88	SB	2	U	3,190	2	5	16.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	0.74	A	3.04	C
2319.0	Real	FM 1516	Zigmont	1.96	EB	2	U	715	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.36	A	2.83	C
2319.0	Real	FM 1516	Zigmont	1.96	WB	2	U	715	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.36	A	2.83	C
2320.0	Zigmont	FM 1346	Real	1.55	NB	2	U	416	2	35	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.08	A	2.80	C
2320.0	Zigmont	FM 1346	Real	1.55	SB	2	U	416	2	35	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.08	A	2.80	C
2321.0	Schuwirth	1604	FM 1346	2.35	NB	2	U	221	3	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.47	A	2.85	C
2321.0	Schuwirth	1604	FM 1346	2.35	SB	2	U	221	3	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.47	A	2.85	C
2322.0	Macaway	Stuart	Rakowitz	1.19	EB	2	U	204	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.29	A	2.70	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2322.0	Macaway	Stuart	Rakowitz	1.19	WB	2	U	204	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.29	A	2.70	C
2323.0	Rakowitz	1604	Hwy 87	3.25	NB	2	U	1,183	3	40	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.11	B	3.17	C
2323.0	Rakowitz	1604	Hwy 87	3.25	SB	2	U	1,183	3	40	11.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.11	B	3.17	C
2324.0	FM 3465	FM 1518	Pittman	1.44	EB	2	U	3,080	5	50	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.45	A	3.73	D
2324.0	FM 3465	FM 1518	Pittman	1.44	WB	2	U	3,080	5	50	20.0	8.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.45	A	3.73	D
2324.1	FM 3465	Pittman	St. Hedwig	3.59	EB	2	S	1,760	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	5.0	3.67	D	3.79	D
2324.1	FM 3465	Pittman	St. Hedwig	3.59	WB	2	S	1,760	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	5.0	3.67	D	3.79	D
2325.0	Abbott	FM 2538	FM 1518	2.08	NE	2	U	259	3	40	14.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.00	A	2.61	C
2325.0	Abbott	FM 2538	FM 1518	2.08	SW	2	U	259	3	40	14.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	0.00	A	2.61	C
2325.1	Abbott	FM 2538	Graytown	2.41	NE	2	U	255	3	40	15.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.00	A	2.58	C
2325.1	Abbott	FM 2538	Graytown	2.41	SW	2	U	255	3	40	15.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.00	A	2.58	C
2326.0	Miller	FM 2538	Stapper	2.08	EB	2	U	234	3	40	13.5	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.00	A	2.70	C
2326.0	Miller	FM 2538	Stapper	2.08	WB	2	U	234	3	40	13.5	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	0.00	A	2.70	C
2327.0	Weir	Guadalupe Co. Line	Trainer Hale	1.15	NW	2	U	108	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.00	A	2.65	C
2327.0	Weir	Guadalupe Co. Line	Trainer Hale	1.15	SE	2	U	108	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.00	A	2.65	C
2328.0	Trainer Hale	Weir	FM 1518	1.51	NE	2	U	386	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.69	A	2.74	C
2328.0	Trainer Hale	Weir	FM 1518	1.51	SW	2	U	386	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.69	A	2.74	C
2328.1	Trainer Hale	Weir	IH 10	1.24	NW	2	U	472	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.40	A	3.08	C
2328.1	Trainer Hale	Weir	IH 10	1.24	SE	2	U	472	3	45	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.40	A	3.08	C
2329.0	FM 2538	IH 10	Abbott	0.80	NB	2	U	1,815	5	60	15.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.11	B	4.38	D
2329.0	FM 2538	IH 10	Abbott	0.80	SB	2	U	1,815	5	60	15.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.11	B	4.38	D
2329.1	FM 2538	Abbott	Miller	2.04	NW	2	U	1,815	5	60	14.5	3.5	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.36	B	4.43	D
2329.1	FM 2538	Abbott	Miller	2.04	SE	2	U	1,815	5	60	14.5	3.5	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	2.36	B	4.43	D
2329.2	FM 2538	Miller	Zuehl	0.63	NW	2	U	1,815	4	45	15.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.60	B	3.75	D
2329.2	FM 2538	Miller	Zuehl	0.63	SE	2	U	1,815	4	45	15.0	4.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	1.60	B	3.75	D
2329.3	FM 2548	Zuehl	Guadalupe Co. Line	2.76	NW	2	U	814	3	45	14.0	3.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.93	A	3.72	D
2329.3	FM 2548	Zuehl	Guadalupe Co. Line	2.76	SE	2	U	814	3	45	14.0	3.0	0.0	0	3.0	3.0	N	S	0.0	0	0	0.0	0.93	A	3.72	D
2330.0	Graytown	1604	IH 10	2.01	NW	2	U	325	2	30	10.0	0.0	0.0	0	1.0		N	S	0.0	0	0	0.0	7.67	F	2.82	C
2330.0	Graytown	1604	IH 10	2.01	SE	2	U	325	2	30	10.0	0.0	0.0	0	1.0		N	S	0.0	0	0	0.0	7.67	F	2.82	C
2331.0	Ware Seguin	1604	FM 1518	4.29	NE	2	U	373	2	35	8.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.29	C	3.23	C
2331.0	Ware Seguin	1604	FM 1518	4.29	SW	2	U	373	2	35	8.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.29	C	3.23	C
2332.0	FM 1518	Lower Seguin	IH 10	2.81	NW	2	U	5,830	7	50	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.35	E	4.42	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2332.0	FM 1518	Lower Seguin	IH 10	2.81	SE	2	U	5,830	7	50	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.35	E	4.42	D
2333.0	Lower Seguin	FM 1518	Guadalupe Co. Line	1.78	NE	2	U	479	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.00	A	2.76	C
2333.0	Lower Seguin	FM 1518	Guadalupe Co. Line	1.78	SW	2	U	479	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.00	A	2.76	C
2334.0	WW White	IH 410	Gembler	0.70	N	2	S	24,200	4	40	14.0	0.0	0.0	0	3.5		N	C	10.0	0	100	5.0	4.96	E	4.87	E
2334.0	WW White	IH 410	Gembler	0.70	S	2	S	24,200	4	40	14.0	0.0	0.0	0	3.5		N	C	10.0	0	100	5.0	4.96	E	4.87	E
2334.1	WW White	Gembler	IH 10	0.26	N	4	S	24,200	4	40	21.0	9.0	0.0	0	3.5	3.5	N	C	10.0	0	100	5.0	1.09	A	3.25	C
2334.1	WW White	Gembler	IH 10	0.26	S	4	S	24,200	4	40	21.0	9.0	0.0	0	3.5	3.5	N	C	13.0	0	100	4.5	1.09	A	3.21	C
2334.2	WW White	IH 10	Houston	0.49	N	6	S	22,000	4	40	10.0	0.0	0.0	0	3.5		N	C	0.0	0	75	5.0	4.83	E	3.65	D
2334.2	WW White	IH 10	Houston	0.49	S	6	S	22,000	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.61	E	3.34	C
2335.0	FM 78 (Old Seguin)	IH 35	IH 410	0.50	NE	4	U	17,820	4	50	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.63	E	4.87	E
2335.0	FM 78 (Old Seguin)	IH 35	IH 410	0.50	SW	4	U	17,820	4	50	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.63	E	4.87	E
2335.1	FM 78 (Old Seguin)	IH 410	Buzz Aldrin	0.43	NE	4	S	29,700	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.43	E	5.78	F
2335.1	FM 78 (Old Seguin)	IH 410	Buzz Aldrin	0.43	SW	4	S	29,700	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.43	E	5.78	F
2336.0	Binz-Engleman	FM 78	Ackerman	1.38	E	2	U	2,436	2	30	20.0	0.0	0.0	25	3.5		N	C	0.0	0	75	5.0	0.90	A	2.22	B
2336.0	Binz-Engleman	FM 78	Ackerman	1.38	E	2	U	2,436	2	30	20.0	0.0	0.0	25	3.5		N	C	0.0	0	75	5.0	0.90	A	2.22	B
2337.0	Woodlake Pkwy	FM 78	Binz-Engleman	1.64	N	2	U	4,393	2	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.81	D	4.02	D
2337.0	Woodlake Pkwy	FM 78	Binz-Engleman	1.64	S	2	U	4,393	2	35	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.81	D	4.02	D
2338.0	Woodlake	Walzem	Gibbs-Sprawl	1.08	N	4	U	3,184	3	45	22.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.68	C
2338.0	Woodlake	Walzem	Gibbs-Sprawl	1.08	S	4	U	3,184	3	45	22.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.68	C
2339.0	Perrin Beitel	410	Vicar	0.46	N	4	S	26,526	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.91	E	3.92	D
2339.0	Perrin Beitel	410	Vicar	0.46	S	4	S	26,526	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.91	E	3.92	D
2340.0	Walzem	Austin Hwy	IH 35	0.60	E	4	U	13,520	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.40	D	2.90	C
2340.0	Walzem	Austin Hwy	IH 35	0.60	W	4	U	13,520	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.40	D	2.90	C
2341.0	Petroleum	Holbrook	IH 35	0.29	E	2	U	4,691	2	35	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.89	D	3.96	D
2341.0	Petroleum	Holbrook	IH 35	0.29	W	2	U	4,691	2	35	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.89	D	3.96	D
2342.0	Holbrook	Rittiman	Petroleum	1.51	N	2	U	659	2	35	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.73	A	2.73	C
2342.0	Holbrook	Rittiman	Petroleum	1.51	S	2	U	659	2	35	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.73	A	2.73	C
2343.0	Gibbs-Sprawl	Seguin	FM 1976	0.61	NW	2	U	7,162	2	30	16.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.53	D	3.86	D
2343.0	Gibbs-Sprawl	Seguin	FM 1976	0.61	SE	2	U	7,162	2	30	16.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.53	D	3.86	D
2343.1	Gibbs-Sprawl	FM 1976	Crestway	0.32	E	2	U	10,670	4	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.92	E	5.01	E
2343.1	Gibbs-Sprawl	FM 1976	Crestway	0.32	W	2	U	10,670	4	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.92	E	5.01	E
2343.2	Gibbs-Sprawl	Crestway	Montgomery	0.90	NW	2	U	23,100	5	50	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.77	F	6.86	F



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2343.2	Gibbs-Sprawl				Crestway	Montgomery	0.90		SE	2							U	23,100	5	50
2343.3	Gibbs-Sprawl	Montgomery	Walzem	0.85	NW	2	U	23,100	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.65	F	6.76	F
2343.3	Gibbs-Sprawl	Montgomery	Walzem	0.85	SE	2	U	23,100	5	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.65	F	6.76	F
2343.4	Gibbs-Sprawl	Walzem	Woodlake	0.65	E	2	U	9,339	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.23	D	4.48	D
2343.4	Gibbs-Sprawl	Walzem	Woodlake	0.65	W	2	U	9,339	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.23	D	4.48	D
2343.5	Gibbs-Sprawl	Woodlake	Rittiman	0.81	E	2	U	10,186	3	30	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.33	D	4.48	D
2343.5	Gibbs-Sprawl	Woodlake	Rittiman	0.81	W	2	U	10,186	3	30	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.33	D	4.48	D
2343.6	Gibbs-Sprawl	Rittiman	FM 78	0.93	NE	2	U	9,825	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.26	D	4.54	E
2343.6	Gibbs-Sprawl	Rittiman	FM 78	0.93	SW	2	U	9,825	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.26	D	4.54	E
2344.0	Montgomery	Walzem	New World	0.91	E	4	U	8,493	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.84	D	2.57	C
2344.0	Montgomery	Walzem	New World	0.91	W	4	U	8,493	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.84	D	2.57	C
2344.1	Montgomery	New World	Glen Mont	0.61	E	4	U	8,208	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.82	D	2.55	C
2344.1	Montgomery	New World	Glen Mont	0.61	W	4	U	8,208	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.82	D	2.55	C
2344.2	Montgomery	Glen Mont	Gibbs-Sprawl	0.54	E	2	U	4,183	2	30	21.0	11.0	0.0	50	3.0		N	C	0.0	0	100	5.0	0.00	A	2.02	B
2344.2	Montgomery	Glen Mont	Gibbs-Sprawl	0.54	W	2	U	4,183	2	30	21.0	11.0	0.0	50	3.0		N	C	0.0	0	100	5.0	0.00	A	2.02	B
2345.0	Starlight Terrace	IH 35	Earlyway	0.31	E	2	U	615	2	30	15.0	0.0	0.0	50	3.0		N	C	0.0	0	0	0.0	0.99	A	2.40	B
2345.0	Starlight Terrace	IH 35	Earlyway	0.31	W	2	U	615	2	30	15.0	0.0	0.0	50	3.0		N	C	0.0	0	100	5.0	0.99	A	1.74	B
2346.0	Earlyway	Starlight Terrace	Sherri Ann	0.15	N	2	U	804	2	30	15.0	0.0	0.0	25	2.5		N	C	0.0	0	0	0.0	1.09	A	2.46	B
2346.0	Earlyway	Starlight Terrace	Sherri Ann	0.15	S	2	U	804	2	30	15.0	0.0	0.0	25	2.5		N	S	0.0	0	0	0.0	1.09	A	2.46	B
2347.0	Sherri Ann	Earlyway	Randolph	0.14	NW	2	U	797	2	30	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	1.71	B	2.73	C
2347.0	Sherri Ann	Earlyway	Randolph	0.14	SE	2	U	797	2	30	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	1.71	B	2.73	C
2348.0	Crosswinds	O'Connor	IH 35	0.73	N	4	D	26,526	4	45	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.19	E	5.40	E
2348.0	Crosswinds	O'Connor	IH 35	0.73	S	4	D	26,526	4	45	12.0	0.0	0.0	0	3.0		N	C	8.0	0	50	5.0	5.19	E	4.62	E
2349.0	Weidner	IH 35	Randolph	0.44	N	2	U	4,490	3	40	11.0	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	4.42	D	2.89	C
2349.0	Weidner	IH 35	Randolph	0.44	S	2	U	4,490	3	40	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.42	D	2.82	C
2349.1	Weidner/Eaglecrest	Randolph	Cheyenne	0.86	NW	2	U	4,490	3	40	11.0	0.0	0.0	0	3.0		N	C	24.0	40	50	4.0	4.42	D	2.85	C
2349.1	Weidner/Eaglecrest	Randolph	Cheyenne	0.86	SE	2	U	4,490	3	40	11.0	0.0	0.0	0	3.0		N	C	0.0	0	50	4.0	4.42	D	3.66	D
2350.0	Miller	Toepperwein	Forest Corner	0.18	N	2	U	950	3	40	11.0	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	2.33	B	2.46	B
2350.0	Miller	Toepperwein	Forest Corner	0.18	S	2	U	950	3	40	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	2.33	B	2.39	B
2352.0	FM 1976	Loop 1604 N Access	Old Cimarron	0.59	E	2	U	9,240	3	40	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.37	D	4.65	E
2352.0	FM 1976	Loop 1604 N Access	Old Cimarron	0.59	W	2	U	9,240	3	40	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.37	D	4.65	E
2352.1	FM 1976	Old Cimarron	Toepperwein	0.76	NW	2	U	9,240	3	40	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.49	D	4.74	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2352.1	FM 1976				Old Cimarron	Toepperwein	0.76		SE	2							U	9,240	3	40
2352.2	FM 1976	Toepperwein	Gibbs-Sprawl	0.45	E	2	U	8,470	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.74	E	4.75	E
2352.2	FM 1976	Toepperwein	Gibbs-Sprawl	0.45	W	2	U	8,470	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.74	E	4.75	E
2353.0	SEGUIN	FM 78	Gibbs-Sprawl	0.75	NE	2	U	5,010	3	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.30	D	4.34	D
2353.0	SEGUIN	FM 78	Gibbs-Sprawl	0.75	SW	2	U	5,010	3	40	11.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.30	D	4.34	D
2354.0	Old Cimarron	Kitty Hawk	Meadowland	0.45	NE	2	U	3,777	2	35	16.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.12	B	2.43	B
2354.0	Old Cimarron	Kitty Hawk	Meadowland	0.45	SW	2	U	3,777	2	35	16.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	2.12	B	2.43	B
2354.1	Old Cimarron	Meadowland	FM 1976	0.89	NW	2	U	1,836	2	35	16.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	6.0	0.44	A	2.19	B
2354.1	Old Cimarron	Meadowland	FM 1976	0.89	SE	2	U	1,836	2	35	16.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	0	0.0	0.44	A	3.35	C
2354.2	Old Cimarron	FM 1976	Seguin	0.49	NW	2	U	2,706	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.56	D	3.46	C
2354.2	Old Cimarron	FM 1976	Seguin	0.49	SE	2	U	2,706	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.56	D	3.46	C
2355.0	Pat Booker	IH 35	Loop 1604	0.60	NW	4	S	29,179	4	45	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.80	E	5.36	E
2355.0	Pat Booker	IH 35	Loop 1604	0.60	SE	4	S	29,179	4	45	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.80	E	5.36	E
2355.1	Pat Booker	LOOP 1604	Coronado	0.73	NW	4	S	27,500	4	40	18.0	6.0	0.0	0	3.5	3.5	Y	C	15.0	0	100	6.0	2.77	C	3.35	C
2355.1	Pat Booker	LOOP 1604	Coronado	0.73	SE	4	S	27,500	4	40	18.0	6.0	0.0	0	3.5	3.5	Y	C	17.0	0	100	5.0	2.77	C	3.36	C
2355.2	Pat Booker	Coronado	Kitty Hawk	0.74	NW	4	S	27,500	4	40	18.0	6.0	0.0	0	3.5	3.5	Y	C	15.0	0	100	6.0	2.77	C	3.35	C
2355.2	Pat Booker	Coronado	Kitty Hawk	0.74	SE	4	S	27,500	4	40	18.0	6.0	0.0	0	3.5	3.5	Y	C	17.0	0	100	5.0	2.77	C	3.36	C
2355.3	Pat Booker	Kitty Hawk	Rosewood	0.81	NW	4	U	23,100	4	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	15.0	0	100	6.0	2.61	C	2.81	C
2355.3	Pat Booker	Kitty Hawk	Rosewood	0.81	SE	4	U	23,100	4	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	15.0	0	100	6.0	2.61	C	2.81	C
2355.4	Pat Booker	Rosewood	FM 78	0.38	NW	4	U	22,615	4	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	15.0	0	100	6.0	2.60	C	2.78	C
2355.4	Pat Booker	Rosewood	FM 78	0.38	SE	4	U	22,615	4	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	15.0	0	100	6.0	2.60	C	2.78	C
2356.1	Kitty Hawk	Silver Spg	Sunrise Canyon	0.26	N	2	U	1,500	2	20	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.07	A	2.47	B
2356.1	Kitty Hawk	Silver Spg	Sunrise Canyon	0.26	S	2	U	1,500	2	20	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.07	A	2.47	B
2356.2	Kitty Hawk	Sunrise Canyon	Victory Lane Automotive	0.43	N	2	U	2,348	2	25	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.60	B	2.83	C
2356.2	Kitty Hawk	Sunrise Canyon	Victory Lane Automotive	0.43	S	2	U	2,348	2	25	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.60	B	2.83	C
2356.3	Kitty Hawk	Victory Lane Automotive	Pat Booker	0.23	E	2	U	2,348	2	25	15.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.60	B	2.83	C
2356.3	Kitty Hawk	Victory Lane Automotive	Pat Booker	0.23	W	2	U	2,348	2	25	15.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.60	B	2.83	C
2357.0	Universal City	Gothic Dr	Pat Booker	0.77	N	4	U	5,220	2	30	14.0	0.0	0.0	0	3.0		N	C	5.0	0	100	6.0	2.53	C	2.07	B
2357.0	Universal City	Gothic Dr	Pat Booker	0.77	S	4	U	5,220	2	30	14.0	0.0	0.0	0	3.0		N	C	3.0	0	100	5.0	2.53	C	2.21	B
2357.1	Universal City	Athenian	Gothic Dr	0.51	N	4	D	3,985	2	30	14.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	1.79	B	2.13	B
2357.1	Universal City	Athenian	Gothic Dr	0.51	S	4	D	3,985	2	30	14.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	1.79	B	2.13	B
2357.2	Universal City	Pegasus	Athenian	0.23	NW	2	U	5,010	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	100	4.0	3.34	C	2.48	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2357.2	Universal City	Pegasus	Athenian	0.23	SE	2	U	5,010	2	30	15.0	0.0	0.0	0	3.5		N	C	3.0	0	100	4.0	3.34	C	2.56	C
2357.3	OLYMPIA	IH 35	Pegasus	0.53	NW	2	U	5,309	2	30	23.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.85	B	2.35	B
2357.3	OLYMPIA	IH 35	Pegasus	0.53	SE	2	U	5,309	2	30	23.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.85	B	2.35	B
2359.0	Brightleaf	Rosespur Park	IH 35	0.49	N	2	U	1,498	2	20	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.97	A	2.74	C
2359.0	Brightleaf	Rosespur Park	IH 35	0.49	S	2	U	1,498	2	20	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.97	A	2.74	C
2360.0	Brisbane/Rosespur Park	Lookout	Brightleaf	0.28	N	2	U	931	2	30	15.0	0.0	0.0	0	4.0		N	C	4.0	0	100	4.0	0.00	A	2.05	B
2360.0	Brisbane/Rosespur Park	Lookout	Brightleaf	0.28	S	2	U	931	2	30	15.0	0.0	0.0	0	4.0		N	C	4.0	0	100	4.0	0.00	A	2.05	B
2361.0	Knollcreek	Judson	Colton Well	0.64	NE	4	D	5,025	2	30	12.0	0.0	0.0	0	4.0		N	C	10.0	2	100	5.0	2.60	C	0.00	A
2361.0	Knollcreek	Judson	Colton Well	0.64	SW	4	D	5,025	2	30	12.0	0.0	0.0	0	4.0		N	C	10.0	2	100	5.0	2.60	C	0.00	A
2361.1	Knollcreek	Colton Well	O'Connor	0.30	NE	4	D	4,507	2	30	12.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	2.58	C	2.24	B
2361.1	Knollcreek	Colton Well	O'Connor	0.30	SW	4	D	4,507	2	30	12.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	2.58	C	2.24	B
2361.2	Knollcreek	O'Connor	Classen	0.63	NE	4	D	6,886	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.33	C	2.47	B
2361.2	Knollcreek	O'Connor	Classen	0.63	SW	4	D	6,886	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.33	C	2.47	B
2361.3	Knollcreek	Classen	Jung	0.64	NE	4	D	4,520	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.76	C	2.33	B
2361.3	Knollcreek	Classen	Jung	0.64	SW	4	D	4,520	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.76	C	2.33	B
2362.0	Jung	Knollcreek	Bulverde	0.39	NE	2	U	2,716	2	30	12.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	2.64	C	3.33	C
2362.0	Jung	Knollcreek	Bulverde	0.39	SW	2	U	2,716	2	30	12.0	0.0	0.0	0	4.5		N	S	0.0	0	0	0.0	2.64	C	3.33	C
2363.0	Uhr	Higgins	Yeomans	0.31	NE	2	S	5,570	2	30	17.0	5.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	5.0	1.84	B	2.55	C
2363.0	Uhr	Higgins	Yeomans	0.31	SW	2	S	5,570	2	30	17.0	5.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	5.0	1.84	B	2.55	C
2363.1	Uhr	Yeomans	Thousand Oaks	1.11	NE	2	U	6,451	2	30	17.0	5.0	0.0	0	4.0	3.5	Y	C	0.0	0	100	5.0	2.02	B	2.66	C
2363.1	Uhr	Yeomans	Thousand Oaks	1.11	SW	2	U	6,451	2	30	17.0	5.0	0.0	0	4.0	3.5	Y	C	0.0	0	100	5.0	2.02	B	2.66	C
2364.0	O'Connor	Loop 1604 E Access	Knollcreek	1.00	NW	4	S	13,285	4	40	12.0	0.0	0.0	0	3.5		N	C	8.0	2	100	5.0	4.57	E	0.78	A
2364.0	O'Connor	Loop 1604 E Access	Knollcreek	1.00	SE	4	S	13,285	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.57	E	3.14	C
2364.1	O'Connor	Knollcreek	Stahl	0.75	NW	4	S	19,109	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.75	E	3.49	C
2364.1	O'Connor	Knollcreek	Stahl	0.75	SE	4	S	19,109	4	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.75	E	3.49	C
2365.0	Redland	Bulverde	Jones Maltsberger	0.84	E	4	D	12,456	3	35	12.0	0.0	0.0	0	3.0		N	C	7.0	25	100	4.0	4.36	D	2.19	B
2365.0	Redland	Bulverde	Jones Maltsberger	0.84	W	4	D	12,456	3	35	12.0	0.0	0.0	0	3.0		N	C	7.0	25	100	4.0	4.36	D	2.19	B
2366.0	Henderson Pass	US Hwy 281	Gold Canyon	0.67	N	4	D	9,634	3	40	12.0	0.0	0.0	0	4.5		N	C	7.0	0	75	4.0	3.92	D	3.16	C
2366.0	Henderson Pass	US Hwy 281	Gold Canyon	0.67	S	4	D	9,634	3	40	12.0	0.0	0.0	0	4.5		N	C	7.0	0	100	4.0	3.92	D	2.80	C
2366.1	Henderson Pass	Gold Canyon	Thousand Oaks	1.50	NE	2	D	13,453	3	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	5.0	2.50	B	3.48	C
2366.1	Henderson Pass	Gold Canyon	Thousand Oaks	1.50	SW	2	D	13,453	3	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	5.0	2.50	B	3.48	C
2367.0	Gold Canyon	Loop 1604	Henderson Pass	0.25	N	4	D	16,170	3	30	12.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	4.16	D	2.93	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2367.0	Gold Canyon	Loop 1604	Henderson Pass	0.25	S	4	D	16,170	3	30	12.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	4.16	D	2.93	C
2367.1	Gold Canyon	Dead End	Sendero Ridge Apts	0.79	NE	4	D	1,402	2	30	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	0.90	A	2.19	B
2367.1	Gold Canyon	Dead End	Sendero Ridge Apts	0.79	SW	4	D	1,402	2	30	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	0.90	A	2.19	B
2368.0	Smithson Valley	Comal Co. Line	Wind Valley	2.51	NE	2	U	1,355	3	40	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	0.83	A	2.91	C
2368.0	Smithson Valley	Comal Co. Line	Wind Valley	2.51	SW	2	U	1,355	3	40	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	0.83	A	2.91	C
2368.1	Smithson Valley	Wind Valley	Indian Crest	1.85	NE	2	U	2,070	3	35	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	1.56	B	2.98	C
2368.1	Smithson Valley	Wind Valley	Indian Crest	1.85	SW	2	U	2,070	3	35	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	1.56	B	2.98	C
2368.2	Smithson Valley	Indian Crest	Bulverde	1.37	NE	2	U	2,998	4	40	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	2.79	C	3.44	C
2368.2	Smithson Valley	Indian Crest	Bulverde	1.37	SW	2	U	2,998	4	40	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	2.79	C	3.44	C
2369.0	Bulverde	Smithson Valley	Marshall	1.97	NW	2	U	7,945	3	40	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	3.70	D	4.31	D
2369.0	Bulverde	Smithson Valley	Marshall	1.97	SE	2	U	7,945	3	40	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	3.70	D	4.31	D
2369.1	Bulverde	Marshall	Evans	1.27	NW	2	U	14,628	4	40	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.73	E	5.11	E
2369.1	Bulverde	Marshall	Evans	1.27	SE	2	U	14,628	4	40	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.73	E	5.11	E
2370.0	Bulverde	Comal Co. Line	Borgfeld	1.42	N	2	U	573	2	35	11.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.41	A	2.85	C
2370.0	Bulverde	Comal Co. Line	Borgfeld	1.42	S	2	U	573	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.21	A	2.80	C
2370.1	Bulverde	Borgfeld	Hwy 281	1.53	N	2	U	341	2	30	12.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.36	A	2.55	C
2370.1	Bulverde	Borgfeld	Hwy 281	1.53	S	2	U	341	2	30	12.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.57	B	2.59	C
2370.2	Bulverde	HWY 281	Smithson Valley	0.76	E	2	U	5,641	6	40	16.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.53	E	3.92	D
2370.2	Bulverde	HWY 281	Smithson Valley	0.76	W	2	U	5,641	6	40	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.77	E	4.03	D
2371.0	Specht	Comal Co. Line	Blanco	1.70	E	2	U	866	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.24	A	2.88	C
2371.0	Specht	Comal Co. Line	Blanco	1.70	W	2	U	866	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.24	A	2.88	C
2372.0	Canyon Golf	Wilderness Oak	Stone Oak Pkwy	1.62	N	4	D	16,326	4	40	11.0	0.0	0.0	0	4.0		N	C	0.0	0	25	4.5	4.63	E	4.39	D
2372.0	Canyon Golf	Wilderness Oak	Stone Oak Pkwy	1.62	S	4	D	16,326	4	40	12.0	0.0	0.0	0	4.0		N	C	2.0	0	75	4.0	4.51	E	3.68	D
2373.0	Hardy Oak	Wilderness Oak	Stone Oak	1.54	N	4	D	14,235	4	40	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.99	E	3.17	C
2373.0	Hardy Oak	Wilderness Oak	Stone Oak	1.54	S	4	D	14,235	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.71	E	3.23	C
2374.0	Wilderness Oak	Hardy Oak	Blanco	2.53	N	4	D	10,496	4	40	11.5	0.0	0.0	0	3.0		N	C	2.5	0	100	4.5	4.67	E	2.96	C
2374.0	Wilderness Oak	Hardy Oak	Blanco	2.53	S	4	D	10,496	4	40	11.5	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	4.67	E	3.02	C
2375.0	Crescent Oaks	Hardy Oak	Clearstone	0.36	N	2	U	3,791	2	30	22.5	5.5	0.0	0	4.0	3.5	Y	C	0.0	0	25	4.5	0.00	A	2.84	C
2375.0	Crescent Oaks	Hardy Oak	Clearstone	0.36	S	2	U	3,791	2	30	21.5	5.5	0.0	0	4.0	3.5	Y	C	0.0	0	100	4.5	0.30	A	2.26	B
2375.1	Crescent Oaks	Clearstone	Knights Cross	0.83	N	2	U	9,576	2	30	22.0	5.0	0.0	0	4.0	3.5	Y	C	2.0	0	100	4.5	0.99	A	2.89	C
2375.1	Crescent Oaks	Clearstone	Knights Cross	0.83	S	2	U	9,576	2	30	22.0	5.5	0.0	0	4.0	3.5	Y	C	2.0	0	100	4.5	0.86	A	2.89	C
2376.0	Caliza	Evans	Encino Rio	1.48	E	4	D	6,011	2	30	20.0	5.0	0.0	0	4.5	4.5	N	C	3.0	0	100	5.0	0.00	A	2.08	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2376.0	Caliza	Evans	Encino Rio	1.48	W	4	D	6,011	2	30	20.0	5.0	0.0	0	4.5	4.5	N	C	3.0	0	100	5.0	0.00	A	2.08	B
2377.0	Encino Rio	Caliza	Encino Ledge	0.94	E	2	D	8,461	2	30	17.0	5.0	0.0	0	4.0	4.0	N	C	0.0	0	100	5.0	2.15	B	2.90	C
2377.0	Encino Rio	Caliza	Encino Ledge	0.94	W	2	D	8,461	2	30	17.0	5.0	0.0	0	4.0	4.0	N	C	0.0	0	100	5.0	2.15	B	2.90	C
2377.1	Encino Rio	Encino Ledge	Hwy 281	0.33	E	4	D	8,461	2	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	3.64	D	2.70	C
2377.1	Encino Rio	Encino Ledge	Hwy 281	0.33	W	4	D	8,461	2	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.64	D	4.00	D
2378.0	Sonterra	Stone Oak	Hwy 281	1.58	E	4	D	25,061	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	75	6.0	4.73	E	4.09	D
2378.0	Sonterra	Stone Oak	Hwy 281	1.58	W	4	D	25,061	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	75	6.0	4.73	E	4.09	D
2379.0	Ralph Fair	Comal Co. Line	Dietz Elkhorn Rd	0.90	N	2	U	7,324	6	45	13.0	2.5	0.0	0	3.0		N	S	0.0	0	0	0.0	4.96	E	4.59	E
2379.0	Ralph Fair	Comal Co. Line	Dietz Elkhorn Rd	0.90	S	2	U	7,324	6	45	15.0	2.5	0.0	0	3.0		N	S	0.0	0	0	0.0	4.63	E	4.40	D
2380.0	Milsa	IH 10	Heuermann	0.76	N	2	U	479	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.00	A	2.76	C
2380.0	Milsa	IH 10	Heuermann	0.76	S	2	U	479	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.00	A	2.76	C
2381.0	La Cantera	IH 10	Loop 1604	2.03	N	4	D	4,853	3	40	12.0	0.0	0.0	0	4.0		N	C	10.0	0	50	5.5	2.99	C	3.10	C
2381.0	La Cantera	IH 10	Loop 1604	2.03	S	4	D	4,853	3	40	12.0	0.0	0.0	0	4.0		N	C	4.5	0	50	6.5	2.99	C	3.15	C
2382.0	Bitters	Loop 1604	Huebner	0.97	N	4	D	14,145	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.44	D	3.31	C
2382.0	Bitters	Loop 1604	Huebner	0.97	S	4	D	14,145	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	75	4.5	4.50	D	3.58	D
2382.1	Bitters	Huebner	Blanco (FM 2696)	1.38	N	4	D	21,740	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	50	4.5	4.72	E	4.35	D
2382.1	Bitters	Huebner	Blanco (FM 2696)	1.38	S	4	D	21,740	4	40	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.72	E	3.57	D
2383.0	Rogers Ranch	Salado Canyon	Loop 1604	0.87	N	4	D	10,125	3	30	12.5	0.0	0.0	0	4.0		N	C	10.0	0	100	4.0	3.71	D	2.44	B
2383.0	Rogers Ranch	Salado Canyon	Loop 1604	0.87	S	4	D	10,125	3	30	11.5	0.0	0.0	0	4.0		N	C	10.0	0	25	4.0	3.83	D	3.63	D
2384.0	Wolf Creek/Silver Spruce	Many Oaks	Partridge	0.32	E	2	U	2,048	2	30	21.0	7.0	0.0	0	4.0	4.0	Y	C	0.0	0	75	3.5	0.00	A	2.36	B
2384.0	Wolf Creek/Silver Spruce	Many Oaks	Partridge	0.32	W	2	U	2,048	2	30	20.5	7.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	3.5	0.00	A	2.20	B
2385.0	Partridge	Silver Spruce	Sugar Pine	0.23	N	2	U	2,048	2	30	20.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	4.0	0.00	A	2.15	B
2385.0	Partridge	Silver Spruce	Sugar Pine	0.23	S	2	U	2,048	2	30	20.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	4.0	0.00	A	2.15	B
2385.1	Partridge	Sugar Pine	Bitters	0.24	N	2	U	2,048	2	30	22.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	4.0	0.00	A	2.09	B
2385.1	Partridge	Sugar Pine	Bitters	0.24	S	2	U	2,048	2	30	20.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	4.0	0.00	A	2.15	B
2386.0	Valero	Loop 1604	UTSA	0.75	N	2	U	3,194	3	45	18.5	0.0	0.0	0	5.0		N	C	0.0	0	75	6.5	1.99	B	2.84	C
2386.0	Valero	Loop 1604	UTSA	0.75	S	2	U	3,194	3	45	18.5	0.0	0.0	25	5.0		N	C	0.0	0	0	0.0	2.51	C	3.43	C
2387.0	Babcock	Hausman	De Zavala	0.88	N	4	U	14,708	4	45	11.5	0.0	0.0	0	4.0		N	C	0.0	0	75	6.5	4.62	E	3.65	D
2387.0	Babcock	Hausman	De Zavala	0.88	S	4	U	14,708	4	45	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.62	E	3.32	C
2387.1	Babcock	De Zavala	Autumn	1.02	E	2	U	27,014	4	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.73	E	5.30	E
2387.1	Babcock	De Zavala	Autumn	1.02	W	2	U	27,014	4	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	4.73	E	5.45	E
2387.2	Babcock	Sunset Haven	Prue	0.86	N	4	S	27,014	4	45	12.5	0.0	0.0	0	3.0		N	C	0.0	0	25	6.5	5.14	E	5.02	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2387.2	Babcock				Sunset Haven	Prue	0.86		S	4							S	27,014	4	45
2388.0	Old Babcock	Babcock	Babcock	0.95	N	2	U	3,200	2	30	18.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.07	C	3.02	C
2388.0	Old Babcock	Babcock	Babcock	0.95	S	2	U	3,200	2	30	18.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.07	C	3.02	C
2389.0	Prue	Country Dawn	Spring Time	0.43	E	4	D	16,006	4	40	12.5	0.0	0.0	0	3.0		N	C	2.0	0	25	4.0	4.77	E	4.23	D
2389.0	Prue	Country Dawn	Spring Time	0.43	W	4	D	16,006	4	40	12.0	0.0	0.0	0	3.0		N	C	2.0	0	75	4.5	4.83	E	3.61	D
2389.1	Prue	Spring Time	Babcock	0.35	E	4	D	19,648	4	40	12.5	0.0	0.0	0	3.0		N	C	2.0	0	75	4.0	4.87	E	3.84	D
2389.1	Prue	Spring Time	Babcock	0.35	W	4	D	19,648	4	40	12.5	0.0	0.0	0	3.0		N	C	0.0	0	75	6.0	4.87	E	3.74	D
2389.2	Prue	Laureate	Fredericksburg	0.29	E	4	D	16,746	3	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	4.14	D	2.96	C
2389.2	Prue	Laureate	Fredericksburg	0.29	W	4	D	16,746	3	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	25	7.0	4.14	D	4.08	D
2390.0	Vance Jackson	De Zavala	Huebner	1.38	N	2	D	16,600	4	40	12.0	0.0	0.0	0	5.0		N	C	2.5	0	100	4.0	4.71	E	4.35	D
2390.0	Vance Jackson	De Zavala	Huebner	1.38	S	2	D	16,600	4	40	12.0	0.0	0.0	0	5.0		N	C	2.5	0	100	4.5	4.71	E	4.29	D
2391.0	Silent Sunrise	Tezel	Water Quail	0.65	E	4	D	6,621	3	40	11.5	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	3.96	D	2.79	C
2391.0	Silent Sunrise	Tezel	Water Quail	0.65	W	4	D	6,621	3	40	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	3.96	D	2.82	C
2391.1	Silent Sunrise	Water Quail	Quail Branch	0.44	E	2	U	6,621	2	30	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.67	D	4.09	D
2391.1	Silent Sunrise	Water Quail	Quail Branch	0.44	W	2	U	6,621	2	30	13.5	0.0	0.0	0	4.0		N	C	12.5	0	100	4.5	3.54	D	2.47	B
2392.0	Eckhart (FM 1517)	Bandera	Huebner	1.86	E	4	S	27,500	4	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.65	E	4.01	D
2392.0	Eckhart (FM 1517)	Bandera	Huebner	1.86	W	4	S	27,500	4	40	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.59	E	4.05	D
2392.1	Eckhart	Huebner	Babcock	0.65	NW	4	U	19,800	3	35	12.0	0.0	0.0	0	4.5		N	C	0.0	0	75	4.0	4.16	D	3.79	D
2392.1	Eckhart	Huebner	Babcock	0.65	SE	4	U	19,800	3	35	12.0	0.0	0.0	0	4.5		N	C	0.0	0	75	6.0	4.16	D	3.63	D
2393.0	Medical	Fredericksburg	Babcock	1.42	E	4	D	28,276	4	35	12.5	0.0	0.0	0	4.0		N	C	2.5	0	100	4.0	4.60	E	3.90	D
2393.0	Medical	Fredericksburg	Babcock	1.42	W	4	D	28,276	4	35	11.5	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	4.72	E	3.95	D
2394.0	Timberhill	Grissom	Brookport	0.30	N	2	U	14,536	3	30	19.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.12	C	4.50	D
2394.0	Timberhill	Grissom	Brookport	0.30	S	2	U	14,536	3	30	21.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	2.71	C	4.38	D
2394.1	Timberhill	Brookport	Border Brook	0.49	N	2	U	18,780	3	30	20.5	7.0	0.0	0	4.0	3.5	Y	C	4.0	0	100	3.0	1.37	A	4.14	D
2394.1	Timberhill	Brookport	Border Brook	0.49	S	2	U	18,780	3	30	21.0	7.0	0.0	0	4.0	3.5	Y	C	6.0	0	100	3.0	1.24	A	4.06	D
2394.2	Timberhill	Border Brook	Wurzbach	0.21	N	4	U	16,239	3	30	16.5	5.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.5	2.42	B	2.76	C
2394.2	Timberhill	Border Brook	Wurzbach	0.21	S	4	U	16,239	3	30	15.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	7.0	2.52	C	2.76	C
2395.0	Ingram	.2 Mile South of Micron	Culebra	0.73	E	4	D	7,441	2	30	12.0	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	3.67	D	2.56	C
2395.0	Ingram	.2 Mile South of Micron	Culebra	0.73	W	4	D	7,441	2	30	12.0	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	3.67	D	2.56	C
2395.1	Ingram	Culebra	Northwestern	0.91	E	2	U	20,987	4	35	16.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.63	E	5.65	F
2395.1	Ingram	Culebra	Northwestern	0.91	W	2	U	20,987	4	35	15.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.71	E	5.68	F
2395.2	Ingram	Northwestern	Wurzbach	0.21	E	4	S	18,664	3	35	11.0	0.0	0.0	0	2.5		N	C	0.0	0	75	5.0	5.04	E	3.69	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2395.2	Ingram	Northwestern	Wurzbach	0.21	W	4	S	18,664	3	35	12.0	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	4.92	E	3.31	C
2395.3	Ingram	IH 410	Callaghan	0.89	E	4	S	17,426	3	35	15.0	4.0	0.0	0	3.0	3.0	Y	C	0.0	0	75	6.5	3.44	C	3.33	C
2395.3	Ingram	IH 410	Callaghan	0.89	W	4	S	17,426	3	35	15.0	4.0	0.0	0	3.0	3.0	Y	C	0.0	0	50	0.0	3.44	C	4.26	D
2395.4	Ingram	Callaghan	Majestic	0.52	E	2	S	15,692	3	35	16.5	4.5	0.0	0	3.0	3.0	Y	S	9.5	0	100	6.0	3.34	C	3.57	D
2395.4	Ingram	Callaghan	Majestic	0.52	W	2	S	15,692	3	35	16.0	4.0	0.0	0	3.0	3.0	Y	S	8.0	0	100	4.0	3.55	D	3.78	D
2395.5	Ingram	Majestic	Benrus	0.55	E	2	S	11,811	3	35	15.0	5.5	0.0	0	3.0	3.0	Y	S	3.5	0	100	4.0	3.30	C	3.49	C
2395.5	Ingram	Majestic	Benrus	0.55	W	2	S	11,811	3	35	15.0	5.0	0.0	0	3.0	3.0	Y	S	15.0	0	25	4.0	3.40	C	4.26	D
2396.0	Benrus	Quill	Ingram	0.09	N	2	U	11,215	3	30	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.44	D	4.64	E
2396.0	Benrus	Quill	Ingram	0.09	S	2	U	11,215	3	30	15.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.02	D	4.38	D
2396.1	Benrus	Ingram	Ivanhoe	0.26	N	2	U	7,236	2	30	16.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.21	C	3.87	D
2396.1	Benrus	Ingram	Ivanhoe	0.26	S	2	U	7,236	2	30	14.0	0.0	0.0	0	4.0		N	S	4.0	0	100	2.5	3.51	D	3.05	C
2396.2	Benrus	Ivanhoe	Flint	0.13	N	2	U	5,306	2	30	20.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	2.34	B	2.48	B
2396.2	Benrus	Ivanhoe	Flint	0.13	S	2	U	5,306	2	30	20.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	2.34	B	2.48	B
2396.3	Benrus	Flint	Blessing	0.27	N	2	U	6,058	2	30	12.5	0.0	0.0	0	4.0		N	S	2.5	0	25	4.0	3.62	D	3.72	D
2396.3	Benrus	Flint	Blessing	0.27	S	2	U	6,058	2	30	17.0	0.0	0.0	0	4.0		N	S	8.5	0	75	2.5	2.96	C	2.91	C
2396.4	Benrus	Blessing	Culebra	0.40	N	2	U	6,058	2	30	23.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	1.76	B	2.54	C
2396.4	Benrus	Blessing	Culebra	0.40	S	2	U	6,058	2	30	23.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	1.76	B	2.54	C
2397.0	Hillcrest	Vantage	Bandera	0.42	N	4	U	18,156	3	35	11.0	0.0	0.0	0	5.0		N	C	2.0	0	100	4.5	4.18	D	3.31	C
2397.0	Hillcrest	Vantage	Bandera	0.42	S	4	U	18,156	3	35	10.5	0.0	0.0	0	5.0		N	C	4.5	0	25	3.0	4.23	D	4.42	D
2397.1	Hillcrest	Bandera	Willard	0.39	N	4	U	17,885	3	35	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.76	E	3.40	C
2397.1	Hillcrest	Bandera	Willard	0.39	S	4	U	17,885	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.66	E	3.36	C
2397.2	Hillcrest	BABCOCK	Vantage	0.84	N	2	S	20,161	4	35	16.0	0.0	0.0	0	4.0		N	C	3.5	0	25	4.5	4.28	D	5.26	E
2397.2	Hillcrest	BABCOCK	Vantage	0.84	S	2	S	20,160	4	35	14.0	0.0	0.0	0	4.0		N	C	6.5	0	75	2.5	4.58	E	4.90	E
2398.0	36th	Willard	Freeman	0.36	N	4	U	21,221	4	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.67	E	3.40	C
2398.0	36th	Willard	Freeman	0.36	S	4	U	21,221	4	30	10.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.83	E	4.80	E
2399.0	Bandera	Quill	Woodlawn	1.03	E	4	U	30,800	4	40	12.0	0.0	0.0	0	3.0		N	S	10.0	0	75	6.0	5.16	E	4.23	D
2399.0	Bandera	Quill	Woodlawn	1.03	W	4	U	30,800	4	40	13.0	0.0	0.0	0	3.0		N	S	17.5	0	50	5.0	5.04	E	4.53	E
2399.1	Bandera	Woodlawn	Cincinnati	0.52	E	4	U	30,800	4	40	12.5	0.0	0.0	0	4.0		N	C	11.0	0	100	4.0	4.77	E	3.93	D
2399.1	Bandera	Woodlawn	Cincinnati	0.52	W	4	U	30,800	4	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	25	5.0	4.77	E	5.11	E
2399.2	Bandera	Cincinnati	Culebra	0.53	E	4	S	30,800	4	40	12.0	0.0	0.0	0	4.0		N	S	13.5	0	100	5.5	4.84	E	3.75	D
2399.2	Bandera	Cincinnati	Culebra	0.53	W	4	S	30,800	4	40	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	4.84	E	5.49	E
2400.0	Culebra	Bandera	Zarzamora	0.98	E	4	S	35,200	4	40	13.0	0.0	0.0	0	2.0		N	C	8.0	0	100	4.5	Constr.	Constr.	Constr.	Constr.



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2400.0	Culebra	Bandera	Zarzamora	0.98	W	4	S	35,200	4	40	13.0	0.0	0.0	0	2.0		N	C	8.0	0	100	4.5	Constr.	Constr.	Constr.	Constr.
2400.1	Culebra	Zarzamora	Sabinas	0.41	E	4	S	35,200	4	40													Constr.	Constr.	Constr.	Constr.
2400.1	Culebra	Zarzamora	Sabinas	0.41	W	4	S	35,200	4	40													Constr.	Constr.	Constr.	Constr.
2400.2	Culebra	Sabinas	IH 10	0.17	E	4	S	40,318	5	40													Constr.	Constr.	Constr.	Constr.
2400.2	Culebra	Sabinas	IH 10	0.17	W	4	S	40,318	5	40													Constr.	Constr.	Constr.	Constr.
2400.3	Culebra	Jon Ann	Fredericksburg	0.53	E	4	U	11,533	3	30	11.5	0.0	0.0	0	3.0		N	C	2.0	75	50	4.0	4.22	D	3.42	C
2400.3	Culebra	Jon Ann	Fredericksburg	0.53	W	4	U	11,533	3	30	11.0	0.0	0.0	0	3.0		N	C	2.0	75	50	3.5	4.28	D	3.48	C
2401.0	Fredericksburg/Cypress	Flores	San Pedro	0.26	E	4	U	21,221	4	30	11.0	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	4.78	E	3.35	C
2401.0	Fredericksburg/Cypress	Flores	San Pedro	0.26	W	4	U	21,221	4	30	12.5	0.0	0.0	0	3.0		N	C	0.0	0	75	5.0	4.60	E	3.63	D
2401.1	Cypress	San Pedro	Elmira	0.63	E	4	U	14,220	3	30	9.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.59	E	2.86	C
2401.1	Cypress	San Pedro	Elmira	0.63	W	4	U	14,220	3	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.49	D	2.99	C
2402.0	Howard	Park	Laurel	0.18	N	2	U	1,897	2	30	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	2.32	B	2.18	B
2402.0	Howard	Park	Laurel	0.18	S	2	U	1,897	2	30	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.32	B	2.26	B
2402.1	Howard	Laurel	Poplar	0.15	N	2	U	1,897	2	30	19.0	0.0	0.0	0	3.0		N	C	6.0	0	100	4.0	0.00	A	1.98	B
2402.1	Howard	Laurel	Poplar	0.15	S	2	U	1,897	2	30	19.0	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	0.00	A	2.04	B
2402.2	Howard	Poplar	Euclid	0.16	N	2	U	1,897	2	30	12.0	0.0	0.0	0	2.0		N	C	10.0	0	100	4.0	3.47	C	2.07	B
2402.2	Howard	Poplar	Euclid	0.16	S	2	U	1,897	2	30	12.0	0.0	0.0	0	2.0		N	C	11.0	0	100	4.0	3.47	C	2.04	B
2402.3	Howard	Dewey	French Place	0.21	N	2	U	925	2	30	21.0	0.0	0.0	75	3.5		N	C	7.5	0	100	4.0	0.00	A	1.43	A
2402.3	Howard	Dewey	French Place	0.21	S	2	U	925	2	30	21.0	0.0	0.0	75	3.5		N	C	7.5	0	100	4.0	0.00	A	1.43	A
2402.4	Howard	Russell Place	Odell	1.56	N	2	U	720	2	30	17.5	0.0	0.0	50	3.5		N	C	4.5	0	75	4.5	0.00	A	1.96	B
2402.4	Howard	Russell Place	Odell	1.56	S	2	U	720	2	30	17.5	0.0	0.0	50	3.5		N	C	4.5	0	75	4.5	0.00	A	1.96	B
2402.5	Howard	Kenwood Park	Contour	0.77	N	2	U	186	2	30	13.5	0.0	0.0	0	4.5		N	C	0.0	0	75	4.0	0.00	A	2.41	B
2402.5	Howard	Kenwood Park	Contour	0.77	S	2	U	186	2	30	13.5	0.0	0.0	0	4.5		N	C	0.0	0	75	4.0	0.00	A	2.41	B
2403.0	Euclid	Howard	Main	0.07	E	4	U	2,123	2	30	10.0	0.0	0.0	0	3.0		N	C	6.0	0	100	3.0	2.35	B	2.31	B
2403.0	Euclid	Howard	Main	0.07	W	4	U	2,123	2	30	10.0	0.0	0.0	0	3.0		N	C	5.0	0	100	3.0	2.35	B	2.35	B
2403.1	Euclid	Main	Lexington	0.05	E	2	U	2,123	2	30	17.5	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	0.90	A	2.11	B
2403.1	Euclid	Main	Lexington	0.05	W	2	U	2,123	2	30	17.5	0.0	0.0	0	3.0		N	C	10.0	0	100	0.0	0.90	A	2.60	C
2404.0	Lexington	Euclid	Augusta	0.44	E	2	U	4,449	2	30	19.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.49	B	2.34	B
2404.0	Lexington	Euclid	Augusta	0.44	W	2	U	4,449	2	30	19.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.59	C	2.36	B
2404.1	Lexington/4th	Augusta	Avenue A	0.20	E	2	U	3,130	2	30	17.5	0.0	0.0	25	3.5		N	C	0.0	0	100	7.0	2.45	B	1.98	B
2404.1	Lexington/4th	Augusta	Avenue A	0.20	W	2	U	3,130	2	30	17.5	0.0	0.0	25	3.5		N	C	0.0	0	100	7.0	2.45	B	1.98	B
2405.0	4th	Avenue A	Broadway	0.14	E	2	U	2,812	2	30	18.5	0.0	0.0	25	2.0		N	C	0.0	0	100	7.0	3.03	C	1.92	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2405.0	4th				Avenue A	Broadway	0.14		W	2							U	2,812	2	30
2405.1	4th	Broadway	Avenue E	0.14	E	2	U	3,979	2	30	25.0	0.0	0.0	75	2.5		N	C	0.0	0	100	5.0	3.33	C	1.80	B
2405.1	4th	Broadway	Avenue E	0.14	W	2	U	3,979	2	30	23.0	0.0	0.0	75	2.5		N	C	0.0	0	100	6.0	3.66	D	1.79	B
2405.2	4th	Avenue E	Bonham	0.10	E	2	U	3,501	2	30	20.0	0.0	0.0	50	2.5		N	C	13.0	0	100	6.0	3.28	C	1.64	B
2405.2	4th	Avenue E	Bonham	0.10	W	2	U	3,501	2	30	18.5	0.0	0.0	50	2.5		N	C	10.0	0	0	4.0	3.57	D	3.24	C
2406.0	Churchill Estates	Huebner	Chant	0.58	E	2	U	5,532	2	30	21.5	6.5	0.0	0	4.0	4.0	Y	C	0.0	0.0	0.0	0.0	0.44	A	3.30	C
2406.0	Churchill Estates	Huebner	Chant	0.58	W	2	U	5,532	2	30	22.5	6.0	0.0	0	4.0	4.0	Y	C	0.0	0.0	0.0	0.0	0.30	A	3.25	C
2406.1	Churchill Estates	Chant	Blanco	0.85	E	2	D	6,060	2	30	24.5	6.5	0.0	0	4.0	4.0	Y	C	0.0	0.0	0.0	0.0	0.00	A	3.21	C
2406.1	Churchill Estates	Chant	Blanco	0.85	W	2	D	6,060	2	30	24.5	6.0	0.0	0	4.0	4.0	Y	C	0.0	0.0	0.0	0.0	0.00	A	3.21	C
2407.0	Winding	Hwy 281	Tower	0.07	E	4	D	3,334	2	25	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.87	B	2.89	C
2407.0	Winding	Hwy 281	Tower	0.07	W	4	D	3,334	2	25	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.87	B	2.89	C
2407.1	Winding	Tower	Blackhawk	0.69	E	2	U	2,748	2	25	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.68	C	3.24	C
2407.1	Winding	Tower	Blackhawk	0.69	W	2	U	2,748	2	25	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.68	C	3.24	C
2407.2	Winding	Blackhawk	Bitters	0.25	E	2	U	2,748	2	30	11.0	0.0	0.0	0	2.0		N	S	0.0	0.0	0.0	0.0	4.29	D	3.46	C
2407.2	Winding	Blackhawk	Bitters	0.25	W	2	U	2,748	2	30	11.0	0.0	0.0	0	2.0		N	S	0.0	0.0	0.0	0.0	4.29	D	3.46	C
2408.0	Tower	Winding	Bitters	0.75	NE	2	U	2,654	2	30	17.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.57	B	2.90	C
2408.0	Tower	Winding	Bitters	0.75	SW	2	U	2,654	2	30	17.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.57	B	2.90	C
2409.0	Oak Shadows	Hwy 281	Heimer	0.51	NW	2	U	5,010	2	30	15.0	0.0	0.0	25	3.5		N	C	0.0	0	0	0.0	3.68	D	3.68	D
2409.0	Oak Shadows	Hwy 281	Heimer	0.51	SE	2	U	5,010	2	30	15.0	0.0	0.0	25	3.5		N	C	0.0	0	0	0.0	3.68	D	3.68	D
2410.0	Cross Canyon	Heimer	Jones Maltsberger	1.10	NW	2	U	2,090	2	30	22.0	6.0	0.0	0	5.0	5.0	Y	C	3.0	0	100	5.0	0.00	A	1.91	B
2410.0	Cross Canyon	Heimer	Jones Maltsberger	1.10	SE	2	U	2,090	2	30	22.0	6.0	0.0	0	5.0	5.0	Y	C	3.0	0	100	5.0	0.00	A	1.91	B
2411.0	Heimer	Bitters	Hwy 281	0.28	N	2	U	9,550	2	30	22.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.54	C	2.88	C
2411.0	Heimer	Bitters	Hwy 281	0.28	S	2	U	9,550	2	30	22.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.54	C	2.88	C
2412.0	Interpark	West	Hwy 281	0.58	E	2	U	5,133	3	40	24.5	0.0	0.0	0	3.0		N	C	0.0	0	100	3.5	2.08	B	2.72	C
2412.0	Interpark	West	Hwy 281	0.58	W	2	U	5,133	3	40	24.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.08	B	2.66	C
2413.0	North Loop	West	Hwy 281	0.84	E	2	U	1,166	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.59	B	2.97	C
2413.0	North Loop	West	Hwy 281	0.84	W	2	U	1,166	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.59	B	2.97	C
2414.0	Nakoma	West	Hwy 281	0.83	E	2	S	25,581	4	35	13.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.10	E	6.40	F
2414.0	Nakoma	West	Hwy 281	0.83	W	2	S	25,581	4	35	13.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.10	E	6.40	F
2414.1	Nakoma	Hwy 281	Jones Maltsberger	0.78	NE	4	S	34,654	4	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	5.15	E	4.59	E
2414.1	Nakoma	Hwy 281	Jones Maltsberger	0.78	SW	4	S	34,654	4	45	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	5.15	E	4.59	E
2415.0	Rhapsody	West	Hwy 281	1.02	E	2	U	8,711	2	35	22.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.63	C	3.78	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2415.0	Rhapsody	West	Hwy 281	1.02	W	2	U	8,711	2	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.05	C	3.89	D
2416.0	North Loop	North Loop (E)	Nakoma	0.33	N	2	U	679	2	35	20.5	0.0	0.0	0	3.0		N	S	3.0	0	25	4.0	0.00	A	2.69	C
2416.0	North Loop	North Loop (E)	Nakoma	0.33	S	2	U	679	2	35	20.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.00	A	2.17	B
2417.0	North Park	Warfield	Hwy 281	0.26	W	2	U	1,083	2	35	20.5	0.0	0.0	0	2.0		N	C	0.0	0	75	6.0	0.00	A	2.22	B
2417.0	North Park	Warfield	Hwy 281	0.26	W	2	U	1,083	2	35	20.5	0.0	0.0	25	2.0		N	C	5.0	0	75	3.0	0.00	A	2.22	B
2418.0	Warfield	North Park	Rhapsody	0.53	N	2	U	11,037	3	35	25.0	0.0	0.0	0	3.0		N	C	4.5	0	0	3.0	2.24	B	3.90	D
2418.0	Warfield	North Park	Rhapsody	0.53	S	2	U	11,037	3	35	25.0	0.0	0.0	0	3.0		N	C	4.5	0	0	3.0	2.24	B	3.90	D
2419.0	Lockhill-Selma	Wurzbach	Whispering Wind	0.58	E	4	D	18,569	3	35	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.04	D	3.20	C
2419.0	Lockhill-Selma	Wurzbach	Whispering Wind	0.58	W	4	D	18,569	3	35	13.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.04	D	3.20	C
2419.1	Lockhill-Selma	Whispering Wind	Military Hwy	0.52	E	4	U	18,330	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	50	4.0	4.34	D	4.07	D
2419.1	Lockhill-Selma	Whispering Wind	Military Hwy	0.52	W	4	U	18,330	3	35	10.5	0.0	0.0	0	4.0		N	S	7.5	0	75	4.0	4.40	D	3.58	D
2419.2	Lockhill-Selma	Military Hwy	West	0.58				11,456	3														Constr.	Constr.	Constr.	Constr.
2419.2	Lockhill-Selma	Military Hwy	West	0.58				11,456	3														Constr.	Constr.	Constr.	Constr.
2419.3	Lockhill-Selma	West	Blanco	1.24	E	2	U	12,690	3	35	18.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.82	D	4.51	E
2419.3	Lockhill-Selma	West	Blanco	1.24	W	2	U	12,690	3	35	19.0	6.5	0.0	0	3.0		N	C	0.0	0	0	0.0	2.19	B	4.45	D
2419.4	Lockhill-Selma	Blanco	San Pedro	0.35	E	2	U	16,977	3	35	21.5	0.0	0.0	0	5.0		N	C	0.0	0	100	3.5	2.79	C	4.07	D
2419.4	Lockhill-Selma	Blanco	San Pedro	0.35	W	2	U	16,977	3	35	20.5	0.0	0.0	0	5.0		N	C	4.0	0	100	4.0	3.00	C	3.93	D
2420.0	Isom	San Pedro	Ramsey	0.54	N	4	U	12,095	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.13	D	3.02	C
2420.0	Isom	San Pedro	Ramsey	0.54	S	4	U	12,095	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.07	D	3.07	C
2420.1	Isom	Ramsey	Hwy 281	0.42	N	2	S	17,644	3	35	17.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.83	D	4.06	D
2420.1	Isom	Ramsey	Hwy 281	0.42	S	2	S	17,644	3	35	17.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.83	D	4.06	D
2420.2	Isom	Hwy 281	Sandau	0.27	NW	2	U	11,090	3	35	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.39	D	4.62	E
2420.2	Isom	Hwy 281	Sandau	0.27	SE	2	U	11,090	3	35	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.39	D	4.62	E
2421.0	Sandau	Hwy 281	Isom	0.54	NW	2	U	11,756	3	35	17.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.78	D	4.46	D
2421.0	Sandau	Hwy 281	Isom	0.54	SE	2	U	11,756	3	35	17.0	0.0	0.0	0	3.5		N	C	12.0	0	100	4.0	3.78	D	3.18	C
2422.0	Gulfdale	Sandau	Isom	0.59	N	2	U	5,306	2	35	24.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.74	B	2.46	B
2422.0	Gulfdale	Sandau	Isom	0.59	S	2	U	5,306	2	35	24.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.74	B	2.46	B
2423.0	Jones Maltsberger	Sandau	Hwy 281	0.57	N	2	U	14,377	3	35	17.0	0.0	0.0	0	3.5		N	S	0.0	0	50	5.0	3.88	D	4.26	D
2423.0	Jones Maltsberger	Sandau	Hwy 281	0.57	S	2	U	14,377	3	35	17.0	0.0	0.0	0	3.5		N	S	10.0	0	50	5.0	3.88	D	4.13	D
2423.1	Jones Maltsberger	Hwy 281	Trafalgar	0.17	N	2	U	21,485	4	30	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.62	E	5.65	F
2423.1	Jones Maltsberger	Hwy 281	Trafalgar	0.17	S	2	U	21,485	4	30	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.83	E	5.78	F
2423.2	Jones Maltsberger	Trafalgar	Loop 410	0.31	N	2	U	21,485	4	35	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.94	E	5.86	F



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2423.2	Jones Maltsberger	Trafalgar	Loop 410	0.31	S	2	U	21,485	4	35	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.94	E	5.86	F
2423.3	Jones Maltsberger	Loop 410	Oblate	1.10	N	4	U	17,424	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.69	E	3.19	C
2423.3	Jones Maltsberger	Loop 410	Oblate	1.10	S	4	U	17,424	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.69	E	4.70	E
2424.0	Ramsey	Blanco	San Pedro	0.80	N	2	U	8,276	2	30	14.0	0.0	0.0	0	5.0		N	C	0.0	0	25	5.0	3.42	C	3.86	D
2424.0	Ramsey	Blanco	San Pedro	0.80	S	2	U	8,276	2	30	14.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.5	3.42	C	3.04	C
2425.0	Portland	Isom	McCullough	0.09	NW	2	U	4,604	2	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.72	C	2.48	B
2425.0	Portland	Isom	McCullough	0.09	SE	2	U	4,604	2	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.72	C	2.48	B
2426.0	McCullough (Citizen Bike Route)	Portland	Downshire	0.46	N	2	U	5,255	2	30	17.0	0.0	0.0	0	3.0		N	C	0.0	0	50	5.0	3.21	C	3.04	C
2426.0	McCullough (Citizen Bike Route)	Portland	Downshire	0.46	S	2	U	5,255	2	30	27.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	1.01	A	2.25	B
2426.1	McCullough (Citizen Bike Route)	Downshire	Loop 410	0.58	N	2	U	1,000	2	30	15.5	0.0	0.0	0	3.0		N	C	6.0	0	100	4.0	0.14	A	1.97	B
2426.1	McCullough (Citizen Bike Route)	Downshire	Loop 410	0.58	S	2	U	1,000	2	30	15.5	0.0	0.0	0	3.0		N	C	5.0	0	100	4.0	0.14	A	2.01	B
2427.0	Military Hwy (FM 1535)	Braesview	Winston	0.64	N	6	S	30,242	4	35	14.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.15	D	3.36	C
2427.0	Military Hwy (FM 1535)	Braesview	Winston	0.64	S	6	S	30,242	4	35	14.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.15	D	3.36	C
2427.1	Military Hwy (FM 1535)	Winston	Loop 410	1.06	N	4	S	21,120	4	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.39	D	3.42	C
2427.1	Military Hwy (FM 1535)	Winston	Loop 410	1.06	S	4	S	21,120	4	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.39	D	3.37	C
2428.0	Terminal	Hwy 281	Airport	0.28	E	4	U	29,339	4	35	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.57	E	5.05	E
2428.0	Terminal	Hwy 281	Airport	0.28	W	4	U	29,339	4	35	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.57	E	5.05	E
2429.0	Airport	Terminal	Loop 410	0.29	N	6	D	26,854	4	35	10.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.80	E	4.79	E
2429.0	Airport	Terminal	Loop 410	0.29	S	6	D	26,854	4	35	10.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.80	E	4.79	E
2430.0	Rampart	San Pedro	McCullough	0.45	E	2	U	5,889	2	35	15.5	0.0	0.0	0	2.5		N	C	5.0	0	100	5.5	4.00	D	2.58	C
2430.0	Rampart	San Pedro	McCullough	0.45	W	2	U	5,889	2	35	16.5	0.0	0.0	0	2.5		N	C	4.0	0	100	5.0	3.84	D	2.62	C
2431.0	Vandiver	Loop 410	Eisenhauer	1.37	N	2	U	2,565	2	30	20.5	0.0	0.0	0	2.5		N	C	1.0	0	100	4.0	0.77	A	2.16	B
2431.0	Vandiver	Loop 410	Eisenhauer	1.37	S	2	U	2,565	2	30	20.5	0.0	0.0	0	2.5		N	C	1.0	0	100	5.0	0.77	A	2.08	B
2431.1	Vandiver	Eisenhauer	Devonshire	0.18	N	2	U	3,777	2	30	18.0	0.0	0.0	0	2.5		N	C	4.0	0	100	7.0	3.05	C	2.07	B
2431.1	Vandiver	Eisenhauer	Devonshire	0.18	S	2	U	3,777	2	30	18.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	3.05	C	3.25	C
2431.2	Vandiver	Devonshire	Auston Hwy	0.23	N	2	U	3,978	2	30	18.0	0.0	0.0	0	2.5		N	S	11.0	0	25	4.0	3.24	C	3.03	C
2431.2	Vandiver	Devonshire	Auston Hwy	0.23	S	2	U	3,978	2	30	18.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.24	C	3.32	C
2431.3	Vandiver	Auston Hwy	Rittiman	0.35	N	2	U	3,629	2	30	13.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.83	D	3.59	D
2431.3	Vandiver	Auston Hwy	Rittiman	0.35	S	2	U	3,629	2	30	13.0	0.0	0.0	0	2.5		N	S	0.0	0	25	7.0	3.83	D	3.35	C
2432.0	Harry Wurzbach	IH 410	Sumner	1.65	NE	2	U	28,118	4	45	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.13	E	6.97	F
2432.0	Harry Wurzbach	IH 410	Sumner	1.65	SW	2	U	28,118	4	45	14.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.13	E	6.97	F
2432.1	Harry Wurzbach	Sumner	Rittiman	0.45	N	2	D	18,616	4	45	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.18	E	6.04	F



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2432.1	Harry Wurzbach	Sumner	Rittiman	0.45	S	2	D	18,616	4	45	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	5.18	E	6.04	F
2433.0	New Braunfels	Eisenhauer	Brees	0.38	N	4	U	15,916	3	30	12.0	0.0	0.0	0	3.5		N	C	11.0	0	25	7.0	4.15	D	3.88	D
2433.0	New Braunfels	Eisenhauer	Brees	0.38	S	4	U	15,916	3	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.15	D	4.32	D
2433.1	New Braunfels	IH 410	Crownhill	0.22	N	2	U	9,942	2	30	15.0	0.0	0.0	0	3.5		N	C	11.0	0	100	4.0	3.69	D	2.92	C
2433.1	New Braunfels	IH 410	Crownhill	0.22	S	2	U	9,942	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	7.0	3.69	D	3.01	C
2433.2	New Braunfels	Crownhill	Camellia	0.29	N	2	U	9,942	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.69	D	4.27	D
2433.2	New Braunfels	Crownhill	Camellia	0.29	S	2	U	9,942	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	3.69	D	3.27	C
2433.3	New Braunfels	Larkwood (formerly Camellia)	Nacogdoches	0.24	NW	2	U	7,959	2	30	16.0	0.0	0.0	0	4.5		N	C	6.0	0	100	5.0	3.16	C	2.70	C
2433.3	New Braunfels	Larkwood (formerly Camellia)	Nacogdoches	0.24	SE	2	U	7,959	2	30	16.0	0.0	0.0	0	4.5		N	C	0.0	0	25	5.0	3.16	C	3.69	D
2433.4	New Braunfels	Nacogdoches	Larkwood	0.21	S	2	U	15,544	3	30	16.0	0.0	0.0	0	4.0		N	C	8.0	0	25	4.0	3.78	D	4.56	E
2433.4	New Braunfels	Nacogdoches	Larkwood	0.21	S	2	U	15,544	3	30	16.0	0.0	0.0	0	4.0		N	C	8.0	0	75	4.0	3.78	D	3.94	D
2434.0	Basse	Blanco	San Pedro	0.52	E	4	U	13,997	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.41	D	3.09	C
2434.0	Basse	Blanco	San Pedro	0.52	W	4	U	13,997	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.41	D	2.93	C
2434.1	Basse	San Pedro	McCullough	0.45	E	4	U	16,721	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	25	5.0	4.18	D	4.17	D
2434.1	Basse	San Pedro	McCullough	0.45	W	4	U	16,721	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	25	4.5	4.18	D	4.18	D
2435.0	Forestshire	Basse	Tuxedo	0.09	N	4	D	7,959	2	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.02	D	2.45	B
2435.0	Forestshire	Basse	Tuxedo	0.09	S	4	D	7,959	2	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.02	D	2.62	C
2436.0	Crossroads	VIA Crossroads	Fredericksburg	0.36	N	4	U	21,221	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	50	5.0	4.65	E	4.27	D
2436.0	Crossroads	VIA Crossroads	Fredericksburg	0.36	S	4	U	21,221	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.65	E	3.68	D
2437.0	Siesta	Fredericksburg	Gentleman	0.13	E	2	U	781	2	30	15.5	0.0	0.0	0	2.0		N	C	0.0	0	2	0.0	0.76	A	2.42	B
2437.0	Siesta	Fredericksburg	Gentleman	0.13	W	2	U	781	2	30	15.5	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	0.76	A	2.08	B
2438.0	Gentleman	Siesta	Balcones Heights	0.39	N	2	U	6,154	2	30	15.5	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	3.05	C	2.68	C
2438.0	Gentleman	Siesta	Balcones Heights	0.39	S	2	U	6,154	2	30	15.5	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	3.05	C	2.68	C
2439.0	Balcones Heights	Gentleman	Danville	0.06	N	2	U	7,959	2	30	17.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.10	C	3.89	D
2439.0	Balcones Heights	Gentleman	Danville	0.06	S	2	U	7,959	2	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.26	C	2.93	C
2440.0	Danville	Balcones Heights	Ozark	0.06	N	2	U	3,672	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	4.33	D	3.52	D
2440.0	Danville	Balcones Heights	Ozark	0.06	S	2	U	3,672	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	4.33	D	3.52	D
2441.0	Ozark	Danville	Westhill	0.12	N	2	U	1,734	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	2.70	C	2.82	C
2441.0	Ozark	Danville	Westhill	0.12	S	2	U	1,734	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	2.70	C	2.82	C
2442.0	Westhill	Ozark	Babcock	0.23	N	2	U	217	2	30	14.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	0.37	A	2.38	B
2442.0	Westhill	Ozark	Babcock	0.23	S	2	U	217	2	30	14.0	0.0	0.0	25	2.0		N	C	0.0	0	0	0.0	1.02	A	2.38	B
2443.0	Babcock	Sunshine	Fredericksburg	0.57	E	4	U	20,042	4	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.5	4.69	E	3.15	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2443.0	Babcock	Sunshine	Fredericksburg	0.57	W	4	U	20,042	4	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.69	E	3.34	C
2444.0	Fresno	Fredericksburg	IH 10	0.98	E	2	U	5,103	2	35	18.5	0.0	0.0	25	3.0		N	C	0.0	0	4	0.0	3.49	C	3.55	D
2444.0	Fresno	Fredericksburg	IH 10	0.98	W	2	U	5,103	2	35	17.5	0.0	0.0	25	3.0		N	C	0.0	0	4	0.0	3.65	D	3.62	D
2444.1	Fresno	IH 10	McCullough	1.47	E	4	U	21,221	4	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	3.0	4.63	E	3.80	D
2444.1	Fresno	IH 10	McCullough	1.47	W	4	U	21,221	4	35	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.74	E	3.54	D
2445.0	Wilson	Babcock	Thomas Jefferson	0.38	N	2	U	12,203	3	30	18.0	0.0	0.0	0	3.0		N	S	2.5	0	100	3.5	3.65	D	3.41	C
2445.0	Wilson	Babcock	Thomas Jefferson	0.38	S	2	U	12,203	3	30	18.0	0.0	0.0	0	3.0		N	S	6.5	0	100	4.0	3.65	D	3.22	C
2445.1	Wilson	Thomas Jefferson	Donaldson	0.21	N	2	U	11,672	3	30	19.5	0.0	0.0	0	4.0		N	C	2.5	0	100	5.0	3.01	C	3.13	C
2445.1	Wilson	Thomas Jefferson	Donaldson	0.21	S	2	U	11,672	3	30	19.5	0.0	0.0	0	4.0		N	C	7.5	0	100	3.5	3.01	C	3.15	C
2445.2	Wilson	Donaldson	Woodlawn	0.62	N	2	U	11,004	3	30	17.0	0.0	0.0	0	3.0		N	C	3.0	0	100	3.5	3.77	D	3.28	C
2445.2	Wilson	Donaldson	Woodlawn	0.62	S	2	U	11,004	3	30	22.5	0.0	0.0	0	3.0		N	C	4.5	0	25	4.0	2.68	C	3.69	D
2446.0	Kampmann	Babcock	Club Dr	0.42	N	2	U	1,215	2	30	19.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.26	B
2446.0	Kampmann	Babcock	Club Dr	0.42	S	2	U	1,215	2	30	17.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.43	B
2447.0	Woodlawn	36th	St. Cloud	1.07	E	2	U	3,703	2	35	20.0	0.0	0.0	0	2.0		N	C	0.0	0	25	3.5	3.30	C	3.11	C
2447.0	Woodlawn	36th	St. Cloud	1.07	W	2	U	3,703	2	35	20.0	0.0	0.0	0	2.0		N	C	0.0	0	25	3.5	3.30	C	3.11	C
2447.1	Woodlawn	St. Cloud	Wilson	0.68	E	2	U	5,837	2	35	18.5	5.5	0.0	0	3.0	2.5	Y	C	0.0	0	0	4.0	1.96	B	3.65	D
2447.1	Woodlawn	St. Cloud	Wilson	0.68	W	2	U	5,837	2	35	17.5	5.0	0.0	0	3.0	2.5	Y	C	6.0	0	100	4.0	2.31	B	2.63	C
2447.2	Woodlawn	Maiden	36th	0.49				1,593	2														Constr.	Constr.	Constr.	Constr.
2447.2	Woodlawn	Maiden	36th	0.49				1,593	2														Constr.	Constr.	Constr.	Constr.
2448.0	Cincinnati	Camino Santa Maria	Bandera	0.77	E	2	U	3,851	2	35	23.0	7.0	0.0	0	5.0	4.5	Y	C	15.0	37	75	4.0	0.00	A	1.83	B
2448.0	Cincinnati	Camino Santa Maria	Bandera	0.77	W	2	U	3,851	2	35	23.0	7.0	0.0	0	5.0	4.5	Y	C	10.5	0	75	4.0	0.00	A	2.39	B
2448.1	Cincinnati	Bandera	Josephine Tobin	0.80	E	2	U	5,676	2	35	27.5	15.0	9.0	0	4.0	4.0	Y	C	10.0	0	75	4.5	0.00	A	2.46	B
2448.1	Cincinnati	Bandera	Josephine Tobin	0.80	W	2	U	5,676	2	35	27.0	14.0	8.0	0	4.0	4.0	Y	C	11.0	0	75	4.0	0.00	A	2.48	B
2449.0	Josephine Tobin	Craig Place	Cincinnati	0.39	S	2	U	4,342	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.09	D	4.11	D
2449.0	Josephine Tobin	Craig Place	Cincinnati	0.39	W	2	U	4,342	2	35	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.09	D	4.11	D
2449.1	Josephine Tobin	Cincinnati	Alexander	0.45	E	2	U	11,204	3	35	27.5	14.5	8.5	0	3.0	3.0	Y	C	0.0	0	0	0.0	0.00	A	3.81	D
2449.1	Josephine Tobin	Cincinnati	Alexander	0.45	W	2	U	11,204	3	35	28.5	15.5	9.0	0	3.0	3.0	Y	S	0.0	0	0	0.0	0.00	A	3.76	D
2449.2	Josephine Tobin/French	Woodlawn	San Antonio	0.38	E	2	U	532	2	35	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.92	A	2.73	C
2449.2	Josephine Tobin/French	Woodlawn	San Antonio	0.38	W	2	U	532	2	35	12.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.92	A	2.73	C
2449.3	French Place/Alexander	San Antonio	Josephine Tobin	0.25	N	2	U	532	2	35	13.5	0.0	0.0	0	3.0		N	S	0.0	0	50	0.0	0.46	A	3.02	C
2449.3	French Place/Alexander	San Antonio	Josephine Tobin	0.25	S	2	U	532	2	35	13.5	0.0	0.0	0	3.0		N	S	5.0	0	0	5.0	0.46	A	3.41	C
2450.0	Cincinnati	Alexander	Elmendorf	0.07	E	2	U	10,081	3	35	33.0	14.5	8.5	0	3.0	2.5	Y	S	5.0	0	100	6.5	0.00	A	2.63	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2450.0	Cincinnati				Alexander	Elmendorf	0.07		W	2							U	10,081	3	35
2450.1	Cincinnati	Elmendorf	Fredericksburg	1.00	E	2	U	10,472	3	35	20.5	5.5	0.0	0	4.0	4.0	Y	C	10.5	0	50	4.0	1.63	B	3.53	D
2450.1	Cincinnati	Elmendorf	Fredericksburg	1.00	W	2	U	10,472	3	35	19.5	5.5	0.0	0	4.0	4.0	Y	C	19.0	0	50	3.5	1.89	B	3.50	C
2450.2	Cincinnati	Fredericksburg	Blanco	0.13	E	2	U	2,402	2	30	14.0	0.0	0.0	0	4.0		N	C	6.0	0	100	4.0	2.02	B	2.19	B
2450.2	Cincinnati	Fredericksburg	Blanco	0.13	W	2	U	2,402	2	30	14.0	0.0	0.0	0	4.0		N	C	5.5	0	100	4.0	2.02	B	2.20	B
2451.0	Culebra	Ave G	Tom Slick	0.76	E	4	U	31,831	4	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	5.18	E	5.54	F
2451.0	Culebra	Ave G	Tom Slick	0.76	W	4	U	31,831	4	40	14.0	0.0	0.0	0	3.0		N	C	0.0	0	25	6.5	4.92	E	5.02	E
2451.1	Culebra	Loop 410	Ave G	0.51	E	4	S	36,670	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.92	E	4.53	E
2451.1	Culebra	Loop 410	Ave G	0.51	W	4	S	36,670	4	40	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.92	E	4.60	E
2452.0	Commerce	39th	36th	0.45	E	4	U	11,894	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.12	D	2.94	C
2452.0	Commerce	39th	36th	0.45	W	4	U	11,894	3	35	11.0	0.0	0.0	0	4.0		N	C	2.0	0	100	5.0	4.12	D	2.86	C
2453.0	36th	Fortuna	Commerce	0.28	N	4	U	15,916	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.27	D	3.24	C
2453.0	36th	Fortuna	Commerce	0.28	S	2	U	15,916	3	30	16.0	0.0	0.0	25	4.0		N	C	0.0	0	100	4.5	4.16	D	3.72	D
2455.0	Hollywood	Blanco	Aganier	0.11	E	2	U	682	2	30	13.0	0.0	0.0	0	4.0		N	C	6.5	76	100	4.0	0.47	A	1.77	B
2455.0	Hollywood	Blanco	Aganier	0.11	W	2	U	682	2	30	13.0	0.0	0.0	0	4.0		N	C	7.0	76	100	4.5	0.47	A	1.70	B
2456.0	Aganier	Hollywood	Elsmere Place	0.11	N	2	U	603	2	30	12.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	1.46	A	2.67	C
2456.0	Aganier	Hollywood	Elsmere Place	0.11	S	2	U	603	2	30	12.0	0.0	0.0	0	2.5		N	C	0.0	0	50	4.0	1.46	A	2.85	C
2456.1	Aganier	Elsmere Place	Gramercy Place	0.12	N	2	U	701	2	30	13.0	0.0	0.0	0	4.0		N	C	3.0	0	100	4.0	0.49	A	2.12	B
2456.1	Aganier	Elsmere Place	Gramercy Place	0.12	S	2	U	701	2	30	13.0	0.0	0.0	0	4.0		N	C	7.0	32	100	4.5	0.49	A	1.44	A
2456.2	Aganier	Elsmere Place	Gramercy Place	0.13	N	2	U	701	2	30	13.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	0.64	A	2.04	B
2456.2	Aganier	Elsmere Place	Gramercy Place	0.13	S	2	U	701	2	30	13.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	0.64	A	2.04	B
2457.0	Summit	Aganier	Ripley	0.10	E	2	U	3,164	2	30	15.0	0.0	0.0	0	2.0		N	C	20.5	45	100	4.0	3.77	D	1.17	A
2457.0	Summit	Aganier	Ripley	0.10	W	2	U	3,164	2	30	15.0	0.0	0.0	0	2.0		N	C	18.0	45	100	4.0	3.77	D	1.26	A
2458.0	Ripley	Summit	Woodlawn	0.40	N	2	U	2,335	2	30	15.0	0.0	0.0	25	1.5		N	C	0.0	0	0	0.0	4.91	E	2.94	C
2458.0	Ripley	Summit	Woodlawn	0.40	S	2	U	2,335	2	30	15.0	0.0	0.0	0	1.5		N	C	8.0	20	100	4.0	4.41	D	1.35	A
2458.1	Ripley	Woodlawn	French Place	0.20	N	2	U	532	2	30	13.5	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	1.32	A	2.51	C
2458.1	Ripley	Woodlawn	French Place	0.20	S	2	U	532	2	30	13.5	0.0	0.0	0	2.0		N	C	9.5	0	50	4.0	1.32	A	2.58	C
2458.2	Ripley	French Place	Ashby Place	0.06	N	2	U	532	2	30	15.0	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	0.58	A	2.08	B
2458.2	Ripley	French Place	Ashby Place	0.06	S	2	U	532	2	30	15.0	0.0	0.0	0	2.0		N	C	0.0	0	100	5.0	0.58	A	2.03	B
2459.0	Grant	Ashby Place	Cincinnati	0.07	N	2	U	2,755	2	30	16.4	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.02	B	2.97	C
2459.0	Grant	Ashby Place	Cincinnati	0.07	S	2	U	2,755	2	30	16.5	0.0	0.0	0	3.0		N	C	2.0	0	100	3.5	1.99	B	2.34	B
2460.0	Ashby Place	Grant	Aganier	0.19	E	2	U	5,591	2	30	13.0	0.0	0.0	0	3.0		N	C	8.5	16	75	4.0	3.84	D	2.20	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2460.0	Ashby Place				Grant	Aganier	0.19		W	2							U	5,591	2	30
2460.1	Ashby Place	Aganier	Flores	0.24	E	2	U	5,806	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.71	C	2.54	C
2460.1	Ashby Place	Aganier	Flores	0.24	W	2	U	5,806	2	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.50	B	2.51	C
2460.2	Ashby Place	Flores	San Pedro	0.21	E	2	U	9,550	2	30	19.0	0.0	0.0	0	3.0		N	C	0.0	0	0	6.5	3.16	C	3.94	D
2460.2	Ashby Place	Flores	San Pedro	0.21	W	2	U	9,550	2	30	19.5	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.06	C	2.97	C
2460.3	Ashby Place	San Pedro	Belknap	0.12	E	2	U	8,489	2	30	20.0	0.0	0.0	0	2.0		N	C	0.0	0	100	6.5	3.90	D	2.71	C
2460.3	Ashby Place	San Pedro	Belknap	0.12	W	2	U	8,489	2	30	19.0	0.0	0.0	0	2.0		N	C	3.5	0	100	4.0	4.10	D	2.85	C
2461.0	Belknap	Belknap	Dewey Place	0.15	N	2	U	917	2	30	17.5	0.0	0.0	100	2.0		N	C	4.0	0	100	4.0	2.56	C	1.47	A
2461.0	Belknap	Belknap	Dewey Place	0.15	S	2	U	917	2	30	17.5	0.0	0.0	100	2.0		N	C	6.0	0	100	4.0	2.56	C	1.43	A
2462.0	New Valley Hi	Ray Ellison	IH 410	0.49	E	4	U	11,769	3	30	11.5	0.0	0.0	0	5.0		N	C	3.0	0	100	4.0	3.75	D	2.80	C
2462.0	New Valley Hi	Ray Ellison	IH 410	0.49	W	4	U	11,769	3	30	11.0	0.0	0.0	0	5.0		N	C	2.0	0	100	4.0	3.81	D	2.86	C
2462.1	New Valley Hi	IH 410	Springvale	0.35	E	4	S	12,902	3	30	13.0	0.0	0.0	0	5.0		N	C	0.0	0	100	7.0	3.61	D	2.64	C
2462.1	New Valley Hi	IH 410	Springvale	0.35	W	4	S	12,902	3	30	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	4.0	3.73	D	2.96	C
2463.0	Aldrich	IH 410	Springvale	0.32	E	2	U	2,007	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.47	A	2.79	C
2463.0	Aldrich	IH 410	Springvale	0.32	W	2	U	2,007	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.47	A	2.79	C
2464.0	Springvale	Aldrich	Ithaca	0.44	N	2	U	2,007	2	30	15.5	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	1.47	A	2.15	B
2464.0	Springvale	Aldrich	Ithaca	0.44	S	2	U	2,007	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	1.47	A	2.17	B
2465.0	Five Palms	Military	Medina Base	0.84	N	2	U	13,794	3	30	13.0	0.0	0.0	0	3.0		N	S	9.0	0	25	45.0	4.48	D	4.14	D
2465.0	Five Palms	Military	Medina Base	0.84	S	2	U	13,794	3	30	12.5	0.0	0.0	0	3.0		N	S	12.0	0	25	3.0	4.54	E	4.60	E
2466.0	Medina Base	Ray Ellison	IH 410	0.63	E	2	U	16,711	3	35	21.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.37	C	4.81	E
2466.0	Medina Base	Ray Ellison	IH 410	0.63	W	2	U	16,711	3	35	19.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.77	D	4.93	E
2466.1	Medina Base	IH 410	Palm Valley	0.42	E	2	U	11,628	4	40	12.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.32	E	4.97	E
2466.1	Medina Base	IH 410	Palm Valley	0.42	W	2	U	11,628	4	40	17.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.66	E	4.60	E
2466.2	Medina Base	IH 410	Five Palms	0.98	E	2	U	14,355	4	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.49	E	5.36	E
2466.2	Medina Base	IH 410	Five Palms	0.98	W	2	U	14,355	4	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.49	E	5.36	E
2466.3	Medina Base	Five Palms	Holm	0.87	E	2	U	12,543	4	40	11.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.48	E	5.19	E
2466.3	Medina Base	Five Palms	Holm	0.87	W	2	U	12,543	4	40	11.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	5.48	E	5.19	E
2466.4	Medina Base	Holm	Old Pearsall	0.55	E	2	U	4,129	3	40	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.62	E	4.13	D
2466.4	Medina Base	Holm	Old Pearsall	0.55	W	2	U	4,129	3	40	11.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.68	E	4.18	D
2467.0	Herring/Buck	Quinatana	IH 35	1.25	N	2	U	323	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.43	A	2.98	C
2467.0	Herring/Buck	Quinatana	IH 35	1.25	S	2	U	323	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.43	A	2.98	C
2468.0	Somerset	FM 2790	Atascosa Co. Line	1.39	N	2	U	3,803	3	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.86	D	3.89	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2468.0	Somerset	FM 2790	Atascosa Co. Line	1.39	S	2	U	3,803	3	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	3.86	D	3.89	D
2469.0	Mathis	IH 37	Priest	0.07	EB	2	U	1,113	3	40	16.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.37	A	2.76	C
2469.0	Mathis	IH 37	Priest	0.07	WB	2	U	1,113	3	40	16.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.37	A	2.76	C
2470.0	Priest	Waterwood Pass	Mathis	0.06	NB	2	U	381	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.20	A	2.94	C
2470.0	Priest	Waterwood Pass	Mathis	0.06	SB	2	U	381	3	40	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.20	A	2.94	C
2471.0	Waterwood Pass	Priest	Silver Chalice	0.17	EB	2	U	4,281	3	30	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.62	D	3.81	D
2471.0	Waterwood Pass	Priest	Silver Chalice	0.17	WB	2	U	4,281	3	30	12.5	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.62	D	3.81	D
2472.0	Silver Chalice	Waterwood Pass	New Mathis	0.27	NB	2	U	1,976	3	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.38	B	3.08	C
2472.0	Silver Chalice	Waterwood Pass	New Mathis	0.27	SB	2	U	1,976	3	30	12.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.38	B	3.08	C
2473.0	New Mathis	Silver Chalice	Copper Canyon	1.59	EB	2	U	2,473	3	30	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.90	C	3.25	C
2473.0	New Mathis	Silver Chalice	Copper Canyon	1.59	WB	2	U	2,473	3	30	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.90	C	3.25	C
2474.0	Walsh	Zarzamora	Applewhite	0.44	E	2	U	865	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.25	B	3.13	C
2474.0	Walsh	Zarzamora	Applewhite	0.44	W	2	U	865	3	40	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.25	B	3.13	C
2475.0	Bitters	Broadway	Nacogdoches	0.71	NW	2	S	9,610	2	30	17.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	5.0	2.37	B	3.04	C
2475.0	Bitters	Broadway	Nacogdoches	0.71	SE	2	S	9,610	2	30	17.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	5.0	2.37	B	3.04	C
2476.0	UTSA	UTEX	IH 10	0.63	E	4	S	29,700	4	45	12.5	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.85	E	5.53	F
2476.0	UTSA	UTEX	IH 10	0.63	W	4	S	29,700	4	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.91	E	4.19	D
2476.1	UTSA	IH 10	Vance Jackson	0.49	E	4	D	7,681	3	45	11.0	0.0	0.0	0	4.0		N	C	0.0	0	25	6.0	4.06	D	4.01	D
2476.1	UTSA	IH 10	Vance Jackson	0.49	W	4	D	7,681	3	45	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	5.5	3.93	D	4.28	D
2477.0	Vance Jackson	1604	Beckwith	1.32	N	4	D	3,561	3	40	12.5	0.0	0.0	0	4.0		N	C	0.0	0	75	6.5	2.36	B	2.76	C
2477.0	Vance Jackson	1604	Beckwith	1.32	S	4	D	3,561	3	40	13.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	2.20	B	3.21	C
2478.0	Lockhill-Selma	IH 1604	De Zavala	1.38	N	4	D	11,076	3	35	12.0	0.0	0.0	0	4.0		N	C	7.0	0	100	4.0	3.97	D	2.73	C
2478.0	Lockhill-Selma	IH 1604	De Zavala	1.38	S	4	D	11,076	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	50	6.0	3.97	D	3.46	C
2479.0	Deer Crest	Huebner	Blanco (FM 2696)	1.26	N	2	U	1,330	2	30	19.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	4.5	0.00	A	2.02	B
2479.0	Deer Crest	Huebner	Blanco (FM 2696)	1.26	S	2	U	1,330	2	30	19.5	5.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	4.5	0.00	A	2.02	B
2480.0	Woodlawn	St. Cloud	Lake	0.38	E	2	U	9,390	2	35	18.0	5.0	0.0	0	4.0	3.5	Y	C	0.0	0	0	0.0	2.11	B	4.11	D
2480.0	Woodlawn	St. Cloud	Lake	0.38	W	2	U	9,390	2	35	18.0	5.0	0.0	0	4.0	3.5	Y	C	6.0	0	100	4.0	2.11	B	3.03	C
2480.1	Woodlawn	Lake	San Antonio	0.28	E	2	U	6,025	2	35	20.0	5.0	0.0	0	5.0	4.5	Y	C	4.5	0	100	4.0	1.25	A	2.62	C
2480.1	Woodlawn	Lake	San Antonio	0.28	W	2	U	6,025	2	35	20.0	5.0	0.0	0	5.0	4.5	Y	C	4.5	0	100	5.0	1.25	A	2.53	C
2480.2	Woodlawn	San Antonio	Zarzamora	0.27	E	2	U	7,428	2	35	21.5	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	3.65	D	2.83	C
2480.2	Woodlawn	San Antonio	Zarzamora	0.27	W	2	U	7,428	2	35	21.5	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	3.65	D	2.83	C
2480.3	Woodlawn	Zarzamora	IH 10	0.50	E	2	U	6,732	2	35	16.0	0.0	0.0	0	3.0		N	C	25.0	0	100	3.0	3.64	D	2.39	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2480.3	Woodlawn	Zarzamora	IH 10	0.50	W	2	U	6,732	2	35	15.5	0.0	0.0	0	3.0		N	C	15.0	0	100	4.0	3.71	D	2.54	C
2481.0	Blanco	Woodlawn	Ashby Place	0.26	N	4	U	6,822	2	35	11.0	0.0	0.0	0	3.0		N	C	1.5	96	100	2.5	3.78	D	2.91	C
2481.0	Blanco	Woodlawn	Ashby Place	0.26	S	4	U	6,822	2	35	11.5	0.0	0.0	0	3.0		N	C	3.0	96	100	3.0	3.70	D	2.67	C
2481.1	Blanco	Ashby Place	Fredericksburg	0.22	N	4	U	6,812	2	35	12.5	0.0	0.0	0	3.0		N	C	3.0	151	100	4.0	3.54	D	2.55	C
2481.1	Blanco	Ashby Place	Fredericksburg	0.22	S	4	U	6,812	2	35	11.0	0.0	0.0	0	3.0		N	C	2.5	151	100	3.0	3.78	D	2.78	C
2482.0	Flores	Ashby Place	Myrtle	0.29	N	2	U	2,654	2	30	21.0	0.0	0.0	75	5.0		N	C	0.0	0	100	7.0	1.71	B	1.63	B
2482.0	Flores	Ashby Place	Myrtle	0.29	S	2	U	2,654	2	30	20.0	0.0	0.0	0	5.0		N	C	3.5	0	100	4.0	0.27	A	2.12	B
2482.1	Flores	Myrtle	Fredericksburg	0.21	N	2	U	3,715	2	30	20.0	0.0	0.0	50	4.0		N	C	0.0	0	100	7.0	2.81	C	1.88	B
2482.1	Flores	Myrtle	Fredericksburg	0.21	S	2	U	3,715	2	30	21.5	0.0	0.0	50	4.0		N	C	0.0	0	100	7.0	2.54	C	1.86	B
2483.0	Myrtle	Flores	San Pedro	0.27	E	2	U	7,193	2	30	12.0	0.0	0.0	0	4.0		N	C	0.0	84	100	8.0	3.77	D	2.71	C
2483.0	Myrtle	Flores	San Pedro	0.27	W	2	U	7,193	2	30	21.0	0.0	0.0	75	4.0		N	C	0.0	0	100	5.5	3.58	D	2.24	B
2484.0	Old Austin	Pershing	Funston Place	0.19	N	2	U	10,611	3	25	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.20	D	4.52	E
2484.0	Old Austin	Pershing	Funston Place	0.19	S	2	U	10,611	3	25	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.20	D	4.52	E
2485.0	Funston Place	Broadway	New Braunfels	0.50	E	2	U	2,981	2	30	11.0	0.0	0.0	25	3.0		N	C	10.0	0	100	5.0	3.73	D	2.00	B
2485.0	Funston Place	Broadway	New Braunfels	0.50	W	2	U	2,981	2	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.42	C	3.55	D
2485.1	Funston Place	New Braunfels	Old Austin	0.30	E	2	U	10,611	3	30	19.0	0.0	0.0	100	3.0		N	C	10.0	0	100	4.0	4.78	E	2.49	B
2485.1	Funston Place	New Braunfels	Old Austin	0.30	W	2	U	10,611	3	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.47	D	4.63	E
2486.0	Woodlawn	McCullough	St. Mary's (N)	0.41	E	2	U	945	2	30	13.5	0.0	0.0	0	2.0		N	C	6.5	0	50	4.0	3.86	D	2.67	C
2486.0	Woodlawn	McCullough	St. Mary's (N)	0.41	W	2	U	945	2	30	13.5	0.0	0.0	0	2.0		N	C	7.0	0	75	4.5	3.86	D	2.29	B
2487.0	St. Mary's (N)	Tuleta	Mulberry	0.50	N	2	U	6,346	2	20	18.0	0.0	0.0	0	2.5		N	C	0.0	0	100	4.5	2.51	C	2.47	B
2487.0	St. Mary's (N)	Tuleta	Mulberry	0.50	S	2	U	6,346	2	20	17.5	0.0	0.0	0	2.5		N	C	0.0	0	50	6.0	2.60	C	2.90	C
2487.1	St. Mary's (N)	Mulberry	Hwy 281	0.16	N	2	U	7,013	2	30	18.0	0.0	0.0	0	3.0		N	C	5.0	0	100	3.5	3.18	C	2.70	C
2487.1	St. Mary's (N)	Mulberry	Hwy 281	0.16	S	2	U	7,013	2	30	17.5	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	3.27	C	2.74	C
2487.2	St. Mary's (N)	Hwy 281	Myrtle	0.67	N	2	U	17,021	3	30	21.0	0.0	0.0	0	3.0		N	C	5.0	0	100	5.0	3.23	C	3.68	D
2487.2	St. Mary's (N)	Hwy 281	Myrtle	0.67	S	2	U	17,021	3	30	20.5	0.0	0.0	0	3.0		N	C	2.5	0	100	6.5	3.33	C	3.66	D
2487.3	St. Mary's (N)	Myrtle	Hwy 281	0.48	N	2	U	4,859	2	30	22.0	5.0	0.0	0	4.0	4.0	N	C	0.0	0	100	5.0	0.65	A	2.32	B
2487.3	St. Mary's (N)	Myrtle	Hwy 281	0.48	S	2	U	4,859	2	30	20.0	5.5	0.0	0	4.0	4.0	N	C	0.0	0	100	5.0	1.04	A	2.39	B
2487.4	St. Mary's (N)	Hwy 281	Brooklyn	0.47	N	2	U	4,817	2	35	20.0	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	2.42	B	2.37	B
2487.4	St. Mary's (N)	Hwy 281	Brooklyn	0.47	S	2	U	4,817	2	35	20.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	2.42	B	2.43	B
2487.5	St. Mary's (N)	Brooklyn	Navarro	0.34	N	2	U	6,898	2	30	19.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	2.51	C	2.66	C
2487.5	St. Mary's (N)	Brooklyn	Navarro	0.34	S	2	U	6,898	2	30	19.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	2.51	C	2.66	C
2487.6	St. Mary's	Navarro	Houston	0.36	S	3	OW	10,611	3	30	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	9.5	4.10	D	2.62	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2487.7	St. Mary's	Houston	Nueva	0.38	S	3	OW	13,264	3	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	11.0	4.26	D	2.70	C
2488.0	St. Mary's (S)	Nueva	Durango	0.21	N	4	U	13,328	3	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	4.18	D	2.80	C
2488.0	St. Mary's (S)	Nueva	Durango	0.21	S	4	U	13,328	3	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	7.0	4.18	D	2.73	C
2488.1	St. Mary's (S)	Durango	Alamo	0.18	N	4	U	9,192	2	30	12.5	0.0	0.0	0	3.5		N	C	12.0	0	100	5.0	3.64	D	2.24	B
2488.1	St. Mary's (S)	Durango	Alamo	0.18	S	4	U	9,192	2	30	12.5	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	3.64	D	2.49	B
2488.2	St. Mary's (S)	Alamo	Pereida	0.20	N	6	U	9,010	2	30	10.5	0.0	0.0	0	3.5		N	C	0.0	0	100	7.0	3.33	C	2.31	B
2488.2	St. Mary's (S)	Alamo	Pereida	0.20	S	5	U	9,010	2	30	10.0	0.0	0.0	0	3.5		N	C	0.0	0	100	7.0	3.69	D	2.32	B
2488.3	St. Mary's (S)	Pereida	Eagleland	0.42	NB	4	U	13,264	3	30	11.0	0.0	0.0	0	4.0		N	C	2.5	0	100	5.5	4.02	D	2.75	C
2488.3	St. Mary's (S)	Pereida	Eagleland	0.42	SB	4	U	13,264	3	30	11.0	0.0	0.0	0	4.0		N	C	2.5	0	100	5.5	4.02	D	2.75	C
2488.4	St. Mary's (S)	Eagleland	"Y" intersection	0.20	N	4	U	10,941	3	30	11.0	0.0	0.0	0	4.0		N	C	2.5	0	100	5.5	3.93	D	2.62	C
2488.4	St. Mary's (S)	Eagleland	"Y" intersection	0.20	S	4	U	10,941	3	30	11.0	0.0	0.0	0	4.0		N	C	2.5	0	100	5.5	3.93	D	2.62	C
2489.0	St. Mary's/Roosevelt ("Y" West)	St. Mary's (S)	Roosevelt	0.34	NE	2	U	9,411	2	30	16.5	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	3.60	D	2.89	C
2489.0	St. Mary's/Roosevelt ("Y" West)	St. Mary's (S)	Roosevelt	0.34	SW	2	U	9,411	2	30	16.5	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	3.60	D	3.08	C
2489.1	St. Mary's/Roosevelt ("Y" East)	St. Mary's (S)	Roosevelt	0.35	E	2	U	9,411	2	30	15.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	3.50	C	3.13	C
2489.1	St. Mary's/Roosevelt ("Y" East)	St. Mary's (S)	Roosevelt	0.35	W	2	U	9,411	2	30	15.0	0.0	0.0	0	4.0		N	C	5.0	0	100	4.0	3.50	C	3.03	C
2490.0	Josephine	St. Mary's (N)	Alamo	0.74	E	2	U	7,068	2	30	23.0	12.0	7.0	0	3.0	3.0	Y	C	6.0	0	100	4.0	0.00	A	2.49	B
2490.0	Josephine	St. Mary's (N)	Alamo	0.74	W	2	U	7,068	2	30	20.5	11.5	6.0	25	3.0	3.0	Y	C	6.0	0	100	5.0	1.16	A	2.35	B
2490.1	Josephine	Alamo	Pine (.1 mile west of Pine)	0.20	E	2	U	1,593	2	30	13.5	0.0	0.0	0	2.0		N	C	0.0	0	100	5.0	2.72	C	2.20	B
2490.1	Josephine	Alamo	Pine (.1 mile west of Pine)	0.20	W	2	U	1,593	2	30	13.5	0.0	0.0	0	2.0		N	C	6.0	0	100	4.0	2.72	C	2.10	B
2490.2	Josephine	Pine (.1 mile west of Pine)	Pine	0.10	N	2	U	2,175	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.14	B	2.96	C
2490.2	Josephine	Pine (.1 mile west of Pine)	Pine	0.10	S	2	U	2,175	2	30	14.0	0.0	0.0	75	3.0		N	C	0.0	0	100	4.0	3.39	C	1.91	B
2491.0	Pine	Josephine	Grayson	0.06	N	2	U	2,123	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.08	B	2.94	C
2491.0	Pine	Josephine	Grayson	0.06	S	2	U	2,123	2	30	14.0	0.0	0.0	75	3.0		N	C	0.0	0	100	4.0	3.34	C	1.90	B
2491.1	Pine	Grayson	Carson	0.11	N	2	U	3,119	2	30	13.5	0.0	0.0	0	2.5		N	C	6.0	0	100	4.0	3.39	C	2.29	B
2491.1	Pine	Grayson	Carson	0.11	S	2	U	3,119	2	30	13.5	0.0	0.0	0	2.5		N	C	6.0	0	100	4.0	3.39	C	2.29	B
2491.2	Pine	Carson	IH 35	0.21	N	2	U	3,119	2	30	13.5	0.0	0.0	0	2.5		N	C	9.0	0	100	4.0	3.39	C	2.20	B
2491.2	Pine	Carson	IH 35	0.21	S	2	U	3,119	2	30	13.5	0.0	0.0	0	2.5		N	C	9.0	0	100	4.0	3.39	C	2.20	B
2491.3	Pine	IH 35	Duval	0.14	N	2	U	2,302	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	2.26	B	2.53	C
2491.3	Pine	IH 35	Duval	0.14	S	2	U	2,302	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	1.95	B	2.35	B
2491.4	Pine	Duval	Sherman	0.18	N	2	U	3,461	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.36	B	2.37	B
2491.4	Pine	Duval	Sherman	0.18	S	2	U	3,461	2	30	22.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	1.32	A	2.25	B
2491.5	Pine	Sherman	Burleson	0.09	N	2	U	1,593	2	30	14.0	0.0	0.0	0	3.0		N	C	7.0	0	100	4.0	1.55	B	2.07	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2491.5	Pine	Sherman	Burleson	0.09	S	2	U	1,593	2	30	14.0	0.0	0.0	0	3.0		N	C	7.0	0	100	4.0	1.55	B	2.07	B
2491.6	Pine	Burleson	Gibbs	0.75	N	2	U	1,593	2	30	14.0	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	1.55	B	2.03	B
2491.6	Pine	Burleson	Gibbs	0.75	S	2	U	1,593	2	30	14.0	0.0	0.0	0	2.5		N	C	8.0	0	100	4.0	1.91	B	2.03	B
2491.7	Pine	Gibbs	Iowa	0.68	N	2	U	1,806	2	30	20.0	0.0	0.0	0	2.5		N	C	0.0	0	100	8.0	0.00	A	1.85	B
2491.7	Pine	Gibbs	Iowa	0.68	S	2	U	1,806	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	0.00	A	2.02	B
2492.0	Austin	Josephine	Grayson	0.06	N	2	U	1,593	2	30	14.0	0.0	0.0	0	3.0		N	C	7.0	0	100	4.0	1.55	B	2.07	B
2492.0	Austin	Josephine	Grayson	0.06	S	2	U	1,593	2	30	14.0	0.0	0.0	0	3.0		N	C	7.0	0	100	4.0	1.55	B	2.07	B
2492.1	Austin	Grayson	Carson	0.11	N	2	U	2,421	2	30	15.0	0.0	0.0	0	2.5		N	C	8.0	0	25	4.0	2.45	B	3.06	C
2492.1	Austin	Grayson	Carson	0.11	S	2	U	2,421	2	30	14.5	0.0	0.0	0	2.5		N	C	8.0	0	100	4.0	2.59	C	2.12	B
2492.2	Austin	Carson	Sherman	0.58	N	2	U	2,750	2	30	19.0	0.0	0.0	25	3.0		N	C	5.0	0	50	4.0	1.82	B	2.55	C
2492.2	Austin	Carson	Sherman	0.58	S	2	U	2,750	2	30	20.0	0.0	0.0	25	3.0		N	C	2.5	0	100	4.0	1.50	A	2.02	B
2492.3	Austin	Sherman	Brooklyn	0.35	N	2	U	3,715	2	30	19.5	5.0	0.0	0	3.0		Y	C	0.0	0	100	5.0	1.23	A	2.26	B
2492.3	Austin	Sherman	Brooklyn	0.35	S	2	U	3,715	2	30	20.0	5.0	0.0	0	3.0		Y	C	0.0	0	100	5.0	1.08	A	2.25	B
2493.0	Grayson	St. Mary's	Euclid	0.23	E	2	U	1,215	2	30	13.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.12	A	2.16	B
2493.0	Grayson	St. Mary's	Euclid	0.23	W	2	U	1,215	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	1.66	B	2.21	B
2493.1	Grayson	Euclid	Hwy 281	0.32	E	4	U	2,654	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.11	B	2.26	B
2493.1	Grayson	Euclid	Hwy 281	0.32	W	4	U	2,654	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	2.11	B	2.32	B
2493.2	Grayson	Hwy 281	New Braunfels	1.02	E	4	U	5,880	2	30	9.5	0.0	0.0	25	2.0		N	C	2.0	0	100	4.0	4.91	E	2.37	B
2493.2	Grayson	Hwy 281	New Braunfels	1.02	W	4	U	5,880	2	30	9.5	0.0	0.0	25	2.0		N	C	2.0	0	50	4.0	4.91	E	3.18	C
2494.0	Avenue B	Josephine	Broadway	0.58	N	1	OW	532	2	30	25.5	11.5	0.0	0	5.0		Y	S	0.0	0	0	0.0	0.00	A	2.54	C
2495.0	Elmira	Josephine	Locust	0.12	N	2	U	1,500	2	30	22.0	0.0	0.0	0	3.0		N	C	2.5	0	100	4.5	0.00	A	1.90	B
2495.0	Elmira	Josephine	Locust	0.12	S	2	U	1,500	2	30	22.0	0.0	0.0	0	3.0		N	C	2.0	0	100	6.0	0.00	A	1.80	B
2495.1	Elmira	Locust	Schiller	0.10	N	2	U	1,500	2	30	17.5	0.0	0.0	0	3.0		N	C	5.0	0	100	4.0	err	F	2.01	B
2495.1	Elmira	Locust	Schiller	0.10	S	2	U	1,500	2	30	17.5	0.0	0.0	0	3.0		N	C	5.0	0	100	4.0	err	F	2.01	B
2495.2	Elmira	Schiller	St. Mary's (N)	0.22	E	2	U	674	2	30	16.5	0.0	0.0	0	3.0		N	C	5.0	0	25	4.0	0.00	A	2.77	C
2495.2	Elmira	Schiller	St. Mary's (N)	0.22	W	2	U	674	2	30	16.5	0.0	0.0	25	3.0		N	C	4.5	0	75	4.0	0.00	A	2.12	B
2496.0	Schiller	Elmira	Quincy	0.07	N	2	U	1,697	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.10	A	2.69	C
2496.0	Schiller	Elmira	Quincy	0.07	S	2	U	1,697	2	30	15.5	0.0	0.0	0	3.0		N	C	2.0	0	100	3.0	1.10	A	2.32	B
2497.0	Quincy	Schiller	St. Mary's (N)	0.22	E	2	U	1,432	2	30	13.0	0.0	0.0	0	2.5		N	C	0.0	0	75	4.0	2.10	B	2.60	C
2497.0	Quincy	Schiller	St. Mary's (N)	0.22	W	2	U	1,432	2	30	13.0	0.0	0.0	0	2.5		N	C	7.5	0	100	4.0	2.10	B	2.06	B
2498.0	Newell	Quincy	Hwy 281	0.25	E	4	U	9,974	2	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	4.03	D	2.76	C
2498.0	Newell	Quincy	Hwy 281	0.25	W	4	U	9,974	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	3.92	D	2.78	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2499.0	Casa Blanca	Newell	Austin	0.28	E	2	U	8,240	2	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	50	4.0	4.17	D	3.82	D
2499.0	Casa Blanca	Newell	Austin	0.28	E	2	U	8,240	2	35	13.0	0.0	0.0	0	3.0		N	C	0.0	0	50	4.0	4.17	D	3.82	D
2500.0	Callaghan	Hwy 151	Old Hwy 90	0.74	N	4	U	6,594	3	45	15.5	5.5	0.0	0	3.5	3.5	Y	C	0.0	0	25	7.0	2.18	B	3.58	D
2500.0	Callaghan	Hwy 151	Old Hwy 90	0.74	S	4	U	6,594	3	45	16.0	5.5	0.0	0	3.5	3.5	N	C	0.0	0	25	0.0	2.07	B	3.86	D
2500.1	Callaghan	Old Hwy 90	Hwy 90	0.51	N	4	U	4,112	3	40	11.0	0.0	0.0	0	3.5	3.5	N	C	0.0	0	100	4.0	3.13	C	2.75	C
2500.1	Callaghan	Old Hwy 90	Hwy 90	0.51	S	4	U	4,112	3	40	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	2.87	C	2.59	C
2501.0	Acme	Commerce	Enid	0.20	N	2	S	4,776	2	30	12.5	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	3.66	D	2.52	C
2501.0	Acme	Commerce	Enid	0.20	S	2	S	4,776	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.72	D	2.63	C
2501.1	Acme	Enid	Old Hwy 90	0.73	N	4	U	6,493	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	3.39	C	2.39	B
2501.1	Acme	Enid	Old Hwy 90	0.73	S	4	U	6,493	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	3.39	C	2.39	B
2501.2	Acme	Old Hwy 90	Growdon	0.97	N	4	S	9,920	2	30	12.0	0.0	0.0	0	3.5		N	C	4.0	0	100	4.0	3.73	D	2.63	C
2501.2	Acme	Old Hwy 90	Growdon	0.97	S	4	S	9,920	2	30	12.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	3.73	D	2.55	C
2502.0	Growdon	Morey	Acme	1.14	N	2	U	7,713	6	40	17.0	5.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.64	D	4.13	D
2502.0	Growdon	Morey	Acme	1.14	S	2	U	7,713	6	40	18.0	6.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.18	C	4.06	D
2502.1	Growdon	Acme	Frank Luke	1.06	E	2	U	6,981	3	40	17.5	6.0	0.0	0	3.0	2.0	N	S	0.0	0	0	0.0	2.49	B	4.01	D
2502.1	Growdon	Acme	Frank Luke	1.06	W	2	U	6,981	3	40	17.0	5.0	0.0	0	3.0	2.0	N	S	0.0	0	0	0.0	2.83	C	4.05	D
2502.2	Growdon	Frank Luke	Thompson	0.85	E	2	U	1,597	3	40	17.5	6.0	0.0	0	3.5	2.5	N	S	0.0	0	0	0.0	0.00	A	3.37	C
2502.2	Growdon	Frank Luke	Thompson	0.85	W	2	U	1,597	3	40	16.0	4.0	0.0	0	3.5	2.5	N	S	0.0	0	0	0.0	0.62	A	3.48	C
2503.0	Thompson	Growdon	General McMullen	0.28	E	4	U	3,648	2	30	12.0	0.0	0.0	0	3.0		N	C	12.0	0	100	5.0	2.41	B	1.91	B
2503.0	Thompson	Growdon	General McMullen	0.28	W	4	U	3,648	2	30	11.5	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	2.54	C	2.13	B
2503.1	Thompson	General McMullen	Cupples	0.52	E	4	U	8,626	2	30	11.5	0.0	0.0	0	3.0		N	C	16.0	0	100	3.0	3.90	D	2.31	B
2503.1	Thompson	General McMullen	Cupples	0.52	W	4	U	8,626	2	30	10.5	0.0	0.0	0	3.0		N	C	10.0	0	100	4.0	4.01	D	2.41	B
2504.0	36th	Castroville	Hwy 90	0.38	N	4	U	13,207	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	25	5.0	4.56	E	4.09	D
2504.0	36th	Castroville	Hwy 90	0.38	S	4	U	13,207	3	35	11.5	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	4.45	D	2.97	C
2504.1	36th	Hwy 90	Growdon	0.46	N	4	U	10,355	3	30	11.0	0.0	0.0	0	3.0		N	C	5.0	0	50	4.0	4.22	D	3.37	C
2504.1	36th	Hwy 90	Growdon	0.46	S	4	U	10,355	3	30	10.5	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	4.28	D	2.70	C
2505.0	General McMullen	RUIZ	Commerce	0.57	N	6	D	28,078	4	40	12.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.67	E	3.44	C
2505.0	General McMullen	RUIZ	Commerce	0.57	S	6	D	28,078	4	40	12.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	4.67	E	3.56	D
2505.1	General McMullen	Commerce	Castroville	1.01	N	6	S	38,419	4	40	11.0	0.0	0.0	0	4.0		N	C	5.0	0	100	4.0	4.85	E	3.85	D
2505.1	General McMullen	Commerce	Castroville	1.01	S	6	S	38,419	4	40	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	4.74	E	3.92	D
2506.0	Cupples	Castroville	Merida	0.53	N	2	U	10,611	3	35	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.36	D	3.51	D
2506.0	Cupples	Castroville	Merida	0.53	S	2	U	10,611	3	35	14.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.29	D	4.52	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2506.1	Cupples				Merida	Ceralvo	0.14		N	4							U	10,081	3	35
2506.1	Cupples	Merida	Ceralvo	0.14	S	4	U	10,081	3	35	10.5	0.0	0.0	0	4.0		N	C	7.0	0	100	4.0	4.09	D	2.72	C
2506.2	Cupples	Ceralvo	Hwy 90	0.31	N	4	U	16,743	3	35	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.40	D	3.40	C
2506.2	Cupples	Ceralvo	Hwy 90	0.31	S	4	U	16,743	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.29	D	3.35	C
2506.3	Cupples	Hwy 90	Thompson	0.55	N	4	U	22,621	4	35	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.93	E	3.40	C
2506.3	Cupples	Hwy 90	Thompson	0.55	S	4	U	22,621	4	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	5.04	E	3.73	D
2506.4	Cupples	Thompson	Frio City	0.63	N	4	U	13,661	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.57	E	3.19	C
2506.4	Cupples	Thompson	Frio City	0.63	S	4	U	13,661	3	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	25	4.0	4.57	E	4.15	D
2507.0	24th	Commerce	El Paso	0.48	N	4	U	17,252	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	75	4.0	4.49	D	3.57	D
2507.0	24th	Commerce	El Paso	0.48	S	4	U	17,252	3	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	75	4.0	4.49	D	3.57	D
2507.1	24th	El Paso	Castroville	0.27	N	2	U	3,162	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	50	7.0	1.48	A	2.58	C
2507.1	24th	El Paso	Castroville	0.27	S	2	U	3,162	2	30	21.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	1.03	A	2.08	B
2508.0	26th/El Paso	24th	Castroville	0.42	N	4	U	8,371	2	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	3.0	3.74	D	3.02	C
2508.0	26th/El Paso	24th	Castroville	0.42	S	4	U	8,371	2	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.74	D	2.63	C
2509.0	Commerce	General McMullen	26th	0.55	E	4	S	32,986	4	35	17.0	0.0	0.0	0	4.0		N	C	8.0	0	100	6.0	4.01	D	3.70	D
2509.0	Commerce	General McMullen	26th	0.55	W	4	S	32,986	4	35	17.0	0.0	0.0	0	4.0		N	C	3.0	0	100	4.0	4.01	D	4.01	D
2509.1	Commerce	26th	22nd	0.31	E	4	S	32,986	4	35	12.5	0.0	0.0	0	4.0		N	C	0.0	0	100	7.0	4.68	E	3.99	D
2509.1	Commerce	26th	22nd	0.31	W	4	S	32,986	4	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	4.80	E	4.09	D
2509.2	Commerce	22nd	Elmendorf	0.65	W	2	OW	14,325	3	35	18.0	5.5	0.0	0	3.0	3.0	Y	S	4.0	0	100	4.0	2.68	C	3.49	C
2509.3	Commerce	Elmendorf	Colorado	1.54	W	2	OW	13,018	3	35	18.5	6.0	0.0	0	3.5	3.5	Y	C	4.0	0	75	4.0	2.21	B	3.59	D
2510.0	Buena Vista	Commerce	Zarzamora	0.81	E	2	OW	18,504	3	30	18.0	6.5	0.0	0	3.5	3.5	Y	C	4.0	0	100	5.0	2.24	B	3.70	D
2510.1	Buena Vista	Zarzamora	Brazos	0.83	E	2	OW	18,504	3	35	17.0	6.5	0.0	0	3.5	3.5	Y	C	4.0	0	100	5.0	2.63	C	3.87	D
2510.2	Buena Vista	Brazos	IH 35	0.72	E	2	OW	18,504	3	35	18.5	6.5	0.0	0	3.5	3.5	Y	C	3.0	0	100	5.0	2.27	B	3.85	D
2511.0	Dolorosa	IH 35	Santa Rosa	0.20	E	5	OW	10,749	3	30	12.0	0.0	0.0	50	3.5		N	C	0.0	0	100	12.0	4.25	D	1.88	B
2511.1	Dolorosa	Santa Rosa	Main Plaza	0.30	E	4	OW	14,082	3	30	12.0	0.0	0.0	50	3.0		N	C	5.5	0	100	5.5	4.68	E	2.32	B
2512.0	Market	Main Plaza	Navarro	0.20	E	3	OW	21,874	4	30	22.0	12.0	0.0	0	3.0	2.5	N	C	4.5	15	100	7.0	0.00	A	2.60	C
2513.0	Colorado	Fredericksburg	IH 10	0.44	N	4	U	5,665	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	3.16	C	2.50	B
2513.0	Colorado	Fredericksburg	IH 10	0.44	S	4	U	5,665	2	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	3.16	C	2.50	B
2513.1	Colorado	IH 10	Commerce	0.93	N	2	U	6,645	2	30	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.79	D	2.93	C
2513.1	Colorado	IH 10	Commerce	0.93	S	2	U	6,645	2	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.85	D	3.01	C
2513.2	Colorado	Commerce	Brazos	0.35	N	4	U	5,625	2	30	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	3.32	C	2.34	B
2513.2	Colorado	Commerce	Brazos	0.35	S	4	U	5,625	2	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	3.23	C	2.55	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2514.0	Brazos	Durango	Guadalupe	0.30	N	4	U	8,489	2	30	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.00	D	2.62	C
2514.0	Brazos	Durango	Guadalupe	0.30	S	4	U	8,489	2	30	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	7.0	4.00	D	2.46	B
2514.1	Brazos	Guadalupe	Laredo	0.44	N	2	U	8,851	2	30	17.0	0.0	0.0	0	2.5		N	C	4.0	0	100	4.0	3.84	D	2.93	C
2514.1	Brazos	Guadalupe	Laredo	0.44	S	2	U	8,851	2	30	18.5	0.0	0.0	0	2.5		N	C	0.0	0	100	6.0	3.57	D	2.82	C
2514.2	Brazos	Laredo	Saltillo	0.15	N	2	U	12,733	3	30	20.0	0.0	0.0	0	3.0		N	C	5.0	0	100	4.0	3.29	C	3.27	C
2514.2	Brazos	Laredo	Saltillo	0.15	S	2	U	12,733	3	30	19.5	0.0	0.0	0	3.0		N	C	3.0	4	100	3.0	3.38	C	2.51	C
2514.3	Brazos	Saltillo	Frio City	0.20	N	2	U	10,164	3	30	18.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.46	C	3.07	C
2514.3	Brazos	Saltillo	Frio City	0.20	S	2	U	10,164	3	30	18.5	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	3.46	C	3.31	C
2515.0	Frio City	Brazos	Brady	0.59	N	4	U	9,020	2	35	10.5	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	4.52	E	4.19	D
2515.0	Frio City	Brazos	Brady	0.59	S	4	U	9,020	2	35	11.0	0.0	0.0	0	2.5		N	C	0.0	0	100	5.0	4.47	D	2.76	C
2515.1	Frio City	Brady	US Hwy 90	0.41	N	4	U	7,406	2	35	15.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	3.68	D	3.57	D
2515.1	Frio City	Brady	US Hwy 90	0.41	S	4	U	7,406	2	35	11.0	0.0	0.0	0	2.5		N	C	5.0	0	100	5.0	4.28	D	2.50	B
2515.2	Frio City	US Hwy 90	Malone	1.04	N	4	U	4,491	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.23	C	3.31	C
2515.2	Frio City	US Hwy 90	Malone	1.04	S	4	U	4,491	2	35	13.0	0.0	0.0	0	2.5		N	S	0.0	0	25	5.0	2.98	C	3.36	C
2516.0	Quintana	Hubert Harmon	Griffin	0.40	N	4	U	26,058	4	35	11.5	0.0	0.0	0	3.0		N	C	3.0	0	50	5.0	5.00	E	4.38	D
2516.0	Quintana	Hubert Harmon	Griffin	0.40	S	4	U	26,058	4	35	10.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	5.17	E	5.27	E
2516.1	Quintana	Griffin	Southcross	0.52	N	4	U	18,038	3	35	10.5	0.0	0.0	0	3.0		N	C	3.0	0	100	5.0	4.72	E	3.22	C
2516.1	Quintana	Griffin	Southcross	0.52	S	4	U	18,038	3	35	10.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	4.77	E	4.80	E
2516.2	Quintana	Southcross	Bynum	0.18	N	4	U	12,733	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	25	5.0	4.48	D	4.01	D
2516.2	Quintana	Southcross	Bynum	0.18	S	4	U	12,733	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	25	5.0	4.48	D	4.01	D
2516.3	Quintana	Bynum	Fenfield	0.50	N	2	U	1,062	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	0.30	A	2.09	B
2516.3	Quintana	Bynum	Fenfield	0.50	S	2	U	1,062	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	0.30	A	2.09	B
2516.4	Quintana	Fenfield	Military	0.27	N	2	U	700	2	30	11.0	0.0	0.0	0	2.5		N	S	0.0	0	25	4.0	1.97	B	3.23	C
2516.4	Quintana	Fenfield	Military	0.27	S	2	U	700	2	30	11.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	1.97	B	2.81	C
2517.0	Bynum	Quintana	Military	0.60	N	4	U	16,346	3	35	11.5	0.0	0.0	0	4.0		N	C	11.0	0	100	5.0	4.23	D	2.84	C
2517.0	Bynum	Quintana	Military	0.60	S	4	U	16,346	3	35	12.5	0.0	0.0	0	4.0		N	C	3.0	0	100	4.0	4.11	D	3.16	C
2518.0	Southcross	Quintana	New Laredo Hwy	0.86	E	4	U	8,165	2	30	11.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.93	D	2.60	C
2518.0	Southcross	Quintana	New Laredo Hwy	0.86	W	4	U	8,165	2	30	10.5	0.0	0.0	0	3.0		N	C	3.0	0	50	4.0	3.98	D	3.31	C
2519.0	Nogalitos	Division	Zarzamora	0.39	N	4	S	15,463	3	35	16.5	5.5	0.0	0	4.0		Y	C	0.0	0	100	6.0	2.44	B	2.89	C
2519.0	Nogalitos	Division	Zarzamora	0.39	S	4	S	15,463	3	35	17.5	5.5	0.0	0	4.0		Y	C	0.0	0	100	6.0	2.21	B	2.86	C
2520.0	Zarzamora	Nogalitos	Southcross	0.48	N	6	S	19,004	3	35	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	4.30	D	3.04	C
2520.0	Zarzamora	Nogalitos	Southcross	0.48	S	6	S	19,004	3	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.36	D	2.95	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2520.1	Zarzamora				Southcross	Mayfield	0.45		N	6							S	10,621	3	35
2520.1	Zarzamora	Southcross	Mayfield	0.45	S	6	S	10,621	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.19	D	2.66	C
2520.2	Zarzamora	Mayfield	IH 35	0.76	N	6	S	13,806	3	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	75	7.0	4.31	D	2.99	C
2520.2	Zarzamora	Mayfield	IH 35	0.76	S	6	S	13,806	3	35	13.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	4.07	D	2.71	C
2521.0	Somerset	Zarzamora	Southcross	0.57	N	4	U	6,216	2	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	3.0	3.20	C	2.87	C
2521.0	Somerset	Zarzamora	Southcross	0.57	S	4	U	6,216	2	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.20	C	2.71	C
2521.1	Somerset	Southcross	Price	0.74	N	4	U	12,042	3	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.01	D	2.91	C
2521.1	Somerset	Southcross	Price	0.74	S	4	U	12,042	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.13	D	3.07	C
2521.2	Somerset	Price	Palo Alto	0.51	N	4	U	18,727	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.29	D	3.46	C
2521.2	Somerset	Price	Palo Alto	0.51	S	4	U	18,727	3	35	11.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.29	D	3.32	C
2521.3	Somerset	Palo Alto	IH 35	1.41	N	4	U	3,747	2	35	10.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	2.98	C	2.37	B
2521.3	Somerset	Palo Alto	IH 35	1.41	S	4	U	3,747	2	35	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.73	C	2.57	C
2521.4	Somerset	IH 35	Remigio	0.41	N	2	U	424	2	35	11.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	2.39	B	2.87	C
2521.4	Somerset	IH 35	Remigio	0.41	S	2	U	424	2	35	12.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.97	B	2.76	C
2521.5	Somerset	Remigio	Cassin	1.07	E	2	U	424	2	35	10.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	2.76	C	2.98	C
2521.5	Somerset	Remigio	Cassin	1.07	W	2	U	424	2	35	12.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.97	B	2.76	C
2522.0	Palo Alto	Somerset	IH 35	0.69	N	4	S	22,282	4	40	13.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.88	E	3.64	D
2522.0	Palo Alto	Somerset	IH 35	0.69	S	4	S	22,282	4	40	13.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.81	E	3.63	D
2523.0	Gillette	Poteet Jourdanton Fwy	Zarzamora	1.06	E	4	S	7,620	2	35	14.5	0.0	0.0	0	3.0		N	C	0.0	0	100	9.0	3.58	D	2.34	B
2523.0	Gillette	Poteet Jourdanton Fwy	Zarzamora	1.06	W	4	S	7,620	2	35	14.5	0.0	0.0	0	3.0		N	C	10.0	0	100	6.0	3.58	D	2.19	B
2524.0	Villaret	Poteet Jourdanton Fwy	Zarzamora	1.12	E	2	U	508	2	30	17.5	0.0	0.0	0	3.0		N	C	0.0	0	50	4.0	0.00	A	2.51	C
2524.0	Villaret	Poteet Jourdanton Fwy	Zarzamora	1.12	W	2	U	508	2	30	17.5	0.0	0.0	0	3.0		N	S	7.0	0	25	4.0	0.00	A	2.68	C
2525.0	Hutchins Place	Zarzamora	Commercial	1.08	E	2	U	6,515	2	30	15.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.64	D	2.75	C
2525.0	Hutchins Place	Zarzamora	Commercial	1.08	W	2	U	6,515	2	30	19.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	2.96	C	2.62	C
2525.1	Hutchins Place	Commercial	Pleasanton	0.75	E	2	U	7,663	2	30	21.5	0.0	0.0	0	2.0		N	C	17.0	0	75	4.0	3.54	D	2.65	C
2525.1	Hutchins Place	Commercial	Pleasanton	0.75	W	2	U	7,663	2	30	21.5	0.0	0.0	0	2.0		N	C	6.0	0	100	4.0	3.54	D	2.61	C
2526.0	Mayfield	Zarzamora	IH 35	0.67	E	2	U	9,550	2	30	15.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	3.66	D	3.00	C
2526.0	Mayfield	Zarzamora	IH 35	0.67	W	2	U	9,550	2	30	15.0	0.0	0.0	0	3.5		N	C	3.0	0	100	5.0	3.66	D	3.00	C
2527.0	Commercial	Southcross	Military	0.80	N	4	U	11,789	3	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	4.12	D	2.94	C
2527.0	Commercial	Southcross	Military	0.80	S	4	U	11,789	3	35	11.5	0.0	0.0	0	4.0		N	C	3.0	0	100	5.0	4.06	D	2.81	C
2527.1	Commercial	Military	Hutchins	0.76	N	4	U	12,426	4	40	10.5	0.0	0.0	0	4.0		N	C	3.0	0	100	3.0	4.55	E	3.31	C
2527.1	Commercial	Military	Hutchins	0.76	S	4	U	12,426	4	40	10.5	0.0	0.0	0	4.0		N	C	3.0	0	0	4.0	4.55	E	4.55	E



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2527.2	Commercial	Hutchins	Gillette	1.06	N	4	U	4,952	3	40	11.0	0.0	0.0	0	4.0		N	C	0.0	0	25	5.0	3.25	C	3.70	D
2527.2	Commercial	Hutchins	Gillette	1.06	S	4	U	4,952	3	40	11.0	0.0	0.0	0	4.0		N	C	3.0	0	75	4.0	3.25	C	3.03	C
2527.3	Commercial	Gillette	Loop 410	0.64	N	2	U	5,437	2	30	16.5	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	2.98	C	2.56	C
2527.3	Commercial	Gillette	Loop 410	0.64	S	2	U	5,437	2	30	17.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	2.90	C	2.54	C
2528.0	Malone	Frio City	Zarzamora	0.67	E	4	U	4,204	2	35	11.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	2.84	C	2.53	C
2528.0	Malone	Frio City	Zarzamora	0.67	E	4	U	4,204	2	35	11.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	2.84	C	2.53	C
2528.1	Malone	Zarzamora	Nogalitos	0.58	E	2	OW	4,912	2	35	17.0	6.5	0.0	0	2.5	2.0	Y	C	2.0	0	100	4.0	2.29	B	2.59	C
2528.2	Malone	Nogalitos	Buffalo	0.22	E	2	OW	10,611	3	35	17.5	6.5	0.0	0	2.5	2.5	Y	C	2.0	0	100	4.0	2.77	C	3.17	C
2528.3	Malone	Buffalo	IH 35	0.44	E	2	OW	10,591	3	35	17.0	6.5	0.0	0	3.0	3.0	Y	C	3.0	0	100	4.0	2.52	C	3.15	C
2528.4	Malone	IH 35	Probandt	0.68	E	2	OW	4,893	2	35	17.0	6.5	0.0	0	2.0	2.0	Y	C	2.0	0	75	4.0	2.93	C	2.84	C
2529.0	Theo	Zarzamora	Nogalitos	0.62	W	2	OW	4,424	2	35	16.5	6.0	0.0	0	3.0	3.0	Y	C	3.0	0	100	3.0	2.12	B	2.65	C
2529.1	Theo	Nogalitos	IH 35	0.62	W	2	OW	11,047	3	35	16.5	6.5	0.0	0	3.0	3.0	Y	C	3.0	0	100	4.0	2.66	C	3.22	C
2529.2	Theo	IH 35	Probandt	0.68	W	2	OW	7,174	2	35	17.5	6.5	0.0	0	3.5	3.5	Y	C	0.0	0	100	5.0	1.83	B	2.77	C
2529.3	Theo	Probandt	Mission	0.63	E	2	u	2,318	2	30	12.5	0.0	0.0	0	3.0		Y	S	10.0	0	75	10.0	2.65	C	2.26	B
2529.3	Theo	Probandt	Mission	0.63	W	2	u	2,318	2	30	12.5	0.0	0.0	0	3.0		Y	S	0.0	0	0	10.0	2.65	C	3.57	D
2530.0	Division	Pleasanton	Flores	0.22	E	4	U	9,256	2	35	10.5	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.00	D	4.21	D
2530.0	Division	Pleasanton	Flores	0.22	W	4	U	9,256	2	35	10.5	0.0	0.0	0	3.5		N	C	4.0	0	100	4.0	4.00	D	2.77	C
2531.0	Probandt	IH 10	Flores	0.86	N	4	U	7,760	2	35	11.5	0.0	0.0	0	3.0		N	C	0.0	0	50	4.0	3.94	D	3.40	C
2531.0	Probandt	IH 10	Flores	0.86	S	4	U	7,760	2	35	11.5	0.0	0.0	0	3.0		N	C	0.0	0	75	4.0	3.94	D	3.10	C
2532.0	Mission	Roosevelt	IH 10	0.61	NE	2	U	2,846	2	30	16.0	0.0	0.0	0	2.5		N	C	0.0	0	50	4.0	2.58	C	2.86	C
2532.0	Mission	Roosevelt	IH 10	0.61	SW	2	U	2,846	2	30	16.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	2.58	C	3.02	C
2532.1	Mission	IH 10	Mitchell	0.23	N	2	U	5,944	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	100	4.0	3.17	C	2.78	C
2532.1	Mission	IH 10	Mitchell	0.23	S	2	U	5,944	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	100	3.0	3.17	C	2.93	C
2532.2	Mission	Mitchell	Isabel	0.28	N	2	D/U	2,654	2	30	18.5	6.0	0.0	0	3.5	3.5	Y	C	2.5	0	100	5.0	1.14	A	2.10	B
2532.2	Mission	Mitchell	Isabel	0.28	S	2	D/U	2,654	2	30	19.0	5.5	0.0	0	3.5	3.5	Y	C	2.5	0	100	4.0	1.14	A	2.17	B
2532.3	Mission	Isabel	Hansford	0.25	N	2	U	2,654	2	30	18.0	6.0	0.0	0	4.0	4.0	Y	C	2.5	0	100	4.0	0.07	A	2.21	B
2532.3	Mission	Isabel	Hansford	0.25	S	2	U	2,654	2	30	18.0	6.0	0.0	0	4.0	4.0	Y	C	2.5	0	100	4.0	0.07	A	2.21	B
2532.4	Mission	Hansford	Hart	0.53	N	2	U	3,820	2	30	15.0	0.0	0.0	0	4.5		N	C	11.0	0	100	10.0	2.83	C	1.91	B
2532.4	Mission	Hansford	Hart	0.53	S	2	U	3,820	2	30	15.0	0.0	0.0	0	4.5		N	C	2.5	0	100	4.0	2.83	C	2.44	B
2532.5	Mission	Hart	Southcross	0.68	N	2	U	5,721	2	30	22.0	6.0	0.0	0	2.5	2.5	Y	C	0.0	0	100	4.0	1.14	A	2.52	C
2532.5	Mission	Hart	Southcross	0.68	S	2	U	5,721	2	30	22.0	6.0	0.0	0	2.5	2.5	Y	C	0.0	0	100	4.0	1.14	A	2.52	C
2532.6	Mission	Southcross	Roosevelt	0.54	NW	2	U	5,657	2	30	18.0	6.0	0.0	0	4.0	4.0	Y	C	3.0	0	100	5.0	1.48	A	2.45	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2532.6	Mission	Southcross	Roosevelt	0.54	SE	2	U	5,657	2	30	18.0	6.0	0.0	0	4.0	4.0	Y	C	3.0	0	100	5.0	1.48	A	2.45	B
2536.7	Mission	Bonner	Military	0.51	NW	2	U	1,144	2	30	12.5	0.0	0.0	0	2.5		N	S	0.0	0	0	4.0	1.96	B	3.44	C
2536.7	Mission	Bonner	Military	0.51	SE	2	U	1,144	2	30	12.5	0.0	0.0	0	2.5		N	S	6.0	0	50	4.0	1.96	B	2.76	C
2536.8	Mission	Military	Ashley	1.43	NW	2	U	1,511	2	35	14.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.26	A	2.89	C
2536.8	Mission	Military	Ashley	1.43	SE	2	U	1,511	2	35	14.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	1.26	A	2.89	C
2537.0	Mission Pkwy	Pyron	Military	0.50	N	2	U	2,535	2	30	18.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	2.5	0.00	A	2.48	B
2537.0	Mission Pkwy	Pyron	Military	0.50	S	2	U	2,535	2	30	18.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	2.5	0.00	A	2.48	B
2537.1	Mission Pkwy	"Y" Intersection	Military	0.47	E	2	U	1,986	2	30	13.0	0.0	0.0	0	3.5		N	C	10.0	0	100	8.0	2.09	B	1.79	B
2537.1	Mission Pkwy	"Y" Intersection	Military	0.47	W	2	U	1,986	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	2.09	B	3.00	C
2537.2	Mission Pkwy	Military	San Antonio River	0.46	NW	2	U	2,408	2	30	13.0	0.0	0.0	0	3.5		N	S	15.0	0	100	11.0	2.44	B	1.65	B
2537.2	Mission Pkwy	Military	San Antonio River	0.46	SE	2	U	2,408	2	30	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.44	B	3.14	C
2537.3	Mission Pkwy	San Antonio River	Ashley	1.23	NW	2	U	2,408	2	30	13.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.85	C	3.09	C
2537.3	Mission Pkwy	San Antonio River	Ashley	1.23	SE	2	U	2,408	2	30	13.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.85	C	3.09	C
2537.4	Mission Pkwy	Ashley	Villamain	0.28	NW	2	U	1,708	3	30	12.0	0.0	0.0	0	3.0		N	S	8.0	0	25	8.0	2.47	B	3.13	C
2537.4	Mission Pkwy	Ashley	Villamain	0.28	SE	2	U	1,708	3	30	12.0	0.0	0.0	0	3.0		N	S	8.0	0	25	8.0	2.47	B	3.13	C
2538.0	Ashley	Roosevelt	Espada	1.23	E	2	U	851	2	30	9.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.65	C	3.03	C
2538.0	Ashley	Roosevelt	Espada	1.23	W	2	U	851	2	30	12.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	1.60	B	2.70	C
2538.1	Acequia	Ashley	Mission	0.24	N	2	U	1,593	3	30	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.90	B	2.83	C
2538.1	Acequia	Ashley	Mission	0.24	S	2	U	1,593	3	30	13.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	1.90	B	2.83	C
2538.2	Ashley	Mission	Graf	0.53	E	2	U	1,708	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.42	B	3.13	C
2538.2	Ashley	Mission	Graf	0.53	W	2	U	1,708	2	35	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.42	B	3.13	C
2539.0	Graf	Presa	Mission	0.14	NE	2	U	1,496	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.62	C	3.07	C
2539.0	Graf	Presa	Mission	0.14	SW	2	U	1,496	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.62	C	3.07	C
2540.0	Villamain	Ashley	Camino Coahuilteca	1.10	N	2	U	1,593	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.70	C	3.11	C
2540.0	Villamain	Ashley	Camino Coahuilteca	1.10	S	2	U	1,593	2	35	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.70	C	3.11	C
2541.0	Espada	Ashley	IH 410	0.84	N	2	U	1,137	2	30	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.13	B	2.82	C
2541.0	Espada	Ashley	IH 410	0.84	S	2	U	1,137	2	30	12.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.13	B	2.82	C
2541.1	Espada/Camino Coahuilteca	IH 410	Villamain	1.18	E	2	U	260	2	30	18.0	6.0	0.0	0	3.5	3.5	Y	S	0.0	0	100	2.0	0.00	A	2.31	B
2541.1	Espada/Camino Coahuilteca	IH 410	Villamain	1.18	W	2	U	260	2	30	18.0	6.0	0.0	0	3.5	3.5	Y	S	0.0	0	100	2.0	0.00	A	2.31	B
2542.0	VFW	Presa	Padre	0.42	E	2	U	8,161	2	30	18.0	6.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	5.0	1.67	B	2.84	C
2542.0	VFW	Presa	Padre	0.42	W	2	U	8,161	2	30	18.0	6.0	0.0	0	4.0	4.0	Y	C	2.5	0	100	5.0	1.67	B	2.76	C
2542.1	VFW	Padre	Roosevelt	0.20	E	2	U	4,664	2	30	14.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.98	D	3.72	D



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2542.1	VFW	Padre	Roosevelt	0.20	W	2	U	4,664	2	30	14.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.98	D	3.72	D
2542.2	White	Roosevelt	Mission	0.21	E	2	U	1,062	2	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	0.00	A	1.83	B
2542.2	White	Roosevelt	Mission	0.21	W	2	U	1,062	2	30	15.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.23	A	2.50	B
2543.0	Padre	VFW	Mission Pkwy	0.71	N	2	U	648	2	30	18.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	2.5	0.00	A	2.27	B
2543.0	Padre	VFW	Mission Pkwy	0.71	S	2	U	648	2	30	18.0	6.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	2.5	0.00	A	2.27	B
2544.0	Bonner	Roosevelt	Napier	0.30	E	2	U	1,931	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.37	A	2.79	C
2544.0	Bonner	Roosevelt	Napier	0.30	W	2	U	1,931	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.37	A	2.79	C
2545.0	Napier	Bonner	Mission Pkwy	0.24	E	2	U	366	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.25	A	2.51	C
2545.0	Napier	Bonner	Mission Pkwy	0.24	W	2	U	366	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.25	A	2.51	C
2546.0	Hot Wells	Presa	IH 37	1.14	E	2	U	6,022	2	35	21.0	6.0	0.0	0	3.5		N	C	7.0	0	100	5.0	1.04	A	2.44	B
2546.0	Hot Wells	Presa	IH 37	1.14	W	2	U	6,022	2	35	21.0	6.0	0.0	0	3.5		N	C	7.0	0	100	5.0	1.04	A	2.44	B
2546.1	Hot Wells	IH 37	Goliad	0.51	E	3	U	11,013	3	35	12.0	0.0	0.0	0	2.5		N	C	20.0	0	25	6.0	4.66	E	3.67	D
2546.1	Hot Wells	IH 37	Goliad	0.51	W	3	U	11,013	3	35	16.0	0.0	0.0	0	2.5		N	C	10.0	0	50	4.0	4.10	D	3.16	C
2547.0	Roosevelt	Mitchell	Benita	0.17	N	4	U	15,916	3	35	10.5	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	4.65	E	3.24	C
2547.0	Roosevelt	Mitchell	Benita	0.17	S	4	U	15,916	3	35	10.5	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	4.65	E	3.24	C
2547.1	Roosevelt	Benita	McDonald	0.54	N	4	U	14,417	3	35	10.5	0.0	0.0	0	3.0		N	C	2.0	0	75	4.0	4.60	E	3.49	C
2547.1	Roosevelt	Benita	McDonald	0.54	S	4	U	14,417	3	35	10.5	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	4.60	E	3.15	C
2548.0	Clark	Hammond	Rigsby	0.07	N	2	U	856	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	100	6.0	0.00	A	1.98	B
2548.0	Clark	Hammond	Rigsby	0.07	S	2	U	856	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	0.00	A	2.47	B
2548.1	Clark	Rigsby	Kashmuir	1.14	N	2	U	8,594	2	30	22.0	0.0	0.0	0	4.0		N	C	0.0	0	75	4.0	2.16	B	3.06	C
2548.1	Clark	Rigsby	Kashmuir	1.14	S	2	U	8,594	2	30	22.0	0.0	0.0	0	4.0		N	C	0.0	0	75	4.0	2.16	B	3.06	C
2548.2	Clark	Kashmuir	Goliad	0.44				5,306	2									C					Constr.	Constr.	Constr.	Constr.
2548.2	Clark	Kashmuir	Goliad	0.44				5,306	2									C					Constr.	Constr.	Constr.	Constr.
2549.0	Pecan Valley	IH 10	Roland	1.07	N	4	S	5,536	2	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.87	D	2.56	C
2549.0	Pecan Valley	IH 10	Roland	1.07	S	4	S	5,536	2	35	11.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.87	D	2.56	C
2550.0	Lowell	Roosevelt	Presa	0.19	E	2	U	1,093	2	30	12.0	0.0	0.0	0	2.5		N	S	6.0	0	75	4.0	2.07	B	2.44	B
2550.0	Lowell	Roosevelt	Presa	0.19	W	2	U	1,093	2	30	12.0	0.0	0.0	0	2.5		N	S	8.0	0	100	4.0	2.07	B	2.03	B
2551.0	Drexel	Presa	Yorkshire	0.29	E	2	U	2,335	2	30	12.5	0.0	0.0	0	3.0		N	C	1.0	0	100	4.0	2.69	C	2.40	B
2551.0	Drexel	Presa	Yorkshire	0.29	W	2	U	2,335	2	30	12.5	0.0	0.0	0	3.0		N	C	1.0	0	100	4.0	2.69	C	2.40	B
2551.1	Drexel	Yorkshire	Hackberry	0.27	E	2	U	2,335	2	30	12.5	0.0	0.0	0	3.0		N	S	3.0	0	25	4.0	2.69	C	3.27	C
2551.1	Drexel	Yorkshire	Hackberry	0.27	W	2	U	2,335	2	30	12.5	0.0	0.0	0	3.0		N	S	3.0	0	75	4.0	2.69	C	2.64	C
2552.0	Olive	Hammond	Rigsby	0.07	N	2	U	761	2	30	16.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.36	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2552.0	Olive	Hammond	Rigsby	0.07	S	2	U	761	2	30	16.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	0.00	A	2.03	B
2553.0	Hammond	Olive	New Braunfels	0.62	E	2	U	801	2	30	20.0	0.0	0.0	25	2.5		N	C	4.0	75	75	4.0	0.00	A	1.93	B
2553.0	Hammond	Olive	New Braunfels	0.62	W	2	U	801	2	30	20.0	0.0	0.0	25	2.5		N	C	4.0	75	100	4.0	0.00	A	1.63	B
2553.1	Hammond	New Braunfels	Clark	0.78	E	2	U	870	2	30	15.0	0.0	0.0	0	3.0		N	C	10.0	0	100	3.5	0.16	A	1.90	B
2553.1	Hammond	New Braunfels	Clark	0.78	W	2	U	870	2	30	15.0	0.0	0.0	0	3.0		N	C	10.0	0	100	3.5	0.16	A	1.90	B
2554.0	Walters	Rigsby	Schley	0.36	N	2	U	1,675	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	0.84	A	2.72	C
2554.0	Walters	Rigsby	Schley	0.36	S	2	U	1,675	2	30	15.0	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	0.84	A	2.72	C
2554.1	Walters	Schley	Fair	0.63	N	2	U	1,675	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.10	A	2.72	C
2554.1	Walters	Schley	Fair	0.63	S	2	U	1,675	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.10	A	2.72	C
2555.0	Laredo	Fredericksburg	IH 10	0.21	N	2	U	9,159	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	100	8.0	3.96	D	2.88	C
2555.0	Laredo	Fredericksburg	IH 10	0.21	S	2	U	9,159	2	30	23.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.5	2.30	B	2.71	C
2556.0	Frio	IH 10	Ruiz	0.30	N	2	D	13,072	3	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.5	4.25	D	3.58	D
2556.0	Frio	IH 10	Ruiz	0.30	S	2	D	13,072	3	30	11.5	0.0	0.0	0	4.0		N	C	3.0	125	100	4.0	4.31	D	3.59	D
2556.1	Frio	Ruiz	Martin	0.37	N	4	D	11,172	3	30	12.0	0.0	0.0	0	3.0		N	C	3.0	0	100	5.0	4.15	D	2.64	C
2556.1	Frio	Ruiz	Martin	0.37	S	4	D	11,172	3	30	12.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	4.15	D	2.75	C
2556.2	Frio	Martin	Commerce	0.27	N	4	D	13,973	3	30	12.0	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	4.26	D	2.92	C
2556.2	Frio	Martin	Commerce	0.27	S	4	D	13,973	3	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	6.5	4.32	D	2.79	C
2556.3	Frio	Commerce	Buena Vista	0.07	N	4	S	12,891	3	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	4.01	D	2.93	C
2556.3	Frio	Commerce	Buena Vista	0.07	S	4	S	12,891	3	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	4.01	D	2.99	C
2556.4	Frio	Buena Vista	Alamo	0.71	N	4	S	22,315	4	35	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.81	E	3.50	C
2556.4	Frio	Buena Vista	Alamo	0.71	S	4	S	22,315	4	35	12.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	4.81	E	3.50	C
2557.0	Medina	Martin	Buena Vista	0.34	N	2	U	1,589	2	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.5	0.00	A	1.86	B
2557.0	Medina	Martin	Buena Vista	0.34	S	2	U	1,589	2	30	22.0	0.0	0.0	25	3.0		N	C	0.0	0	100	5.0	0.00	A	1.81	B
2558.0	Martin	Medina	Flores	0.61	E	6	D	16,002	3	30	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	13.0	3.64	D	2.22	B
2558.0	Martin	Medina	Flores	0.61	W	6	D	16,002	3	30	12.5	0.0	0.0	0	5.0		N	C	0.0	0	100	12.0	3.58	D	2.28	B
2559.0	Main	San Pedro	Travis	0.41	S	2	OW	3,558	2	30	24.0	11.0	0.0	50	4.0	4.0	N	C	0.0	0	100	12.0	0.00	A	1.57	B
2559.1	Main	Travis	Nueva	0.35			OW	14,325	3								N	C	0.0	0	100	6.5	Constr.	Constr.	Constr.	Constr.
2559.2	Main	Nueva	Durango	0.21	S	3	OW	5,201	2	30	10.0	0.0	0.0	25	3.0		N	C	0.0	0	100	7.5	4.10	D	2.16	B
2560.0	Navarro	Market	Nueva	0.17	N	2	OW	4,194	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	50	3.5	3.76	D	3.26	C
2560.1	Navarro	Martin	Market	0.40	N	2	OW	10,843	3	30	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	11.0	4.32	D	2.94	C
2560.2	Navarro	St. Mary's	Martin	0.18	N	2	OW	4,525	2	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	9.0	3.48	C	2.31	B
2560.3	Navarro	Main	Augusta	0.24	NW	2	OW	4,194	2	30	10.0	0.0	0.0	0	3.5		N	C	0.0	0	100	7.5	3.81	D	2.38	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2561.0	Guadalupe	Frio	IH 35	0.17	E	4	U	21,018	4	30	10.5	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.65	E	3.37	C
2561.0	Guadalupe	Frio	IH 35	0.17	W	4	U	21,018	4	30	10.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	4.70	E	3.39	C
2561.1	Guadalupe	IH 35	Flores	0.24	E	2	U	7,238	2	30	17.0	0.0	0.0	0	2.5		N	C	4.0	0	75	4.0	3.74	D	3.01	C
2561.1	Guadalupe	IH 35	Flores	0.24	W	2	U	7,238	2	30	16.5	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	3.82	D	3.83	D
2562.0	Alamo	Flores	Probandt	0.27	E	4	S	10,685	3	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	3.0	3.82	D	2.94	C
2562.0	Alamo	Flores	Probandt	0.27	W	4	S	10,685	3	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	3.82	D	2.72	C
2562.1	Alamo	Probandt	Adams	0.29	E	4	U	9,020	2	30	10.0	0.0	0.0	0	3.0		N	C	3.5	0	100	4.0	4.08	D	2.66	C
2562.1	Alamo	Probandt	Adams	0.29	W	4	U	9,020	2	30	10.0	0.0	0.0	0	3.0		N	C	2.5	0	100	4.0	4.08	D	2.70	C
2562.2	Alamo	Adams	St. Mary's (S)	0.31	E	4	U	6,096	2	30	17.0	0.0	0.0	0	3.5		N	C	2.5	30	100	4.0	2.00	B	2.06	B
2562.2	Alamo	Adams	St. Mary's (S)	0.31	W	4	U	6,096	2	30	15.0	0.0	0.0	0	3.5		N	C	2.5	30	100	4.0	2.48	B	2.12	B
2563.0	Guenther	Alamo	Barbf	0.11	N	2	U	1,593	2	30	15.0	0.0	0.0	0	4.5		N	C	4.5	25	100	4.0	0.75	A	1.68	B
2563.0	Guenther	Alamo	Barbf	0.11	S	2	U	1,593	2	30	15.0	0.0	0.0	0	4.5		N	C	4.5	25	100	4.0	0.75	A	1.68	B
2563.1	Guenther	Barbf	Eagleland	0.37	N	2	U	1,593	2	30	15.0	0.0	0.0	0	4.0		N	C	7.0	0	100	4.0	0.85	A	2.03	B
2563.1	Guenther	Barbf	Eagleland	0.37	S	2	U	1,593	2	30	15.0	0.0	0.0	0	4.0		N	C	7.0	0	100	4.0	0.85	A	2.03	B
2564.0	Eagleland	Guenther	St. Mary's (S)	0.25	E	4	U	3,098	2	30	14.5	0.0	0.0	0	2.5		N	C	0.0	0	100	6.0	1.68	B	2.08	B
2564.0	Eagleland	Guenther	St. Mary's (S)	0.25	W	4	U	3,098	2	30	14.5	0.0	0.0	0	2.5		N	C	5.0	0	25	4.0	1.68	B	3.02	C
2565.0	Florida	Presa	IH 37	0.43	W	1	OW	6,909	2	30	24.0	12.0	7.0	0	4.5	4.5	Y	C	1.0	0	100	4.0	0.00	A	3.22	C
2566.0	Houston	Flores	3rd	0.59	E	2	U	7,491	2	30	12.0	0.0	0.0	0	3.0		N	C	12.0	20	100	9.0	4.11	D	1.57	B
2566.0	Houston	Flores	3rd	0.59	W	2	U	7,491	2	30	12.0	0.0	0.0	0	3.0		N	C	9.0	20	100	10.0	4.11	D	1.76	B
2567.0	Presa	Houston	Crockett	0.10	N	2	U	2,515	2	30	12.0	0.0	0.0	0	3.0		N	C	12.5	15	100	8.0	2.93	C	0.81	A
2567.0	Presa	Houston	Crockett	0.10	S	2	U	2,515	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	11	100	6.0	2.93	C	2.26	B
2567.1	Presa	Crockett	Commerce	0.07	N	2	U	7,428	2	30	11.0	0.0	0.0	0	3.0		N	C	7.5	0	100	8.0	4.23	D	2.56	C
2567.1	Presa	Crockett	Commerce	0.07	S	2	U	7,428	2	30	11.0	0.0	0.0	0	3.0		N	C	8.5	0	100	9.0	4.23	D	2.51	C
2567.2	Presa	Commerce	Arciniega	0.31	N	2	U	2,451	2	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.99	C	2.43	B
2567.2	Presa	Commerce	Arciniega	0.31	S	2	U	2,451	2	30	11.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.5	2.99	C	2.32	B
2567.3	Presa	Arciniega	Durango	0.09	N	2	U	2,123	2	30	14.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	1.93	B	2.28	B
2567.3	Presa	Arciniega	Durango	0.09	S	2	U	2,123	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	100	5.5	1.60	B	2.16	B
2568.0	Camden	Newell	St. Mary's (N)	0.21	E	4	U	1,995	2	30	10.0	0.0	0.0	30	3.5		N	C	3.5	0	100	4.0	2.58	C	2.03	B
2568.0	Camden	Newell	St. Mary's (N)	0.21	W	4	U	1,995	2	30	10.0	0.0	0.0	30	3.5		N	C	3.0	0	100	4.0	2.58	C	2.06	B
2569.0	Jaones	Camden	Avenue B	0.33	E	2	U	1,995	2	30	19.0	0.0	0.0	0	3.5		N	C	3.0	0	100	4.0	0.00	A	2.08	B
2569.0	Jaones	Camden	Avenue B	0.33	W	2	U	1,995	2	30	19.0	0.0	0.0	0	3.5		N	C	2.0	0	75	4.0	0.00	A	2.34	B
2569.1	Jaones	Avenue B	Austin	0.22	E	2	U	3,938	2	30	28.5	0.0	0.0	25	3.0		N	C	8.0	0	100	5.0	1.03	A	1.77	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2569.1	Jaones	Avenue B	Austin	0.22	W	2	U	3,938	2	30	20.0	0.0	0.0	25	3.0		N	C	8.0	0	100	4.0	2.93	C	2.02	B
2570.0	McCullough	Augusta	St. Mary's (N)	0.07	E	2	U	8,489	2	30	17.5	0.0	0.0	0	3.5		N	C	1.5	0	100	4.0	3.20	C	2.96	C
2570.0	McCullough	Augusta	St. Mary's (N)	0.07	W	2	U	8,489	2	30	19.0	0.0	0.0	0	3.5		N	C	4.0	0	100	4.0	2.93	C	2.83	C
2570.1	McCullough	St. Mary's (N)	Avenue A	0.12	E	4	U	9,920	2	30	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	3.80	D	2.63	C
2570.1	McCullough	St. Mary's (N)	Avenue A	0.12	W	4	U	9,920	2	30	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	3.80	D	2.73	C
2570.2	McCullough	Avenue A	Avenue E	0.30	E	4	U	4,859	2	30	12.0	0.0	0.0	25	3.0		N	C	7.5	0	100	4.0	3.26	C	2.06	B
2570.2	McCullough	Avenue A	Avenue E	0.30	W	4	U	4,859	2	30	12.0	0.0	0.0	25	3.0		N	C	7.5	0	100	4.0	3.26	C	2.06	B
2570.3	McCullough	Avenue E	Bonham	0.11	E	4	U	3,501	2	30	12.0	0.0	0.0	0	3.5		N	C	6.0	0	100	4.0	2.18	B	2.17	B
2570.3	McCullough	Avenue E	Bonham	0.11	W	4	U	3,501	2	30	11.5	0.0	0.0	0	3.5		N	C	12.0	0	75	4.0	2.31	B	2.41	B
2571.0	Brooklyn	Broadway	Alamo	0.07	E	2	U	3,212	2	30	20.5	0.0	0.0	25	3.0		N	C	3.0	0	100	4.0	1.99	B	2.05	B
2571.0	Brooklyn	Broadway	Alamo	0.07	W	2	U	3,212	2	30	20.0	0.0	0.0	0	3.0		N	C	3.0	0	100	5.0	1.55	B	2.10	B
2571.1	Brooklyn	Alamo	IH 37	0.13	E	2	U	5,082	2	30	21.0	0.0	0.0	25	3.0		N	C	3.5	0	100	4.0	2.93	C	2.24	B
2571.1	Brooklyn	Alamo	IH 37	0.13	W	2	U	5,082	2	30	20.5	0.0	0.0	25	3.0		N	C	2.0	0	100	3.5	3.02	C	2.35	B
2571.2	Brooklyn	IH 37	Burnet	0.11	E	2	U	5,082	2	30	19.5	0.0	0.0	0	2.0		N	C	0.0	0	50	4.0	3.74	D	2.95	C
2571.2	Brooklyn	IH 37	Burnet	0.11	W	2	U	5,082	2	30	19.5	0.0	0.0	0	2.0		N	C	3.0	0	50	4.0	3.74	D	2.90	C
2572.0	Avenue E	Brooklyn	6th	0.07	N	2	U	626	2	30	23.0	12.0	7.0	0	3.0	3.0	Y	C	9.0	0	100	4.0	0.00	A	1.64	B
2572.0	Avenue E	Brooklyn	6th	0.07	S	2	U	626	2	30	23.5	12.5	7.0	75	3.0	3.0	Y	C	9.5	0	100	4.0	0.00	A	1.31	A
2572.1	Avenue E	6th	3rd	0.22	N	2	U	626	2	30	27.0	15.0	9.0	50	3.0	2.0	Y	C	0.0	0	100	5.0	0.00	A	1.46	A
2572.1	Avenue E	6th	3rd	0.22	S	2	U	626	2	30	27.0	15.0	9.0	0	3.0	2.0	Y	C	7.0	0	100	4.0	0.00	A	1.61	B
2573.0	Duval	Austin	Hackberry	0.15	E	2	U	2,123	2	15	9.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.23	C	3.15	C
2573.0	Duval	Austin	Hackberry	0.15	W	2	U	2,123	2	15	9.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.23	C	3.15	C
2573.1	Duval	Hackberry	Pine	0.18	E	2	U	1,062	2	15	7.0	0.0	0.0	0	1.0		N	S	0.0	0	0	0.0	8.43	F	3.21	C
2573.1	Duval	Hackberry	Pine	0.18	W	2	U	1,062	2	15	7.0	0.0	0.0	0	1.0		N	S	0.0	0	0	0.0	8.43	F	3.21	C
2574.0	Sherman	Hackberry	New Braunfels	0.74	E	2	U	1,126	2	30	14.5	0.0	0.0	0	2.0		N	S	2.0	0	75	4.0	1.78	B	2.43	B
2574.0	Sherman	Hackberry	New Braunfels	0.74	W	2	U	1,126	2	30	14.5	0.0	0.0	0	2.0		N	S	8.0	0	25	4.0	1.78	B	2.94	C
2574.1	Sherman	New Braunfels	Edgar	0.54	E	2	U	1,121	2	30	15.0	0.0	0.0	50	4.0		N	C	0.0	0	100	5.0	1.40	A	1.80	B
2574.1	Sherman	New Braunfels	Edgar	0.54	W	2	U	1,121	2	30	15.0	0.0	0.0	50	4.0		N	S	0.0	0	0	0.0	1.40	A	2.55	C
2575.0	Edgar/Larry	Sherman	Larry	0.16	E	2	U	319	2	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	0.00	A	2.00	B
2575.0	Edgar/Larry	Sherman	Larry	0.16	W	2	U	319	2	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	0.00	A	2.00	B
2576.0	Larry	Edgar/Larry	Rio Grande	0.21	E	2	U	319	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	0.00	A	2.00	B
2576.0	Larry	Edgar/Larry	Rio Grande	0.21	W	2	U	319	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	0.00	A	2.00	B
2577.0	Rio Grande	Larry	Hays	0.16	N	2	U	1,151	2	35	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.54	A	2.34	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2577.0	Rio Grande	Larry	Hays	0.16	S	2	U	1,151	2	35	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.54	A	2.34	B
2578.0	Onslow	Rio Grande	Hays	0.27	NW	2	U	479	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.00	A	2.13	B
2578.0	Onslow	Rio Grande	Hays	0.27	SE	2	U	479	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.00	A	2.13	B
2578.1	Onslow	Hays	Gorman	0.21	N	2	U	1,141	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.00	A	2.10	B
2578.1	Onslow	Hays	Gorman	0.21	S	2	U	1,141	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.00	A	2.10	B
2578.2	Onslow	Gorman	Houston	0.15	N	2	U	1,137	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.41	A	2.55	C
2578.2	Onslow	Gorman	Houston	0.15	S	2	U	1,137	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.41	A	2.21	B
2579.0	Hays	Austin	Hays Bridge	0.13	E	2	U	25	2	30	11.0	0.0	0.0	0	1.5		N	S	0.0	0	0	0.0	2.52	C	2.61	C
2579.0	Hays	Austin	Hays Bridge	0.13	W	2	U	25	2	30	11.0	0.0	0.0	0	1.5		N	S	0.0	0	0	0.0	2.52	C	2.61	C
2579.1	Hays	Hays Bridge	Olive	0.23	E	2	U	1,268	2	30	18.0	0.0	0.0	0	2.0		N	C	3.0	0	100	4.0	0.35	A	2.03	B
2579.1	Hays	Hays Bridge	Olive	0.23	W	2	U	1,268	2	30	18.0	0.0	0.0	0	2.0		N	C	5.0	0	50	4.5	0.35	A	2.47	B
2579.2	Hays	Olive	Palmetto	0.37	E	2	U	2,654	2	30	13.5	0.0	0.0	0	2.0		N	C	4.5	0	100	4.0	3.69	D	2.28	B
2579.2	Hays	Olive	Palmetto	0.37	W	2	U	2,654	2	30	13.5	0.0	0.0	0	2.0		N	C	8.5	0	100	4.0	3.69	D	2.16	B
2579.3	Hays	Palmetto	New Braunfels	0.28	E	2	U	1,571	2	30	15.5	0.0	0.0	0	3.0		N	C	7.0	0	100	4.0	0.95	A	2.02	B
2579.3	Hays	Palmetto	New Braunfels	0.28	W	2	U	1,571	2	30	15.5	0.0	0.0	0	3.0		N	C	7.5	0	100	4.0	0.95	A	2.01	B
2579.4	Hays	New Braunfels	Mittman	0.37	E	2	U	2,654	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	2.68	C	3.04	C
2579.4	Hays	New Braunfels	Mittman	0.37	W	2	U	2,654	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	2.68	C	3.04	C
2579.5	Hays	Mittman	Walters	0.16	E	2	U	1,593	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.17	A	2.69	C
2579.5	Hays	Mittman	Walters	0.16	W	2	U	1,593	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.17	A	2.69	C
2579.6	Hays	Walters	Onslow	0.50	E	2	U	2,654	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.32	B	3.04	C
2579.6	Hays	Walters	Onslow	0.50	W	2	U	2,654	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.32	B	3.04	C
2580.0	Burleson	Austin	Cherry	0.14	E	2	U	944	2	30	17.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	0.27	A	2.34	B
2580.0	Burleson	Austin	Cherry	0.14	W	2	U	944	2	30	17.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	0.27	A	2.34	B
2580.1	Burleson	Cherry	Pine	0.36	E	2	U	944	2	30	17.5	0.0	0.0	0	2.0		N	C	3.5	0	100	3.0	0.00	A	2.11	B
2580.1	Burleson	Cherry	Pine	0.36	W	2	U	944	2	30	17.5	0.0	0.0	0	2.0		N	C	3.0	0	100	3.0	0.00	A	2.12	B
2581.0	Lamar	Austin	Hackberry	0.37	E	2	U	933	2	30	13.0	0.0	0.0	0	1.5		N	C	6.5	0	100	4.0	3.53	D	2.02	B
2581.0	Lamar	Austin	Hackberry	0.37	W	2	U	933	2	30	13.0	0.0	0.0	0	1.5		N	C	6.0	0	75	4.0	3.53	D	2.38	B
2581.1	Lamar	Hackberry	Muncey	0.36	E	2	U	933	2	30	14.0	0.0	0.0	0	2.0		N	C	14.0	0	100	4.0	1.72	B	1.79	B
2581.1	Lamar	Hackberry	Muncey	0.36	W	2	U	933	2	30	14.0	0.0	0.0	0	2.0		N	C	13.0	0	100	4.0	1.72	B	1.81	B
2582.0	Burnet	Brooklyn	Hackberry	0.39	E	2	U	785	2	30	16.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	0.00	A	1.97	B
2582.0	Burnet	Brooklyn	Hackberry	0.39	W	2	U	785	2	30	18.0	0.0	0.0	0	3.5		N	C	5.0	0	100	4.0	0.00	A	1.91	B
2582.1	Burnet	Hackberry	Pine	0.18	E	2	U	785	2	30	13.5	0.0	0.0	0	2.0		N	C	8.0	0	100	4.0	1.70	B	1.94	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2582.1	Burnet	Hackberry	Pine	0.18	W	2	U	785	2	30	13.5	0.0	0.0	0	2.0		N	C	9.0	0	75	4.0	1.70	B	2.27	B
2582.2	Burnet	Pine	Muncey	0.18	E	2	U	785	2	30	18.0	0.0	0.0	0	2.0		N	C	5.0	0	100	4.0	0.00	A	1.91	B
2582.2	Burnet	Pine	Muncey	0.18	W	2	U	785	2	30	18.0	0.0	0.0	0	2.0		N	C	6.5	0	100	4.0	0.00	A	1.86	B
2583.0	Chestnut	Austin	Houston	0.45	N	2	U	1,418	2	30	12.0	0.0	0.0	0	2.0		N	C	0.0	0	75	5.0	3.06	C	2.56	C
2583.0	Chestnut	Austin	Houston	0.45	S	2	U	1,418	2	30	12.0	0.0	0.0	0	2.0		N	C	0.0	0	75	5.0	3.06	C	2.56	C
2583.1	Chestnut	Houston	Commerce	0.22	N	2	U	2,058	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	75	6.5	0.00	A	2.20	B
2583.1	Chestnut	Houston	Commerce	0.22	S	2	U	2,058	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	0.00	A	1.98	B
2584.0	Cherry	Burleson	Nolan	0.35	N	2	U	533	2	30	18.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	0.00	A	2.12	B
2584.0	Cherry	Burleson	Nolan	0.35	S	2	U	533	2	30	18.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	0.00	A	2.12	B
2585.0	Mesquite	Lamar	Burnet	0.17	N	2	U	258	2	30	15.0	0.0	0.0	0	2.5		N	C	7.0	0	25	4.0	0.00	A	2.80	C
2585.0	Mesquite	Lamar	Burnet	0.17	N	2	U	258	2	30	15.0	0.0	0.0	0	2.5		N	C	7.0	0	25	4.0	0.00	A	2.80	C
2586.0	Olive	Sherman	Burleson	0.09	N	2	U	74	2	30	13.0	0.0	0.0	0	5.0		N	S	6.0	0	50	4.0	0.00	A	2.61	C
2586.0	Olive	Sherman	Burleson	0.09	S	2	U	74	2	30	13.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	0.00	A	2.43	B
2586.1	Olive	Burleson	Lamar	0.09	N	2	U	1,476	2	30	17.0	0.0	0.0	0	5.0		N	C	5.0	0	75	4.0	0.00	A	2.29	B
2586.1	Olive	Burleson	Lamar	0.09	S	2	U	1,476	2	30	17.0	0.0	0.0	0	5.0		N	C	0.0	0	75	4.5	0.00	A	2.36	B
2586.2	Olive	Lamar	Hays	0.09	N	2	U	1,476	2	30	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	0.52	A	2.65	C
2586.2	Olive	Lamar	Hays	0.09	S	2	U	1,476	2	30	15.0	0.0	0.0	0	5.0		N	S	8.0	0	100	3.5	0.52	A	2.04	B
2586.3	Olive	Hays	Center	0.53	N	2	U	1,476	2	30	14.0	0.0	0.0	0	5.0		N	C	6.0	0	75	4.0	0.92	A	2.39	B
2586.3	Olive	Hays	Center	0.53	S	2	U	1,476	2	30	14.0	0.0	0.0	0	5.0		N	C	8.0	0	75	4.0	0.92	A	2.34	B
2587.0	Muncey	Lamar	Nolan	0.27	N	2	U	107	2	30	14.0	0.0	0.0	0	2.0		N	C	9.0	0	100	4.5	0.00	A	1.78	B
2587.0	Muncey	Lamar	Nolan	0.27	S	2	U	107	2	30	14.0	0.0	0.0	0	2.0		N	C	9.0	0	100	4.5	0.00	A	1.78	B
2588.0	Nolan	Bonham	Cherry	0.37	E	4	U	6,790	2	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.31	C	2.57	C
2588.0	Nolan	Bonham	Cherry	0.37	W	4	U	6,790	2	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.5	3.31	C	2.57	C
2588.1	Nolan	Cherry	Pine	0.36	E	2	U	2,654	2	30	19.5	0.0	0.0	0	4.0		N	C	3.0	0	100	4.0	0.58	A	2.15	B
2588.1	Nolan	Cherry	Pine	0.36	W	2	U	2,654	2	30	20.0	0.0	0.0	0	4.0		N	C	2.5	0	100	4.0	0.43	A	2.15	B
2588.2	Nolan	Pine	New Braunfels	0.56	E	2	U	3,278	2	30	18.0	0.0	0.0	0	3.0		N	C	4.5	0	100	4.0	2.17	B	2.22	B
2588.2	Nolan	Pine	New Braunfels	0.56	W	2	U	3,278	2	30	18.0	0.0	0.0	0	3.0		N	C	3.5	0	100	4.0	2.17	B	2.24	B
2589.0	Crockett	Olive	Monumental	0.22	E	2	U	689	2	30	14.0	0.0	0.0	0	3.0		N	C	8.5	0	100	4.0	0.35	A	1.91	B
2589.0	Crockett	Olive	Monumental	0.22	W	2	U	689	2	30	14.0	0.0	0.0	0	3.0		N	C	6.0	0	100	4.0	0.35	A	1.98	B
2590.0	Center	Chestnut	Cherry	0.23	E	2	U	2,123	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.72	A	2.22	B
2590.0	Center	Chestnut	Cherry	0.23	w	2	u	2,123	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.72	A	2.22	B
2590.1	Center	Cherry	Pine	0.36	E	2	U	615	2	30	13.5	0.0	0.0	0	3.0		N	C	8.5	0	100	4.0	0.47	A	1.91	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2590.1	Center	Cherry	Pine	0.36	W	2	U	615	2	30	13.5	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	0.47	A	1.93	B
2591.0	Monumental	Center	Montana	0.36	N	2	U	474	2	30	17.5	0.0	0.0	0	2.5		N	S	0.0	0	25	4.0	0.00	A	2.72	C
2591.0	Monumental	Center	Montana	0.36	S	2	U	474	2	30	17.5	0.0	0.0	0	2.5		N	S	0.0	0	25	4.5	0.00	A	2.71	C
2592.0	Potomac	Monumental	Palmetto	0.16	E	2	U	484	2	30	13.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.44	A	2.55	C
2592.0	Potomac	Monumental	Palmetto	0.16	W	2	U	484	2	30	13.0	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	1.44	A	2.55	C
2593.0	Paso Hondo	Pine	Palmetto	0.29	E	2	U	484	2	30	14.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	0.08	A	2.41	B
2593.0	Paso Hondo	Pine	Palmetto	0.29	W	2	U	484	2	30	14.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	0.08	A	2.41	B
2594.0	Palmetto	Potomac	Iowa	0.75	N	2	U	484	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	50	4.0	0.00	A	2.63	C
2594.0	Palmetto	Potomac	Iowa	0.75	s	2	u	484	2	30	15.0	0.0	0.0	0	2.5		n	c	0.0	0	50	4.0	0.00	A	2.63	C
2595.0	Mesquite	Montana	Nevada	0.27	N	2	U	1,147	2	30	15.5	0.0	0.0	0	4.5		N	C	0.0	0	100	6.5	0.00	A	1.96	B
2595.0	Mesquite	Montana	Nevada	0.27	S	2	U	1,147	2	30	15.5	0.0	0.0	0	4.5		N	C	0.0	0	100	4.5	0.00	A	2.12	B
2595.1	Mesquite	Nevada	Iowa	0.18	S	2	U	1,147	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.41	A	2.21	B
2595.1	Mesquite	Nevada	Iowa	0.18	S	2	U	1,147	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.41	A	2.21	B
2596.0	Nevada	Mesquite	Hackberry	0.09	E	2	U	1,095	2	30	15.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	0.08	A	2.11	B
2596.0	Nevada	Mesquite	Hackberry	0.09	W	2	U	1,095	2	30	15.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	0.08	A	2.11	B
2596.1	Nevada	Hackberry	Pine	0.18	E	2	U	1,095	2	30	14.0	0.0	0.0	0	3.5		N	C	10.0	0	25	4.0	0.75	A	2.95	C
2596.1	Nevada	Hackberry	Pine	0.18	W	2	U	1,095	2	30	14.0	0.0	0.0	0	3.5		N	C	10.0	0	75	4.0	0.75	A	2.25	B
2596.2	Nevada	Pine	St. Anthony	0.41	E	2	U	1,095	2	30	15.0	0.0	0.0	25	2.5		N	C	6.0	0	100	4.0	1.47	A	1.86	B
2596.2	Nevada	Pine	St. Anthony	0.41	W	2	U	1,095	2	30	15.0	0.0	0.0	25	2.5		N	C	8.0	0	100	4.0	1.47	A	1.81	B
2596.3	Nevada	St. Anthony	New Braunfels	0.13	E	2	U	1,095	2	30	11.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.41	B	2.93	C
2596.3	Nevada	St. Anthony	New Braunfels	0.13	W	2	U	1,095	2	30	11.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.41	B	2.93	C
2596.4	Nevada	New Braunfels	Gevers	0.27	E	2	U	926	2	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.00	A	1.99	B
2596.4	Nevada	New Braunfels	Gevers	0.27	W	2	U	926	2	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	75	4.0	0.00	A	2.19	B
2596.5	Nevada	Gevers	St. Philips College	0.13	E	2	U	682	2	30	12.5	0.0	0.0	0	3.0		N	C	1.0	0	75	5.0	1.01	A	2.42	B
2596.5	Nevada	Gevers	St. Philips College	0.13	W	2	U	682	2	30	12.5	0.0	0.0	0	3.0		N	C	9.0	0	50	4.0	1.01	A	2.66	C
2597.0	Iowa	Cherry	New Braunfels	0.90	E	2	U	5,306	2	35	22.5	0.0	0.0	100	5.0		N	C	0.0	0	100	5.0	3.53	D	2.05	B
2597.0	Iowa	Cherry	New Braunfels	0.90	W	2	U	5,306	2	35	21.5	0.0	0.0	0	5.0		N	C	0.0	0	100	6.0	2.00	B	2.46	B
2598.0	Palfrey	Goliad	Pickwell	0.22	E	2	U	7,428	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	3.53	D	3.97	D
2598.0	Palfrey	Goliad	Pickwell	0.22	W	2	U	7,428	2	30	15.0	0.0	0.0	0	3.5		N	C	5.0	0	100	2.5	3.53	D	3.00	C
2599.0	Pickwell	Palfrey	Banbridge	0.93	NE	2	U	1,593	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.17	A	2.69	C
2599.0	Pickwell	Palfrey	Banbridge	0.93	SW	2	U	1,593	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	1.17	A	2.69	C
2599.1	Pickwell	Banbridge	Utopia	0.47	N	2	U	532	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	25	4.0	0.00	A	2.89	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2599.1	Pickwell	Banbridge	Utopia	0.47	S	2	U	532	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.00	A	2.38	B
2599.2	Pickwell	Utopia	Military	0.46	N	2	U	2,816	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.47	A	2.69	C
2599.2	Pickwell	Utopia	Military	0.46	S	2	U	2,816	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.47	A	2.69	C
2600.0	Jackson-Keller	San Pedro	Recoleta	0.27	N	2	U	7,873	2	35	18.0	0.0	0.0	0	3.0		N	C	5.0	0	75	6.0	3.37	C	3.01	C
2600.0	Jackson-Keller	San Pedro	Recoleta	0.27	S	2	U	7,873	2	35	19.0	0.0	0.0	0	3.0		N	C	3.0	0	100	4.0	3.19	C	2.91	C
2600.1	Jackson-Keller	Recoleta	McCullough	0.30	N	2	U	8,053	2	35	15.0	0.0	0.0	0	2.5		N	S	6.0	0	100	4.0	4.24	D	2.97	C
2600.1	Jackson-Keller	Recoleta	McCullough	0.30	S	2	U	8,053	2	35	13.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	4.46	D	4.31	D
2601.0	FM 78	FM 3009	FM 1103	0.88	NW	4	S	16,986	4	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.87	E	5.02	E
2601.0	FM 78	FM 3009	FM 1103	0.88	SE	4	S	16,986	4	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.87	E	5.02	E
2601.1	FM 78	FM 1103	Country	1.86	NW	4	S	10,972	4	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.64	E	4.66	E
2601.1	FM 78	FM 1103	Country	1.86	SE	4	S	10,972	4	50	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.64	E	4.66	E
2700.0	Abe Lincoln	Eckhert	Horn	1.45	N	2	U	9,825	3	40	11.0	0.0	0.0	0	3.0		N	S	11.0	0	100	4.5	4.82	E	3.24	C
2700.0	Abe Lincoln	Eckhert	Horn	1.45	S	2	U	9,825	3	40	12.0	0.0	0.0	0	3.0		N	S	11.0	0	100	4.0	4.70	E	3.27	C
2701.0	Alamo	S Frio	Flores	0.38	E	4	S	10,685	3	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	3.80	D	4.00	D
2701.0	Alamo	S Frio	Flores	0.38	W	4	S	10,685	3	30	12.0	0.0	0.0	0	4.0		N	C	9.0	0	100	6.0	3.80	D	2.34	B
2702.0	Alamo Pkwy	Culebra	Alamo Ranch	1.37	N	4	D	4,966	3	40	13.0	0.0	0.0	0	5.0		N	C	0.0	0	100	6.5	2.64	C	2.48	B
2702.0	Alamo Pkwy	Culebra	Alamo Ranch	1.37	S	4	D	4,966	3	40	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	6.0	2.87	C	2.54	C
2703.0	Alamo Ranch	Alamo Pkwy	Loop 1604	1.61	E	4	D	6,071	3	45	13.0	0.0	0.0	0	5.0		N	C	14.0	0	100	6.0	3.13	C	2.36	B
2703.0	Alamo Ranch	Alamo Pkwy	Loop 1604	1.61	W	4	D	6,071	3	45	12.0	0.0	0.0	0	5.0		N	C	8.0	0	100	6.0	3.32	C	2.54	C
2704.0	Applewhite	Near Silver Mountain	Atascosa Co. Line	1.80	N	2	U	927	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.48	A	2.90	C
2704.0	Applewhite	Near Silver Mountain	Atascosa Co. Line	1.80	S	2	U	927	2	35	11.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.67	B	2.95	C
2705.0	Benrus	Bandera	W Quill	0.82	N	2	U	11,142	3	30	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.37	D	4.59	E
2705.0	Benrus	Bandera	W Quill	0.82	S	2	U	11,142	3	30	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.37	D	4.59	E
2706.0	Bitters	Starcrest	NE Entrance Rd	1.80	NW	2	U	3,679	2	30	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.17	C	3.60	D
2706.0	Bitters	Starcrest	NE Entrance Rd	1.80	SE	2	U	3,679	2	30	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.17	C	3.60	D
2707.0	Bitters	Wetmore	Broadway	0.29	NW	2	U	3,862	2	30	15.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.66	D	3.51	D
2707.0	Bitters	Wetmore	Broadway	0.29	SE	2	U	3,862	2	30	15.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	3.66	D	3.51	D
2708.0	Brook Hollow	US 281	Heimer	0.62	E	2	U	14,154	3	30	15.0	0.0	0.0	0	3.5		N	C	5.0	0	100	5.0	4.04	D	3.50	C
2708.0	Brook Hollow	US 281	Heimer	0.62	W	2	U	14,154	3	30	15.0	0.0	0.0	0	3.5		N	C	5.0	0	100	5.0	4.04	D	3.50	C
2709.0	Buckeye	Dresden	IH 10	1.36	N	2	U	1,062	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	50	4.0	0.83	A	2.70	C
2709.0	Buckeye	Dresden	IH 10	1.36	S	2	U	1,062	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	50	4.0	0.83	A	2.70	C
2710.0	Bulverde Green	Wilderness Oak	Cibolo Canyon	1.42	N	2	U	3,941	3	40	22.0	0.0	0.0	0	5.0		N	C	3.0	0	100	5.0	1.99	B	2.42	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2710.0	Bulverde Green	Wilderness Oak	Cibolo Canyon	1.42	S	2	U	3,941	3	40	22.0	0.0	0.0	0	5.0		N	C	3.0	0	100	5.0	1.99	B	2.42	B
2711.0	Camino Santa Maria	Culebra	Woodlawn	0.60	N	2	U	5,581	2	30	25.0	0.0	0.0	25	3.0		N	C	0.0	0	100	3.0	2.16	B	2.39	B
2711.0	Camino Santa Maria	Culebra	Woodlawn	0.60	S	2	U	5,581	2	30	25.0	0.0	0.0	25	3.0		N	C	2.0	0	100	4.0	2.16	B	2.23	B
2712.0	Canyon Golf	E Borgfeld	Wilderness Oak	3.21	N	4	U	16,358	4	40	12.0	0.0	0.0	0	4.0		N	C	3.5	0	100	4.0	4.52	E	3.31	C
2712.0	Canyon Golf	E Borgfeld	Wilderness Oak	3.21	S	4	U	16,358	4	40	13.0	0.0	0.0	0	4.0		N	C	4.0	0	100	4.0	4.39	D	3.26	C
2713.0	Castle Cross	Midcrown	Rittiman	0.42	N	2	U	8,567	2	30	11.0	0.0	0.0	25	4.0		N	C	4.0	0	100	5.0	4.22	D	2.83	C
2713.0	Castle Cross	Midcrown	Rittiman	0.42	S	2	U	8,567	2	30	11.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	3.98	D	3.13	C
2714.0	Ceralvo	SW 34th	Frio City	3.17	E	2	U	3,251	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.13	B	2.35	B
2714.0	Ceralvo	SW 34th	Frio City	3.17	W	2	U	3,251	2	30	18.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	2.13	B	2.26	B
2715.0	Cibolo Canyon	Bulverde	Evans	3.07	E	2	D	3,856	3	40	24.0	0.0	0.0	0	5.0		N	C	8.0	0	100	7.0	1.58	B	2.14	B
2715.0	Cibolo Canyon	Bulverde	Evans	3.07	W	2	D	3,856	3	40	24.0	0.0	0.0	0	5.0		N	C	8.0	0	100	7.0	1.58	B	2.14	B
2716.0	Colony	IH 10	Vance Jackson	0.94	E	2	U	2,472	2	30	21.0	0.0	0.0	0	5.0		N	C	4.0	0	100	4.0	0.00	A	2.05	B
2716.0	Colony	IH 10	Vance Jackson	0.94	W	2	U	2,472	2	30	21.0	0.0	0.0	0	5.0		N	C	3.5	0	100	3.5	0.00	A	2.12	B
2717.0	Donaldson	E Quill	Fredericksburg	2.59	E	2	U	3,816	2	30	20.0	0.0	0.0	0	2.0		N	C	0.0	0	100	4.5	3.31	C	2.31	B
2717.0	Donaldson	E Quill	Fredericksburg	2.59	W	2	U	3,816	2	30	20.0	0.0	0.0	0	2.0		N	C	0.0	0	100	4.0	3.31	C	2.36	B
2718.0	Dresden	West	Blanco	1.10	E	2	U	5,485	2	30	15.0	0.0	0.0	0	4.0		N	C	9.0	0	100	3.5	3.23	C	2.50	B
2718.0	Dresden	West	Blanco	1.10	W	2	U	5,485	2	30	15.0	0.0	0.0	0	4.0		N	C	9.5	0	100	4.0	3.23	C	2.42	B
2719.0	Ellison	Potranco	Marbach	1.44	N	2	U	19,408	3	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	3.29	C	4.20	D
2719.0	Ellison	Potranco	Marbach	1.44	S	2	U	19,408	3	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.50	C	4.12	D
2720.0	Evers	Huebner	Bandera	3.00	E	4	U	30,886	4	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	75	5.0	4.82	E	4.42	D
2720.0	Evers	Huebner	Bandera	3.00	W	4	U	30,886	4	35	11.0	0.0	0.0	0	4.0		N	C	0.0	0	75	5.0	4.82	E	4.42	D
2721.0	Five Palms	Medina Base	Port Victoria	2.82	N	2	U	17,708	3	30	22.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.03	C	3.86	D
2721.0	Five Palms	Medina Base	Port Victoria	2.82	S	2	U	17,708	3	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.25	C	4.80	E
2722.0	Floyd Curl	Huebner	Louis Pasteur	2.27	N	4	D	9,499	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	75	7.0	3.89	D	2.84	C
2722.0	Floyd Curl	Huebner	Louis Pasteur	2.27	S	4	D	9,499	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	75	4.5	3.89	D	3.01	C
2723.0	Fratt	Eisenhauer	Rittiman	0.86	N	2	U	12,339	4	40	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.79	E	4.92	E
2723.0	Fratt	Eisenhauer	Rittiman	0.86	S	2	U	12,339	4	40	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.79	E	4.92	E
2724.0	Fulton	Fredericksburg	Blanco	0.90	E	2	U	3,585	2	30	14.0	0.0	0.0	0	2.5		N	C	5.0	0	100	4.0	3.62	D	2.37	B
2724.0	Fulton	Fredericksburg	Blanco	0.90	W	2	U	3,585	2	30	14.0	0.0	0.0	0	2.5		N	C	4.0	0	50	4.0	3.62	D	2.99	C
2725.0	Gevers	Sherman	IH 37	4.15	N	2	U	7,947	2	30	18.0	0.0	0.0	0	4.0		N	C	2.0	0	100	5.0	2.92	C	2.75	C
2725.0	Gevers	Sherman	IH 37	4.15	S	2	U	7,947	2	30	18.0	0.0	0.0	0	4.0		N	C	2.0	0	100	5.0	2.92	C	2.75	C
2726.0	Harding	Commercial	Pleasanton	0.75	E	2	U	1,999	2	30	21.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	0.00	A	2.11	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2726.0	Harding	Commercial	Pleasanton	0.75	W	2	U	1,999	2	30	21.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	0.00	A	2.11	B
2726.1	Harding	Pleasanton	Flores	0.91	E	2	U	2,483	2	30	15.0	0.0	0.0	0	4.0		N	C	3.5	0	100	4.0	1.82	B	2.25	B
2726.1	Harding	Pleasanton	Flores	0.91	W	2	U	2,483	2	30	15.0	0.0	0.0	0	4.0		N	C	3.5	0	100	4.0	1.82	B	2.25	B
2726.2	Harding	Flores	Mission Rd.	0.98	E	2	U	1,999	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.46	A	2.83	C
2726.2	Harding	Flores	Mission Rd.	0.98	W	2	U	1,999	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	1.46	A	2.83	C
2727.0	Henderson Pass	Thousand Oaks	Brook Hollow	1.24	N	4	U	9,520	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	5.0	3.72	D	2.63	C
2727.0	Henderson Pass	Thousand Oaks	Brook Hollow	1.24	S	4	U	9,520	2	30	12.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	3.72	D	2.54	C
2728.0	Ogden	Cypress	Ashby Place	0.58	N	2	U	1,103	2	30	13.0	0.0	0.0	50	3.5		N	C	5.5	0	75	4.0	2.16	B	2.19	B
2728.0	Ogden	Cypress	Ashby Place	0.58	S	2	U	1,103	2	30	13.0	0.0	0.0	50	3.5		N	C	5.5	0	75	4.0	2.16	B	2.19	B
2729.0	Huebner	Bandera	(Western Leon Valley	0.65	N	4	S	25,942	4	30	11.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.5	4.71	E	3.72	D
2729.0	Huebner	Bandera	(Western Leon Valley	0.65	S	4	S	25,942	4	30	11.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.5	4.71	E	3.64	D
2730.0	Ingram	Loop 410	Wurzbach	0.14	E	4	U	24,702	4	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	4.41	D	4.84	E
2730.0	Ingram	Loop 410	Wurzbach	0.14	W	4	U	24,702	4	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	75	6.5	4.41	D	3.76	D
2732.0	Lakefront	Cloudy Meadow	Foster Meadows	0.16	EB	2	U	383	2	30	20.0	6.0	0.0	0	4.0	4.0	N	C	2.0	0	100	4.0	0.00	A	1.89	B
2732.0	Lakefront	Cloudy Meadow	Foster Meadows	0.16	WB	2	U	383	2	30	20.0	6.0	0.0	0	4.0	4.0	N	C	2.0	0	100	4.0	0.00	A	1.89	B
2732.1	Lakefront	Cloudy Meadow	Lake Mist	0.40	E	2	U	4,806	2	30	25.5	13.5	8.0	25	3.5		Y	C	0.0	0	100	4.0	0.00	A	2.18	B
2732.1	Lakefront	Cloudy Meadow	Lake Mist	0.40	W	2	U	4,806	2	30	25.5	13.5	8.0	25	3.5		Y	C	3.5	0	100	3.0	0.00	A	2.19	B
2732.2	Lakefront	Lake Mist	87	0.34	E	2	U	4,806	2	30	21.0	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	0	0.0	1.23	A	3.25	C
2732.2	Lakefront	Lake Mist	87	0.34	W	2	U	4,806	2	30	21.0	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	0	0.0	1.23	A	3.25	C
2733.0	Leslie	Bandera	Braun	1.82	N	2	U	6,612	3	40	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.24	D	4.24	D
2733.0	Leslie	Bandera	Braun	1.82	S	2	U	6,612	3	40	14.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.24	D	4.24	D
2734.0	Maiden	Culebra	Havana	0.67	N	2	U	2,276	2	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	1.29	A	2.20	B
2734.0	Maiden	Culebra	Havana	0.67	S	2	U	2,276	2	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	100	5.0	1.29	A	2.20	B
2735.0	Mainland	Tezel	Bandera	2.11	E	4	U	26,366	4	35	12.0	0.0	0.0	0	3.0		N	C	4.0	0	50	4.0	4.95	E	4.40	D
2735.0	Mainland	Tezel	Bandera	2.11	E	4	U	26,366	4	35	11.0	0.0	0.0	0	3.0		N	C	2.0	0	50	4.0	5.07	E	4.51	E
2736.0	Marbach	W Military	Pinn	0.34	E	4	U	8,138	2	35	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	3.46	C	2.68	C
2736.0	Marbach	W Military	Pinn	0.34	W	4	U	8,138	2	35	12.0	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	3.46	C	2.68	C
2737.0	Mayfield	Somerset	S Zarzamora	0.69	N	2	U	5,291	2	30	16.0	0.0	0.0	0	3.0		N	S	5.0	0	75	4.0	3.39	C	2.80	C
2737.0	Mayfield	Somerset	S Zarzamora	0.69	S	2	U	5,291	2	30	16.0	0.0	0.0	0	3.0		N	S	5.0	0	75	4.0	3.39	C	2.80	C
2738.0	Midcrown	Crestway	Walzem	0.90	N	2	U	3,130	2	20	12.0	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	1.92	B	3.29	C
2738.0	Midcrown	Crestway	Walzem	0.90	S	2	U	3,130	2	20	12.0	0.0	0.0	0	4.5		N	C	0.0	0	100	5.0	1.92	B	2.23	B
2738.1	Midcrown	Walzem	Woodlake	2.70	N	2	S	11,416	3	30	22.0	0.0	0.0	0	4.5		N	C	3.0	0	100	3.0	2.38	B	3.23	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2738.1	Midcrown	Walzem	Woodlake	2.70	S	2	S	11,416	3	30	22.0	0.0	0.0	0	4.5		N	C	0.0	0	100	7.0	2.38	B	2.98	C
2739.0	Nolan	N New Braunfels	Gevers	0.28	E	2	U	738	2	30	15.0	0.0	0.0	25	3.0		N	C	0.0	0	100	5.0	0.63	A	1.89	B
2739.0	Nolan	N New Braunfels	Gevers	0.28	W	2	U	738	2	30	15.0	0.0	0.0	25	3.0		N	C	0.0	0	100	5.0	0.63	A	1.89	B
2739.1	Nolan	Gevers	N Walters	0.25	E	2	U	269	2	30	12.0	0.0	0.0	25	3.0		N	C	0.0	0	100	5.0	1.07	A	1.93	B
2739.1	Nolan	Gevers	N Walters	0.25	W	2	U	269	2	30	12.0	0.0	0.0	25	3.0		N	C	0.0	0	100	5.0	1.07	A	1.93	B
2740.0	NW 19th	Culebra	Brady	2.95	E	2	U	1,062	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	0.00	A	1.93	B
2740.0	NW 19th	Culebra	Brady	2.95	W	2	U	1,062	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	0.00	A	2.03	B
2741.0	Old Tezel	Braun	Guilbeau	0.87	N	2	U	11,194	3	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	50	6.0	3.37	C	3.69	D
2741.0	Old Tezel	Braun	Guilbeau	0.87	S	2	U	11,194	3	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	50	3.5	3.37	C	3.81	D
2741.1	Old Tezel	New Guilbeau	Tezel	0.51	N	2	U	7,959	2	35	22.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.0	2.25	B	2.77	C
2741.1	Old Tezel	New Guilbeau	Tezel	0.51	S	2	U	7,959	2	35	22.0	0.0	0.0	0	4.0		N	C	4.0	0	100	6.0	2.25	B	2.66	C
2741.2	Old Tezel	Tezel	Guilbeau	0.44	N	2	U	1,062	2	35	20.0	0.0	0.0	0	3.5		N	C	2.0	0	50	4.0	0.00	A	2.54	C
2741.2	Old Tezel	Tezel	Guilbeau	0.44	S	2	U	1,062	2	35	20.0	0.0	0.0	0	3.5		N	C	2.0	0	50	4.0	0.00	A	2.54	C
2742.0	Orsinger	Vance Jackson	Lockhill-Selma	1.15	N	2	U	2,130	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0.0	0.0	0.0	2.46	B	3.27	C
2742.0	Orsinger	Vance Jackson	Lockhill-Selma	1.15	S	2	U	2,130	2	35	12.0	0.0	0.0	0	4.0		N	S	0.0	0.0	0.0	0.0	2.46	B	3.27	C
2743.0	Palo Alto/Poteet-Jourdanton Fwy	IH 35	Zarzamora	3.58	N	4	D	12,595	4	55	22.0	11.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	4.22	D
2743.0	Palo Alto/Poteet-Jourdanton Fwy	IH 35	Zarzamora	3.58	S	4	D	12,595	4	55	23.0	11.0	0.0	0	4.0	4.0	N	S	0.0	0	0	0.0	0.00	A	4.16	D
2744.0	Pinn	US 90	Commerce	2.24	N	4	U	7,692	2	35	11.0	0.0	0.0	0	4.0		N	C	6.0	0	100	6.0	3.66	D	2.41	B
2744.0	Pinn	US 90	Commerce	2.24	S	4	U	7,692	2	35	11.0	0.0	0.0	0	4.0		N	C	6.0	0	100	4.0	3.66	D	2.59	C
2745.0	Poplar	NW 29th	IH 10	2.68	E	2	U	9,241	2	30	22.0	0.0	0.0	0	2.5		N	C	2.0	0	100	4.5	2.89	C	2.84	C
2745.0	Poplar	NW 29th	IH 10	2.68	W	2	U	9,241	2	30	21.0	0.0	0.0	0	2.5		N	C	2.5	0	100	3.0	3.10	C	3.01	C
2746.0	Pyron	IH 35	Roosevelt	3.79	E	2	U	3,470	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	1.88	B	2.22	B
2746.0	Pyron	IH 35	Roosevelt	3.79	W	2	U	3,470	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	1.88	B	2.32	B
2747.0	Ray Bon	Walzem	Village Haven	1.68	N	2	S	11,300	3	30	21.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	3.02	C	3.22	C
2747.0	Ray Bon	Walzem	Village Haven	1.68	S	2	S	11,300	3	30	21.0	0.0	0.0	0	3.0		N	C	4.0	0	100	5.0	3.02	C	3.02	C
2748.0	Rice	(creek)	Semlinger	1.74	EB	2	U	4,666	2	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.55	D	2.74	C
2748.0	Rice	(creek)	Semlinger	1.74	WB	2	U	4,666	2	30	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.55	D	2.74	C
2749.0	Rim Rock	Oak Timber	Culebra	1.00	E	2	U	1,970	2	30	23.0	8.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	3.5	0.00	A	2.10	B
2749.0	Rim Rock	Oak Timber	Culebra	1.00	W	2	U	1,970	2	30	22.0	7.0	0.0	0	4.0	4.0	Y	C	0.0	0	75	4.0	0.00	A	2.27	B
2750.0	Spring Time/Horn	Babcock	Babcock	1.52	N	2	U	7,862	2	30	19.0	0.0	0.0	0	3.0		N	C	4.0	0	100	4.0	3.05	C	2.75	C
2750.0	Spring Time/Horn	Babcock	Babcock	1.52	S	2	U	7,862	2	30	22.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.5	2.44	B	2.84	C
2751.0	Stonecroft	Bandera	Stonefield Place	0.70	N	4	U	7,027	2	35	12.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	3.35	C	2.47	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2751.0	Stonecroft	Bandera	Stonefield Place	0.70	S	4	U	7,027	2	35	13.0	0.0	0.0	0	4.0		N	C	0.0	0	100	6.5	3.19	C	2.45	B
2752.0	Talley	Culebra	Cartwright Trl	1.79	N	2	U	4,062	4	45	16.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	3.54	D	3.94	D
2752.0	Talley	Culebra	Cartwright Trl	1.79	S	2	U	4,062	4	45	15.0	0.0	0.0	0	5.0		N	S	0.0	0	0	0.0	3.69	D	4.01	D
2753.0	Timber Trace	Silent Sunrise	Misty Park	1.62	N	2	U	3,570	2	30	22.0	5.0	0.0	0	3.0	3.0	N	C	0.0	0	100	4.0	0.32	A	2.27	B
2753.0	Timber Trace	Silent Sunrise	Misty Park	1.62	S	2	U	3,570	2	30	22.0	5.0	0.0	0	3.0	3.0	N	C	0.0	0	100	4.0	0.32	A	2.27	B
2754.0	Timberhill	Huebner	Grissom	1.44	N	2	U	16,902	3	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	75	3.5	3.05	C	4.13	D
2754.0	Timberhill	Huebner	Grissom	1.44	S	2	U	16,902	3	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	100	3.5	3.25	C	3.98	D
2756.0	Vandiver	Rittiman	Garraty	0.74	N	2	U	1,360	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	1.24	A	2.63	C
2756.0	Vandiver	Rittiman	Garraty	0.74	S	2	U	1,360	2	30	15.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	1.24	A	2.63	C
2757.0	Village	Raba	Timber Path	1.15	E	2	U	2,066	2	30	20.0	7.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	4.5	0.00	A	2.10	B
2757.0	Village	Raba	Timber Path	1.15	W	2	U	2,066	2	30	20.0	7.0	0.0	0	4.0	4.0	Y	C	0.0	0	100	4.5	0.00	A	2.10	B
2758.0	Village Oak	Toepperwein	Pat Booker	1.27	NE	2	U	6,684	2	20	21.0	0.0	0.0	25	4.0		N	C	0.0	0	0	0.0	1.76	B	3.28	C
2758.0	Village Oak	Toepperwein	Pat Booker	1.27	SW	2	U	6,684	2	20	21.0	0.0	0.0	25	4.0		N	C	0.0	0	0	0.0	1.76	B	3.28	C
2759.0	Villaret	Zarzamora	Pleasanton	1.90	E	2	U	4,753	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.89	D	3.93	D
2759.0	Villaret	Zarzamora	Pleasanton	1.90	W	2	U	4,753	2	30	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.89	D	3.93	D
2760.0	Vista VW	Braesview	Blanco	0.54	N	2	U	4,403	2	30	21.0	0.0	0.0	0	2.0		N	C	5.5	0	100	3.0	3.36	C	2.36	B
2760.0	Vista VW	Braesview	Blanco	0.54	S	2	U	4,403	2	30	21.0	0.0	0.0	0	2.0		N	C	5.0	0	100	2.5	3.36	C	2.43	B
2761.0	Wilderness Oak	Hardy Oak	US 281	3.43	E	4	D	6,178	3	40	12.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	3.43	C	2.76	C
2761.0	Wilderness Oak	Hardy Oak	US 281	3.43	W	4	D	6,178	3	40	12.0	0.0	0.0	0	4.0		N	C	2.5	0	100	5.5	3.43	C	2.58	C
2762.0	Wildhorse	Braun	Shaenfield	2.02	N	2	U	8,420	2	30	20.0	0.0	0.0	0	4.5		N	C	2.0	0	100	4.0	2.47	B	2.85	C
2762.0	Wildhorse	Braun	Shaenfield	2.02	S	2	U	8,420	2	30	19.0	0.0	0.0	0	4.5		N	C	2.0	0	100	4.0	2.67	C	2.89	C
2763.0	Wiseman	Talley	Loop 1604	2.98	E	4	D	4,445	4	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	3.02	C	3.62	D
2763.0	Wiseman	Talley	Loop 1604	2.98	W	4	D	4,445	4	45	12.0	0.0	0.0	0	5.0		N	C	0.0	0	0	0.0	3.02	C	3.62	D
2764.0	Wood Valley	W Bitters	West	0.63	N	4	D	4,424	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.5	2.45	B	2.35	B
2764.0	Wood Valley	W Bitters	West	0.63	S	4	D	4,424	2	30	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	2.71	C	2.61	C
2800.0	Belknap Pl.	Dewey Pl.	Melrose Pl.	1.33	N	2	U	1,000	2	30	18.0	0.0	0.0	0	2.0		N	C	4.5	0	100	4.0	0.00	A	1.95	B
2800.0	Belknap Pl.	Dewey Pl.	Melrose Pl.	1.33	S	2	U	1,000	2	30	18.0	0.0	0.0	0	2.0		N	C	4.5	0	100	4.0	0.00	A	1.95	B
2801.0	Breeden Ave.	Ashby Pl.	Lullwood Ave.	1.14	N	2	U	1,000	2	30	12.0	0.0	0.0	0	2.0		N	C	1.0	0	25	4.0	2.60	C	3.18	C
2801.0	Breeden Ave.	Ashby Pl.	Lullwood Ave.	1.14	S	2	U	1,000	2	30	12.0	0.0	0.0	0	2.0		N	C	9.0	0	25	3.0	2.60	C	3.14	C
2802.0	Contour Dr.	Olmos Dr.	Hillside Dr.	1.30	N	2	U	107	2	30	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.00	A	2.43	B
2802.0	Contour Dr.	Olmos Dr.	Hillside Dr.	1.30	S	2	U	107	2	30	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.00	A	2.43	B
2803.0	Cravens Ave.	Gevers St.	Offer St.	0.13	E	2	U	1,000	2	30	14.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.63	A	2.60	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2803.0	Cravens Ave.				Gevers St.	Offer St.	0.13		W	2							U	1,000	2	30
2804.0	Dick Friedrich Dr.	Contour Dr.	Jones Maltsberger Rd.	0.41	E	2	U	2,517	2	30	11.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.15	C	3.38	C
2804.0	Dick Friedrich Dr.	Contour Dr.	Jones Maltsberger Rd.	0.41	W	2	U	2,517	2	30	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	2.17	B	2.99	C
2805.0	Duval St.	Austin St.	New Braunfels Ave.	0.89	E	2	U	2,123	2	15	9.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.23	C	3.15	C
2805.0	Duval St.	Austin St.	New Braunfels Ave.	0.89	W	2	U	2,123	2	15	9.5	0.0	0.0	0	2.0		N	S	0.0	0	0	0.0	3.23	C	3.15	C
2806.0	El Prado Dr.	Olmos Dr.	Broadmoor Dr.	0.93	N	2	U	1,000	2	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	0.00	A	2.44	B
2806.0	El Prado Dr.	Olmos Dr.	Broadmoor Dr.	0.93	S	2	U	1,000	2	30	16.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	0.00	A	2.44	B
2807.0	Fairlawn Dr.	Military Dr.	Palfrey St.	0.89	N	2	U	1,593	2	30	21.0	5.0	0.0	0	4.5	4.5	Y	C	0.0	0	75	4.0	0.00	A	2.27	B
2807.0	Fairlawn Dr.	Military Dr.	Palfrey St.	0.89	S	2	U	1,593	2	30	21.0	5.0	0.0	0	4.5	4.5	Y	C	0.0	0	75	4.0	0.00	A	2.27	B
2808.0	Hausman Rd.	Prue Rd.	Bluff Trail	1.25	N	2	U	7,428	3	40	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.56	E	4.53	E
2808.0	Hausman Rd.	Prue Rd.	Bluff Trail	1.25	S	2	U	7,428	3	40	13.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.43	D	4.44	D
2809.0	I-10 E access	Loop 1604	Kendall Co. Line	5.31	E	3	OW	2,816	5	50	12.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	4.32	D	4.20	D
2810.0	I-10 E access	Huebner Rd.	Loop 1604	3.29	E	2	OW	22,960	5	50	13.0	0.0	0.0	0	3.5		N	C	10.0	0	0	6.5	5.46	E	6.33	F
2811.0	I-10 W access	Loop 1604	Kendall Co. Line	5.31	W	2	OW	1,960	5	50	12.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	4.52	E	4.21	D
2812.0	I-10 W access	Huebner Rd.	Loop 1604	3.26	W	2	OW	23,628	5	50	15.0	0.0	0.0	0	4.0		N	C	10.0	0	25	7.0	5.05	E	5.84	F
2813.0	Lonestar Blvd.	Flores St.	Mission Rd.	0.96	E	2	U	1,496	2	30	15.0	0.0	0.0	0	3.0		N	C/S	2.0	0	50	4.0	1.06	A	2.72	C
2813.0	Lonestar Blvd.	Flores St.	Mission Rd.	0.96	W	2	U	1,496	2	30	15.0	0.0	0.0	0	3.0		N	C/S	2.0	0	25	4.0	1.06	A	2.99	C
2814.0	Lullwood Ave.	Breeden Ave.	San Pedro Ave.	0.10	E	2	U	1,000	2	30	12.0	0.0	0.0	0	2.0		N	C	8.0	0	100	3.5	2.60	C	2.08	B
2814.0	Lullwood Ave.	Breeden Ave.	San Pedro Ave.	0.10	W	2	U	1,000	2	30	12.0	0.0	0.0	0	2.0		N	C	8.0	0	100	4.0	2.60	C	2.02	B
2815.0	Maverick St.	Cypress St.	Park Ave.	0.22	N	2	U	1,000	2	30	14.0	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	0.81	A	1.96	B
2815.0	Maverick St.	Cypress St.	Park Ave.	0.22	S	2	U	1,000	2	30	14.0	0.0	0.0	0	3.0		N	C	8.0	0	100	4.0	0.81	A	1.96	B
2816.0	Offer St.	Southcross Blvd.	Cravens Ave.	0.37	NW	2	U	1,000	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.81	A	2.60	C
2816.0	Offer St.	Southcross Blvd.	Cravens Ave.	0.37	SE	2	U	1,000	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.81	A	2.60	C
2817.0	Old Prue Rd.	Bandera Rd.	Prue Rd.	0.32	N	1	U	6,162	2	35	11.0	0.0	0.0	0	3.0		N	S	12.0	0	50	4.0	4.26	D	3.51	D
2817.0	Old Prue Rd.	Bandera Rd.	Prue Rd.	0.32	S	2	U	6,162	2	35	12.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	4.15	D	2.83	C
2818.0	Old Seguin Rd.	Seguin Rd.	Seguin Rd.	1.70	NE	2	U	5,010	2	30	12.0	0.0	0.0	0	3.5		N	S	14.0	0	100	5.0	3.74	D	2.24	B
2818.0	Old Seguin Rd.	Seguin Rd.	Seguin Rd.	1.70	SW	2	U	5,010	2	30	12.0	0.0	0.0	0	3.5		N	S	14.0	0	100	5.0	3.74	D	2.24	B
2819.0	Olmos Dr.	Blanco Rd.	Belknap Pl.	0.75	E	2	U	1,980	2	30	15.0	0.0	0.0	0	2.5		N	C	4.0	0	100	4.5	1.97	B	2.11	B
2819.0	Olmos Dr.	Blanco Rd.	Belknap Pl.	0.75	W	2	U	1,980	2	30	15.0	0.0	0.0	0	2.5		N	C	4.5	0	100	4.0	1.97	B	2.15	B
2820.0	Olmos Dr.	Howard St.	Park Dr.	0.67	E	2	U	4,966	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	75	2.5	3.33	C	3.09	C
2820.0	Olmos Dr.	Howard St.	Park Dr.	0.67	W	2	U	4,966	2	30	16.0	0.0	0.0	0	3.5		N	C	0.0	0	50	2.5	3.17	C	3.23	C
2821.0	Palfrey St.	Goliad Rd.	Fairlawn Dr.	0.80	E	2	U	1,114	2	30	15.0	0.0	0.0	0	4.5		N	C	5.0	0	50	4.0	0.13	A	2.63	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2821.0	Palfrey St.	Goliad Rd.	Fairlawn Dr.	0.80	W	2	U	1,114	2	30	15.0	0.0	0.0	0	4.5		N	C	2.0	0	100	2.5	0.13	A	2.36	B
2822.0	Patterson Ave.	Estes	Broadway St.	0.78	NE	2	U	3,841	2	30	17.5	0.0	0.0	25	3.5		N	C	0.0	0	25	4.0	3.09	C	3.08	C
2822.0	Patterson Ave.	Estes	Broadway St.	0.78	SW	2	U	3,841	2	30	17.5	0.0	0.0	25	3.5		N	C	0.0	0	25	4.0	3.09	C	3.08	C
2822.1	Estes/Crescent/Viesca	Patterson	Alamo Heights	0.67	NE	2	U	1,210	2	30	16.5	0.0	0.0	0	4.0		N	C	0.0	0	0	4.0	0.00	A	3.12	C
2822.1	Estes/Crescent/Viesca	Patterson	Alamo Heights	0.67	SW	2	U	1,210	2	30	16.5	0.0	0.0	0	4.0		N	C	0.0	0	0	4.0	0.00	A	3.12	C
2823.0	Pershing Ave.	Broadway St.	New Braunfels	0.35	E	2	U	1,600	2	30	15.0	0.0	0.0	50	3.0		N	C	4.0	0	100	4.0	2.25	B	1.83	B
2823.0	Pershing Ave.	Broadway St.	New Braunfels	0.35	W	2	U	1,600	2	30	15.0	0.0	0.0	50	3.0		N	C	0.0	0	0	0.0	2.25	B	2.69	C
2823.1	Pershing Ave.	New Braunfels	Old Austin Rd.	0.39	E	2	U	3,711	2	30	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	3.19	C	3.44	C
2823.1	Pershing Ave.	New Braunfels	Old Austin Rd.	0.39	W	2	U	3,711	2	30	15.0	0.0	0.0	25	3.0		N	C	0.0	0	0	0.0	3.56	D	3.44	C
2824.0	Pine St.	Southcross Blvd.	Ward Ave.	0.54	N	2	U	821	2	30	14.5	0.0	0.0	0	2.5		N	C/S	0.0	0	0	0.0	0.71	A	2.50	B
2824.0	Pine St.	Southcross Blvd.	Ward Ave.	0.54	S	2	U	821	2	30	14.5	0.0	0.0	0	2.5		N	C/S	5.0	0	25	4.0	0.71	A	2.93	C
2825.0	Pine St.	I-37	Steves	0.42	N	2	U	2,279	2	30	13.5	0.0	0.0	0	4.0		N	C	4.0	0	100	3.0	2.05	B	2.40	B
2825.0	Pine St.	I-37	Steves	0.42	S	2	U	2,279	2	30	13.5	0.0	0.0	0	4.0		N	C	4.0	0	100	3.0	2.05	B	2.40	B
2825.1	Pine St.	Steves	Westfall Ave.	0.81	N	2	U	2,279	2	30	19.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	4.0	0.00	A	2.21	B
2825.1	Pine St.	Steves	Westfall Ave.	0.81	S	2	U	2,279	2	30	19.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	100	4.0	0.00	A	2.21	B
2826.0	Pine St.	Westfall Ave.	Porter	0.22	N	2	U	1,389	2	30	13.5	0.0	0.0	0	3.5		N	C	0.0	0	75	4.0	1.32	A	2.56	C
2826.0	Pine St.	Westfall Ave.	Porter	0.22	S	2	U	1,389	2	30	13.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	1.32	A	2.29	B
2827.0	Probandt	I-10	Alamo St.	0.95	N	4	S	11,270	3	35	15.0	0.0	0.0	0	3.0		N	C	2.0	0	75	4.0	3.90	D	3.07	C
2827.0	Probandt	I-10	Alamo St.	0.95	S	4	S	11,270	3	35	15.0	0.0	0.0	0	3.0		N	C	2.0	0	75	4.0	3.90	D	3.07	C
2828.0	Seguin St.	New Braunfels Ave.	Walters St.	0.62	E	2	U	594	2	30	21.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	0.00	A	1.99	B
2828.0	Seguin St.	New Braunfels Ave.	Walters St.	0.62	W	2	U	594	2	30	21.0	0.0	0.0	0	4.0		N	C	0.0	0	0	0.0	0.00	A	1.99	B
2829.0	Shock Ave.	Hildebrand Ave.	Olmos Dr.	0.30	N	2	U	2,024	2	30	16.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	1.69	B	2.76	C
2829.0	Shock Ave.	Hildebrand Ave.	Olmos Dr.	0.30	S	2	U	2,024	2	30	16.0	0.0	0.0	0	2.5		N	C	0.0	0	0	0.0	1.69	B	2.76	C
2830.0	Stadium Dr.	Devine Rd.	Alvin St.	0.32	N	2	U	1,062	2	30	19.0	0.0	0.0	0	2.0		N	C	0.0	0	0	0.0	0.00	A	2.24	B
2830.0	Stadium Dr.	Devine Rd.	Alvin St.	0.32	S	2	U	1,062	2	30	19.0	0.0	0.0	0	2.0		N	C	0.0	0	100	6.5	0.00	A	1.86	B
2832.0	Terrell Rd.	Broadway St.	New Braunfels Ave.	0.19	E	2	U	1,000	2	20	17.0	0.0	0.0	50	3.5		N	C	0.0	0	100	5.0	0.00	A	1.54	B
2832.0	Terrell Rd.	Broadway St.	New Braunfels Ave.	0.19	W	2	U	1,000	2	20	17.0	0.0	0.0	50	3.5		N	C	4.0	0	100	4.0	0.00	A	1.51	B
2833.0	Torcido Dr.	Patterson	Estes	0.51	NW	2	U	246	2	30	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.18	A	2.57	C
2833.0	Torcido Dr.	Patterson	Estes	0.51	SE	2	U	246	2	30	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.18	A	2.57	C
2834.0	Tuleta Dr.	Devine Rd.	Broadway St.	0.89	NW	2	U	4,148	2	30	19.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.56	C	3.29	C
2834.0	Tuleta Dr.	Devine Rd.	Broadway St.	0.89	SE	2	U	4,148	2	30	19.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.56	C	3.29	C
2835.0	Walters St.	Gevers St.	Fair Ave.	0.43	NE	2	U	847	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.60	A	2.55	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2835.0	Walters St.	Gevers St.	Fair Ave.	0.43	SW	2	U	847	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.60	A	2.55	C
2836.0	Whitby	Rochelle	Westgrove	0.70	E	2	U	2,123	2	35	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.33	B	3.17	C
2836.0	Whitby	Rochelle	Westgrove	0.70	W	2	U	2,123	2	35	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.33	B	3.17	C
2836.1	Whitby	Westgrove	Huebner	0.66	E	2	U	2,123	2	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	0.01	A	2.11	B
2836.1	Whitby	Westgrove	Huebner	0.66	W	2	U	2,123	2	35	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	6.0	0.01	A	2.11	B
2901.0	Chase Hill	Babcock	1604	0.77	NW	2	U	8,793	2	30	16.5	4.0	7.0	75	3.5	3.5	Y	C	0.0	0	100	4.0	4.59	E	2.64	C
2901.0	Chase Hill	Babcock	1604	0.77	SE	2	U	8,793	2	30	25.0	12.0	7.0	75	3.5	3.5	Y	C	0.0	0	100	4.0	2.33	B	2.45	B
2902.0	Aina	Holbrook	Rittiman	0.18	E	2	U	832	2	30	11.0	0.0	0.0	25	3.5		N	S	0.0	0	0	0.0	2.07	B	2.85	C
2902.0	Aina	Holbrook	Rittiman	0.18	W	2	U	832	2	30	11.0	0.0	0.0	25	3.5		N	S	0.0	0	0	0.0	2.07	B	2.85	C
2903.0	Larkspur	Baltic	dead end	0.73	NW	2	U	1,858	2	30	20.0	0.0	0.0	0	3.5		N	C	1.0	0	75	3.5	0.00	A	2.34	B
2903.0	Larkspur	Baltic	dead end	0.73	SE	2	U	1,858	2	30	20.0	0.0	0.0	0	3.5		N	C	1.0	0	100	3.5	0.00	A	2.14	B
2903.1	Larkspur	Baltic	West Ave	0.36	NW	2	U	4,335	2	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.11	C	2.59	C
2903.1	Larkspur	Baltic	West Ave	0.36	SE	2	U	4,335	2	30	15.0	0.0	0.0	0	4.0		N	C	0.0	0	100	4.0	3.11	C	2.59	C
2904.0	Sir Winston	Blanco	Parliament	0.30	NE	2	U	8,036	2	30	13.5	3.0	0.0	0	3.0	3.0	N	C	0.0	0	100	3.0	3.51	D	3.25	C
2904.0	Sir Winston	Blanco	Parliament	0.30	SW	2	U	8,036	2	30	13.5	3.0	0.0	0	3.0	3.0	N	C	0.0	0	100	3.0	3.51	D	3.25	C
2905.0	Parliament	Blanco	Patricia	0.33	NE	2	S	5,306	2	30	14.5	3.5	0.0	0	3.0	3.0	N	C	4.0	0	100	4.0	3.05	C	2.59	C
2905.0	Parliament	Blanco	Patricia	0.33	SW	2	S	5,306	2	30	14.5	3.5	0.0	0	3.0	3.0	N	C	6.0	0	100	4.0	3.05	C	2.53	C
2906.0	Patricia	Blanco	San Pedro	1.04	NW	2	U	2,582	2	30	20.0	0.0	0.0	0	3.5		N	C	3.5	0	100	4.0	0.45	A	2.11	B
2906.0	Patricia	Blanco	San Pedro	1.04	SE	2	U	2,582	2	30	20.0	0.0	0.0	0	3.5		N	C	3.5	0	50	4.0	0.45	A	2.57	C
2907.0	Hunters Green	Military Dr.	Barrel Oak	0.61	NE	2	U	1,000	2	30	20.0	5.0	0.0	0	5.0	5.0	Y	C	0.0	0	100	3.0	0.00	A	2.15	B
2907.0	Hunters Green	Military Dr.	Barrel Oak	0.61	SW	2	U	1,000	2	30	20.0	5.0	0.0	0	5.0	5.0	Y	C	0.0	0	100	3.0	0.00	A	2.15	B
2908.0	Parkside/Indian Woods	De Zavala	De Zavala	1.53	E	2	U	4,021	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	50	3.5	2.15	B	2.78	C
2908.0	Parkside/Indian Woods	De Zavala	De Zavala	1.53	W	2	U	4,021	2	30	21.0	0.0	0.0	0	3.5		N	C	1.0	0	75	3.5	2.15	B	2.58	C
2909.0	Datapoint	Fredericksburg	Wurzbach	1.16	NE	2	U	13,526	3	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	100	3.0	3.14	C	3.66	D
2909.0	Datapoint	Fredericksburg	Wurzbach	1.16	SW	2	U	13,526	3	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	100	3.0	3.14	C	3.66	D
2910.0	Fountainwood	O'Connor	Judson	1.22	NW	2	U	3,806	2	30	21.0	0.0	0.0	0	3.5		N	C	6.0	0	100	4.0	1.90	B	2.16	B
2910.0	Fountainwood	O'Connor	Judson	1.22	SE	2	U	3,806	2	30	21.0	0.0	0.0	0	3.5		N	C	6.0	0	100	4.0	1.90	B	2.16	B
2911.0	Dreamwood	Nacogdoches	Wood Oak	0.58	NE	2	U	2,897	2	30	20.0	0.0	0.0	0	3.0		N	C	4.0	0	75	4.0	1.11	A	2.36	B
2911.0	Dreamwood	Nacogdoches	Wood Oak	0.58	SW	2	U	2,897	2	30	20.0	0.0	0.0	0	3.0		N	C	2.0	0	100	4.0	1.11	A	2.19	B
2912.0	Rhyse Grove	O'Connor	Ashbury Oaks	0.24	E	2	U	2,796	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	6.0	0	100	4.0	0.00	A	2.07	B
2912.0	Rhyse Grove	O'Connor	Ashbury Oaks	0.24	W	2	U	2,796	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	6.0	0	100	4.0	0.00	A	2.07	B
2913.0	Bell	Stahl	Uhr	0.93	NW	2	U	3,482	2	30	20.0	0.0	0.0	0	3.0		N	C	2.0	0	100	3.0	1.90	B	2.38	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2913.0	Bell	Stahl	Uhr	0.93	SE	2	U	3,482	2	30	20.0	0.0	0.0	0	3.0		N	C	2.0	0	50	3.0	1.90	B	2.76	C
2914.0	Ridge Country	Stoney Summit	Wetmore	0.89	NW	2	U	4,044	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	2.53	C	2.52	C
2914.0	Ridge Country	Stoney Summit	Wetmore	0.89	SE	2	U	4,044	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	100	3.0	2.53	C	2.52	C
2914.1	Stoney Summit	Rowe	Ridge Country	0.29	NE	2	U	894	2	30	22.0	6.0	0.0	0	4.0	3.5	N	C	0.0	0	100	3.0	0.00	A	2.07	B
2914.1	Stoney Summit	Rowe	Ridge Country	0.29	SW	2	U	894	2	30	22.0	6.0	0.0	0	4.0	3.5	N	C	0.0	0	100	3.0	0.00	A	2.07	B
2914.2	Rowe	Stoney Summit	Thousand Oaks	0.41	NE	2	U	894	2	30	20.0	5.5	0.0	0	3.5	3.5	N	C	2.0	0	100	4.0	0.00	A	1.95	B
2914.2	Rowe	Stoney Summit	Thousand Oaks	0.41	SW	2	U	894	2	30	20.0	5.5	0.0	0	3.5	3.5	N	C	2.0	0	100	4.0	0.00	A	1.95	B
2915.0	Rowe	Cadbury	Thousand Oaks	0.63	NE	2	U	4,303	2	30	20.0	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	100	3.0	1.44	A	2.56	C
2915.0	Rowe	Cadbury	Thousand Oaks	0.63	SW	2	U	4,303	2	30	20.0	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	100	3.0	1.44	A	2.56	C
2916.0	Corporate Woods	Gold Canyon	1604	0.77	N	2	D	1,402	2	35	21.0	6.0	0.0	0	3.5	3.5	N	C	2.0	0	100	4.0	0.29	A	2.11	B
2916.0	Corporate Woods	Gold Canyon	1604	0.77	S	2	D	1,402	2	35	21.0	6.0	0.0	0	3.5	3.5	N	C	2.0	0	100	4.0	0.29	A	2.11	B
2917.0	Heimer	Broken Oak	Brook Hollow	1.00	NE	2	U	3,533	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	4.0	0.44	A	2.32	B
2917.0	Heimer	Broken Oak	Brook Hollow	1.00	SW	2	U	3,533	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	0.0	0	100	4.0	0.44	A	2.32	B
2918.0	Silent Oaks	Andrea	Coral Springs	1.07	E	2	U	2,048	2	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	50	3.0	0.00	A	2.63	C
2918.0	Silent Oaks	Andrea	Coral Springs	1.07	W	2	U	2,048	2	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	50	3.0	0.00	A	2.63	C
2919.0	Spring Time	Babcock	Four Colonies	0.85	E	2	U	3,620	2	30	20.0	0.0	0.0	0	3.5		N	C	2.0	0	100	3.0	1.90	B	2.40	B
2919.0	Spring Time	Babcock	Four Colonies	0.85	W	2	U	3,620	2	30	20.0	0.0	0.0	0	3.5		N	C	2.0	0	100	3.0	1.90	B	2.40	B
2920.0	Foster Meadow	87	Sinclair	0.69	N	2	U	2,872	2	30	22.0	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	0	0.0	0.00	A	2.96	C
2920.0	Foster Meadow	87	Sinclair	0.69	S	2	U	2,872	2	30	22.0	5.0	0.0	0	3.0	3.0	Y	C	2.0	0	75	3.0	0.00	A	2.43	B
2921.0	Belgium	AT&T Center Pkwy	Dead End	0.90	E	2	U	1,000	2	30	17.0	4.0	0.0	0	4.0	4.0	N	C	2.0	0	75	4.0	0.00	A	2.31	B
2921.0	Belgium	AT&T Center Pkwy	Dead End	0.90	W	2	U	1,000	2	30	17.0	4.0	0.0	0	4.0	4.0	N	C	2.0	0	100	4.0	0.00	A	2.06	B
2922.0	Brooksdale	MLK	Bunche	0.43	N	4	S	532	2	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.72	C	3.62	D
2922.0	Brooksdale	MLK	Bunche	0.43	S	4	S	532	2	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.72	C	2.31	B
2923.0	Hiawatha	Kashmuir	Meadowlark	0.48	E	3	U	1,814	2	30	15.5	0.0	0.0	0	3.0		N	C	22.0	0	100	8.0	2.57	C	1.37	A
2923.0	Hiawatha	Kashmuir	Meadowlark	0.48	W	3	U	1,814	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	2.57	C	3.15	C
2923.1	Hiawatha	Meadowlark	Clark	0.41	E	2	U	1,008	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.20	A	2.19	B
2923.1	Hiawatha	Meadowlark	Clark	0.41	W	2	U	1,008	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.20	A	2.19	B
2923.2	Hiawatha	Clark	Gevers	0.51	E	2	U	1,008	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.20	A	2.51	C
2923.2	Hiawatha	Clark	Gevers	0.51	W	2	U	1,008	2	30	15.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	0.20	A	2.51	C
2924.0	Jasper Hollow	New sulphur Springs	Dead End	0.37	N	2	U	1,000	2	30	22.0	0.0	0.0	0	5.0		N	C	3.0	0	100	6.0	0.00	A	1.71	B
2924.0	Jasper Hollow	New sulphur Springs	Dead End	0.37	S	2	U	1,000	2	30	22.0	0.0	0.0	0	5.0		N	C	3.0	0	100	6.0	0.00	A	1.71	B
2925.0	Dollarhide	Southcross	Pecan Valley	0.81	N	2	U	3,894	2	30	19.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.51	C	2.38	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2925.0	Dollarhide	Southcross	Pecan Valley	0.81	S	2	U	3,894	2	30	19.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.51	C	2.38	B
2926.0	Emory Oak	Shumard Oak	Military	0.88	N	2	U	3,724	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	1.0	0	75	5.0	0.68	A	2.46	B
2926.0	Emory Oak	Shumard Oak	Military	0.88	S	2	U	3,724	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	1.0	0	100	5.0	0.68	A	2.22	B
2927.0	Fairlawn Dr.	Military	Shumard Oak	0.69	N	2	U	1,627	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	2.0	0	50	5.0	0.00	A	2.42	B
2927.0	Fairlawn Dr.	Military	Shumard Oak	0.69	S	2	U	1,627	2	30	20.0	5.0	0.0	0	4.5	4.5	Y	C	2.0	0	100	5.0	0.00	A	1.93	B
2928.0	Paso Hondo	Palmetto	Rio Grande	1.09	E	2	U	118	2	30	13.5	0.0	0.0	25	3.5		N	C	0.0	0	50	4.0	0.00	A	2.60	C
2928.0	Paso Hondo	Palmetto	Rio Grande	1.09	W	2	U	118	2	30	13.5	0.0	0.0	25	3.5		N	C	0.0	0	50	4.0	0.00	A	2.60	C
2929.0	Rio Grande	Paso Hondo	Hedges	0.47	N	2	U	1,100	2	30	20.0	4.0	0.0	0	4.0	4.0	Y	C	5.0	0	100	6.0	0.00	A	1.72	B
2929.0	Rio Grande	Paso Hondo	Hedges	0.47	S	2	U	1,100	2	30	20.0	4.0	0.0	0	4.0	4.0	Y	C	5.0	0	100	4.0	0.00	A	1.88	B
2929.1	Rio Grande	Hedges	MLK	0.10	N	2	U	1,100	2	30	15.0	0.0	0.0	0	5.0		N	C	4.5	0	100	4.0	0.01	A	2.04	B
2929.1	Rio Grande	Hedges	MLK	0.10	S	2	U	1,100	2	30	15.0	0.0	0.0	0	5.0		N	C	4.5	0	100	4.0	0.01	A	2.04	B
2930.0	Mittman	Paso Hondo	Wyoming	0.24	N	2	U	1,000	2	30	18.0	0.0	0.0	75	3.0		N	C	0.0	0	100	4.0	0.93	A	1.66	B
2930.0	Mittman	Paso Hondo	Wyoming	0.24	S	2	U	1,000	2	30	18.0	0.0	0.0	75	3.0		N	C	0.0	0	100	4.0	0.93	A	1.66	B
2931.0	Pine	Porter	Iowa	0.41	N	2	U	1,389	2	30	18.0	5.0	0.0	0	3.0	3.0	Y	C	4.0	0	100	4.0	0.00	A	2.00	B
2931.0	Pine	Porter	Iowa	0.41	N	2	U	1,389	2	30	18.0	5.0	0.0	0	3.0	3.0	Y	C	4.0	0	100	4.0	0.00	A	2.00	B
2932.0	Mesquite	Burnett	Montana	0.72	N	2	U	515	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	50	4.0	0.00	A	2.54	C
2932.0	Mesquite	Burnett	Montana	0.72	S	2	U	515	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	50	4.0	0.00	A	2.54	C
2933.0	Crochett	Mesquite	Chestnut	0.30	E	2	U	1,593	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	50	4.5	0.98	A	2.71	C
2933.0	Crochett	Mesquite	Chestnut	0.30	W	2	U	1,593	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	50	4.5	0.98	A	2.71	C
2934.0	Flores	Gramercy	Ashby Place	0.79	N	2	U	1,409	2	30	16.0	0.0	0.0	0	4.0		N	C	2.0	0	75	4.0	0.19	A	2.40	B
2934.0	Flores	Gramercy	Ashby Place	0.79	S	2	U	1,409	2	30	16.0	0.0	0.0	0	4.0		N	C	2.0	0	75	4.0	0.19	A	2.40	B
2935.0	Mistletoe	Flores	McCullaugh	0.66	E	2	U	1,366	2	30	23.5	0.0	0.0	50	3.5		N	C	8.0	50	100	4.0	0.00	A	1.26	A
2935.0	Mistletoe	Flores	McCullaugh	0.66	W	2	U	1,366	2	30	23.5	0.0	0.0	50	3.5		N	C	8.0	50	100	4.0	0.00	A	1.26	A
2936.0	Mistletoe	McCullaugh	St Mary's (N)	0.47	E	2	U	1,938	2	30	22.0	0.0	0.0	0	2.5		N	C	8.0	0	50	4.0	0.00	A	2.34	B
2936.0	Mistletoe	McCullaugh	St Mary's (N)	0.47	W	2	U	1,938	2	30	22.0	0.0	0.0	0	2.5		N	C	8.0	0	50	4.0	0.00	A	2.34	B
2937.0	Beacon	Audubon	stream	1.15	N	2	U	600	2	30	14.5	0.0	0.0	0	3.0		N	C	1.0	0	75	4.0	0.00	A	2.39	B
2937.0	Beacon	Audubon	stream	1.15	S	2	U	600	2	30	14.5	0.0	0.0	0	3.0		N	C	1.0	0	50	4.0	0.00	A	2.66	C
2938.0	Oran	Wildwood	McCullaugh	0.18	NW	2	U	1,000	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	100	4.0	0.18	A	2.00	B
2938.0	Oran	Wildwood	McCullaugh	0.18	SE	2	U	1,000	2	30	15.0	0.0	0.0	0	3.5		N	C	6.0	0	100	4.0	0.18	A	2.00	B
2939.0	Dickinson	Sunshine	Donaldson	0.63	N	2	U	1,639	2	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	0	0.0	0.00	A	3.06	C
2939.0	Dickinson	Sunshine	Donaldson	0.63	S	2	U	1,639	2	30	18.0	5.0	0.0	0	3.5	3.5	Y	C	0.0	0	0	0.0	0.00	A	3.06	C
2940.0	Manor	Donaldson	Mulberry	0.40	N	2	U	1,847	2	30	17.5	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	0	0.0	0.00	A	3.11	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2940.0	Manor	Donaldson	Mulberry	0.40	S	2	U	1,847	2	30	17.5	5.0	0.0	0	3.0	3.0	Y	C	0.0	0	0	0.0	0.00	A	3.11	C
2941.0	Rivas	Rosabell	General McMullen	0.85	E	2	U	2,546	2	30	15.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	2.42	B	2.96	C
2941.0	Rivas	Rosabell	General McMullen	0.85	W	2	U	2,546	2	30	15.5	0.0	0.0	0	2.5		N	S	6.0	0	25	2.5	2.42	B	3.10	C
2942.0	Calaveras	Cincinnati	Reviz	0.91	N	2	U	1,565	2	30	16.0	0.0	0.0	0	3.0		N	C/S	0.0	0	0	0.0	0.75	A	2.61	C
2942.0	Calaveras	Cincinnati	Reviz	0.91	S	2	U	1,565	2	30	16.0	0.0	0.0	0	3.0		N	C/S	0.0	0	0	0.0	0.75	A	2.61	C
2943.0	Hamilton	Commerce	El Paso	0.51	N	2	U	532	2	30	21.0	0.0	0.0	0	2.5		N	C	0.0	0	75	4.0	0.00	A	2.14	B
2943.0	Hamilton	Commerce	El Paso	0.51	S	2	U	532	2	30	21.0	0.0	0.0	0	2.5		N	C	0.0	0	75	4.0	0.00	A	2.14	B
2944.0	Reed	Military	Culebra	1.12	E	2	U	7,321	2	30	13.5	3.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	3.29	C	4.09	D
2944.0	Reed	Military	Culebra	1.12	W	2	U	7,321	2	30	13.5	3.0	0.0	0	3.5	3.5	N	S	0.0	0	0	0.0	3.29	C	4.09	D
2945.0	Richland Hills	Potranco	Ingram	0.25	NW	4	D/U	8,489	3	40	12.0	0.0	0.0	0	4.5		N	C	1.0	0	100	5.0	3.85	D	2.81	C
2945.0	Richland Hills	Potranco	Ingram	0.25	SE	4	D/U	8,489	3	40	12.0	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	3.85	D	4.15	D
2945.1	Richland Hills	Ingram	410	1.02	NW	2	U	3,715	3	40	24.0	0.0	0.0	0	4.0		N	C	0.0	0	25	6.0	1.30	A	3.01	C
2945.1	Richland Hills	Ingram	410	1.02	SE	2	U	3,715	3	40	24.0	0.0	0.0	0	4.0		N	C	0.0	0	25	6.0	1.30	A	3.01	C
2946.0	Meadow Way	Timbercreek	Marbach	0.67	N	2	U	5,306	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.29	B	2.51	C
2946.0	Meadow Way	Timbercreek	Marbach	0.67	S	2	U	5,306	2	30	21.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.29	B	2.51	C
2947.0	Timbercreek	410	Military	1.37	E	2	U	3,756	2	30	21.0	0.0	0.0	0	3.5		N	C	4.0	0	75	4.0	1.82	B	2.43	B
2947.0	Timbercreek	410	Military	1.37	W	2	U	3,756	2	30	21.0	0.0	0.0	0	3.5		N	C	4.0	0	75	4.0	1.82	B	2.43	B
2948.0	Marbech Oaks	Marbach	Marbach Bend	0.82	N	2	S	259	3	40	15.5	4.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.0	1.19	A	2.16	B
2948.0	Marbech Oaks	Marbach	Marbach Bend	0.82	S	2	S	259	3	40	15.5	4.5	0.0	0	4.0	4.0	Y	C	0.0	0	100	6.0	1.19	A	2.16	B
2949.0	Spurs Ranch	1604	Cagnon	0.53	NE	2	U	1,394	2	30	22.0	0.0	0.0	0	4.5		N	C	1.0	0	100	5.0	0.00	A	1.88	B
2949.0	Spurs Ranch	1604	Cagnon	0.53	SW	2	U	1,394	2	30	22.0	0.0	0.0	0	4.5		N	C	1.0	0	100	5.0	0.00	A	1.88	B
2950.0	Spurs Ranch	Cagnon	90	0.97	NE	2	U	1,498	2	30	22.0	6.0	0.0	0	4.5	4.5	Y	C	2.0	0	100	4.0	0.00	A	1.96	B
2950.0	Spurs Ranch	Cagnon	90	0.97	SW	2	U	1,498	2	30	22.0	6.0	0.0	0	4.5	4.5	Y	C	2.0	0	100	4.0	0.00	A	1.96	B
2951.0	Knights Cross	Crescent Oaks	Promontory	0.55	E	2	U	4,621	2	30	18.0	4.0	0.0	0	4.5	4.5	N	C	2.0	0	100	4.0	1.75	B	2.46	B
2951.0	Knights Cross	Crescent Oaks	Promontory	0.55	W	2	U	4,621	2	30	18.0	4.0	0.0	0	4.5	4.5	N	C	2.0	0	100	4.0	1.75	B	2.46	B
2951.1	Knights Cross	Crescent Oaks	Stone Oak	0.21	E	4	U	4,621	2	30	11.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.73	C	2.49	B
2951.1	Knights Cross	Crescent Oaks	Stone Oak	0.21	W	4	U	4,621	2	30	11.5	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	2.73	C	2.49	B
2951.2	Knights Cross	Stone Oak	Pedregoso	0.74	E	2	U	4,621	2	30	22.0	6.0	0.0	0	3.5	3.5	N	C	2.0	0	100	4.0	0.50	A	2.33	B
2951.2	Knights Cross	Stone Oak	Pedregoso	0.74	W	2	U	4,621	2	30	22.0	6.0	0.0	0	3.5	3.5	N	C	2.0	0	100	4.0	0.50	A	2.33	B
2951.3	Knights Cross	Pedregoso	Evans	0.48	E	2	U	4,621	2	30	22.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	1.85	B	2.33	B
2951.3	Knights Cross	Pedregoso	Evans	0.48	W	2	U	4,621	2	30	22.0	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	1.85	B	2.33	B
2952.0	Summer Knoll	Knights Cross	Huebner	0.52	N	2	U	4,415	2	30	20.0	5.0	0.0	0	4.0	4.0	N	C	0.0	0	100	3.0	1.12	A	2.56	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
						2952.0	Summer Knoll				Knights Cross	Huebner	0.52		S	2							U	4,415	2	30
2953.0	Las Lomas	Stone Oak	Knights Cross	0.59	NW	2	U	1,802	2	30	22.5	7.5	0.0	0	4.0	4.0	N	C	1.0	0	100	4.0	0.00	A	2.02	B
2953.0	Las Lomas	Stone Oak	Knights Cross	0.59	SE	2	U	1,802	2	30	22.5	7.5	0.0	0	4.0	4.0	N	C	1.0	0	100	4.0	0.00	A	2.02	B
2954.0	Alamo	Durango	Presa	0.17	NE	2	S	8,925	2	30	16.5	5.0	0.0	75	4.0	4.0	Y	C	8.0	0	100	5.0	2.29	B	2.40	B
2954.0	Alamo	Durango	Presa	0.17	SW	2	S	8,925	2	30	16.5	5.0	0.0	75	4.0	4.0	Y	C	3.0	0	100	5.0	2.29	B	2.51	C
2955.0	Dwyer	Durango	Commerce	0.44	N	2	OW	23,344	4	30	25.0	0.0	0.0	75	3.5		N	C	2.0	0	100	15.0	4.02	D	3.39	C
2956.0	Soledad	Commerce	Martin	0.30	N	3	OW	10,432	3	30	10.0	0.0	0.0	0	3.0		N	C	0.0	0	100	15.0	4.42	D	2.22	B
2956.1	Soledad	Martin	Navarro	0.26	N	4	OW	7,148	2	30	10.0	0.0	0.0	0	4.0		N	C	0.0	0	100	11.0	3.58	D	2.17	B
2957.0	Main	Alamo	Durango	0.66	N	2	U	3,274	2	30	22.0	0.0	0.0	25	3.5		N	C	2.0	0	100	4.0	1.48	A	2.04	B
2957.0	Main	Alamo	Durango	0.66	S	2	U	3,274	2	30	22.0	0.0	0.0	0	3.5		N	C	2.0	0	100	4.0	0.86	A	2.17	B
2958.0	US 281 Access (North Bound)	Cesa Blanca (Pearl Pkw)	Josephine	0.29	N	1	OW	6,727	2	30	14.0	0.0	0.0	0	4.5		N	C/S	5.0	0	100	6.0	3.67	D	3.17	C
2959.0	Mission/Grove	Mission	Roosevelt	0.16	NE	2	U	5,944	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	3.70	D	2.65	C
2959.0	Mission/Grove	Mission	Roosevelt	0.16	SW	2	U	5,944	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	100	6.0	3.70	D	2.65	C
2960.0	Mertz	Rector	Oblate	0.91	N	2	U	684	2	30	15.5	0.0	0.0	0	3.0		N	C	4.0	0	25	4.0	0.00	A	2.84	C
2960.0	Mertz	Rector	Oblate	0.91	S	2	U	684	2	30	15.5	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	0.00	A	2.39	B
2960.1	Basin	Oblate	McCullough	0.79	N	2	U	684	2	30	15.0	0.0	0.0	0	3.0		N	C	10.0	0	25	4.0	0.00	A	2.83	C
2960.1	Basin	Oblate	McCullough	0.79	S	2	U	684	2	30	15.0	0.0	0.0	0	3.0		N	C	10.0	0	25	4.0	0.00	A	2.83	C
2970.0	Rector	Hwy 281	Republic	0.32	E	2	U	3,809	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	75	6.0	2.29	B	2.43	B
2970.0	Rector	Hwy 281	Republic	0.32	W	2	U	3,809	2	30	20.0	0.0	0.0	0	3.0		N	C	0.0	0	75	6.0	2.29	B	2.43	B
2970.1	Rector	Republic	McCullough	0.46	E	2	U	2,034	2	30	15.0	0.0	0.0	0	2.5		N	C	5.0	0	100	4.0	2.04	B	2.15	B
2970.1	Rector	Republic	McCullough	0.46	W	2	U	2,034	2	30	15.0	0.0	0.0	0	2.5		N	C	4.0	0	100	4.0	2.04	B	2.18	B
2970.2	Rector	McCullough	San Pedro	0.45	E	4	U	12,530	3	30	10.5	0.0	0.0	0	3.5		N	C	8.5	0	100	6.0	4.20	D	2.51	C
2970.2	Rector	McCullough	San Pedro	0.45	W	4	U	12,530	3	30	10.5	0.0	0.0	0	3.5		N	C	8.5	0	100	6.0	4.20	D	2.51	C
2970.3	Rector	San Pedro	Blanco	0.46	E	2	U	3,260	2	30	10.5	0.0	0.0	0	5.0		N	C	0.0	0	25	4.5	3.16	C	3.58	D
2970.3	Rector	San Pedro	Blanco	0.46	W	2	U	3,260	2	30	10.5	0.0	0.0	0	5.0		N	C	0.0	0	25	4.5	3.16	C	3.58	D
2971.0	UTEX	UTSA Blvd	IH 10	0.47	E	2	U	933	2	35	18.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	0.00	A	2.40	B
2971.0	UTEX	UTSA Blvd	IH 10	0.47	W	2	U	933	2	35	18.0	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	0.00	A	2.40	B
2972.0	Adams Hill	Ellison	Hunt	0.90	E	2	U	2,429	2	30	22.0	0.0	0.0	0	3.5		N	C	0.0	0	100	4.0	0.00	A	2.13	B
2972.0	Adams Hill	Ellison	Hunt	0.90	W	2	U	2,429	2	30	22.0	0.0	0.0	0	3.5		N	C	4.0	0	100	4.0	0.00	A	2.02	B
2973.0	Old Blanco Road	Blanco	Blanco	0.85	NW	2	U	2,121	2	35	13.5	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	1.94	B	3.12	C
2973.0	Old Blanco Road	Blanco	Blanco	0.85	SE	2	U	2,121	2	35	13.5	0.0	0.0	0	4.5		N	C	0.0	0	0	0.0	1.94	B	3.12	C
2974.0	Promontory Circle	Wilderness Oak	Wilderness Oak	0.39	E	2	U	1,352	2	30	19.5	5.5	0.0	0	4.0	4.0	N	C	4.0	0	100	4.0	0.00	A	1.97	B



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) (mph)	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcg. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2974.0	Promontory Circle	Wilderness Oak	Wilderness Oak	0.39	W	2	U	1,352	2	30	19.5	5.5	0.0	0	4.0	4.0	N	C	4.0	0	100	4.0	0.00	A	1.97	B
2975.0	Wilderness Oak	Bulverde Road	Bulverde Green	1.23	E	4	D	1,214	3	40	12.5	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	2.90	C	2.44	B
2975.0	Wilderness Oak	Bulverde Road	Bulverde Green	1.23	W	4	D	1,214	3	40	12.5	0.0	0.0	0	4.0		N	C	2.0	0	100	4.0	2.90	C	2.44	B
2976.0	Timberline	Borgfeld	Misty Water	0.93	N	2	U	3,067	2	30	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.93	C	3.37	C
2976.0	Timberline	Borgfeld	Misty Water	0.93	S	2	U	3,067	2	30	13.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	2.93	C	3.37	C
2976.1	Timberline	Misty Water	Deer Cross	0.85	N	2	U	3,067	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	2.93	C	3.37	C
2976.1	Timberline	Misty Water	Deer Cross	0.85	S	2	U	3,067	2	30	13.0	0.0	0.0	0	3.5		N	C	0.0	0	0	0.0	2.93	C	3.37	C
2977.0	Broken Oak	Thousand Oaks	Heimer	0.31	NW	2	U	7,428	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	75	3.0	3.85	D	3.38	C
2977.0	Broken Oak	Thousand Oaks	Heimer	0.31	SE	2	U	7,428	2	30	14.0	0.0	0.0	0	3.0		N	C	0.0	0	75	3.0	3.85	D	3.38	C
2978.0	Carlton Oak	Jones Maltsberger	Morning Dove	0.35	NW	2	U	5,306	2	30	20.0	5.0	0.0	0	3.5		N	C	2.0	0	100	4.0	1.37	A	2.48	B
2978.0	Carlton Oak	Jones Maltsberger	Morning Dove	0.35	SE	2	U	5,306	2	30	20.0	5.0	0.0	0	3.5		N	C	2.0	0	100	4.0	1.37	A	2.48	B
2978.1	Morning Dove	Carlton Oak	Brook Hollow	0.05	NE	2	U	5,306	2	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	100	3.5	2.49	B	2.60	C
2978.1	Morning Dove	Carlton Oak	Brook Hollow	0.05	SW	2	U	5,306	2	30	20.0	0.0	0.0	0	3.5		N	C	0.0	0	100	3.5	2.49	B	2.60	C
2979.0	Louis Pasteur	Babcock	Fredericksburg	1.02	NE	4	U	18,094	3	35	11.0	0.0	0.0	0	4.5		N	C	0.0	0	100	4.0	4.23	D	3.43	C
2979.0	Louis Pasteur	Babcock	Fredericksburg	1.02	SW	4	U	18,094	3	35	11.0	0.0	0.0	0	4.5		N	C	0.0	0	50	4.0	4.23	D	4.05	D
2980.0	Coral Springs	Mainland	Heath Circle	0.44	NW	2	U	6,281	2	30	20.0	6.0	0.0	0	5.0	5.0	N	C	2.0	0	100	4.0	0.89	A	2.60	C
2980.0	Coral Springs	Mainland	Heath Circle	0.44	SE	2	U	6,281	2	30	20.0	6.0	0.0	0	5.0	5.0	N	C	0.0	0	100	4.5	0.89	A	2.61	C
2981.0	Heath Circle	Coral Springs	Patty	0.21	NW	2	U	4,776	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	100	5.0	3.49	C	2.54	C
2981.0	Heath Circle	Coral Springs	Patty	0.21	SE	2	U	4,776	2	30	15.0	0.0	0.0	0	3.0		N	C	0.0	0	0	0.0	3.49	C	3.65	D
2981.1	Heath Circle	Patty	Heath Road	0.53	NW	2	U	7,852	2	30	15.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.41	C	4.02	D
2981.1	Heath Circle	Patty	Heath Road	0.53	SE	2	U	7,852	2	30	15.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	3.41	C	4.02	D
2982.0	Heath Road	Heath Circle	Grissom	0.97	NW	2	U	8,997	3	40	15.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.07	D	4.43	D
2982.0	Heath Road	Heath Circle	Grissom	0.97	SE	2	U	8,997	3	40	15.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	4.07	D	4.43	D
2983.0	Low Bid/Clyde Dent	Coral Springs	Heath Road	1.26	NW	2	U	1,062	2	30	14.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.68	A	2.57	C
2983.0	Low Bid/Clyde Dent	Coral Springs	Heath Road	1.26	SE	2	U	1,062	2	30	14.5	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.68	A	2.57	C
2984.0	Benton City Road	Briggs	FM 2790	0.86	NE	2	U	656	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.16	A	2.83	C
2984.0	Benton City Road	Briggs	FM 2791	0.86	SW	2	U	656	2	35	12.0	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	1.16	A	2.83	C
2985.0	Glen Fair	New World	Glen Mont	0.60	E	2	U	829	2	30	15.0	0.0	0.0	0	3.5		N	C	5.5	0	75	3.0	0.00	A	2.38	B
2985.0	Glen Fair	New World	Glen Mont	0.60	W	2	U	829	2	30	15.0	0.0	0.0	0	3.5		N	C	5.5	0	75	3.0	0.00	A	2.38	B
2985.1	Glen Fair/Miller Road	Glen Mont	Gibbs-Sprawl (FM 197	0.99	NW	2	U	701	2	35	14.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.07	A	2.59	C
2985.1	Glen Fair/Miller Road	Glen Mont	Gibbs-Sprawl (FM 197	0.99	SE	2	U	701	2	35	14.5	0.0	0.0	0	3.5		N	S	0.0	0	0	0.0	0.07	A	2.59	C
2986.0	Southside Lions Park Road	Hiawatha	Pecan Valley	0.40	E	2	U	1,080	2	30	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.47	A	2.53	C



San Antonio-Bexar County MPO Bicycle and Pedestrian Data Collection Project: Dataset and Level of Service Results



Seg_Id	Road Name	From	To	Length (Ls) (mi)	Dir. of Sur.	Lanes (L)		ADT	Tks. (HV) (%)	Post. Spd. (SP _p) mph	Width of Pavement			Occ. Park. (OSPA) (%)	Pavecon		Bike Lane Mark (Y/N)	Cross Sec. (C/S)	Buff. Width (BW) (ft)	Tree Spcng. in Buffer (ft/ctr)	% with Sidewalk	Swalk Width (Ws) (ft)	Bicycle LOS		Pedestrian LOS	
						Th #	Con				W _t (ft)	W _l (ft)	W _{ps} (ft)		PC ₁ (1..5)	PC ₁ (1..5)							Score (1..7)	Grade (A..F)	Value (1..7)	Grade (A..F)
2986.0	Southside Lions Park Road	Hiawatha	Pecan Valley	0.40	W	2	U	1,080	2	30	15.0	0.0	0.0	0	3.0		N	S	0.0	0	0	0.0	0.47	A	2.53	C
2987.0	Stringfellow	Kashmuir	Southcross	0.34	N	2	U	1,621	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	25	4.0	1.91	B	3.18	C
2987.0	Stringfellow	Kashmuir	Southcross	0.34	S	2	U	1,621	2	30	13.0	0.0	0.0	0	3.0		N	C	0.0	0	25	4.0	1.91	B	3.18	C
2988.0	NW 29th St	Poplar	Culebra	0.32	N	2	U	616	2	30	13.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	0.83	A	2.54	C
2988.0	NW 29th St	Poplar	Culebra	0.32	S	2	U	616	2	30	13.5	0.0	0.0	0	2.5		N	S	0.0	0	0	0.0	0.83	A	2.54	C
2989.0	NW 34th St	Culebra	Villa Rosa	0.70	N	2	U	2,748	2	30	14.5	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	2.04	B	2.30	B
2989.0	NW 34th St	Culebra	Villa Rosa	0.70	S	2	U	2,748	2	30	14.5	0.0	0.0	0	5.0		N	C	0.0	0	100	5.0	2.04	B	2.30	B
2989.1	NW 34th St	Villa Rosa	Commerce	0.48	N	2	U	2,748	2	30	13.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.76	C	2.45	B
2989.1	NW 34th St	Villa Rosa	Commerce	0.48	S	2	U	2,748	2	30	13.5	0.0	0.0	0	3.0		N	C	0.0	0	100	4.0	2.76	C	2.45	B
2990.0	Gardner	Burshard	New Sulphur Springs	1.41	N	2	U	2,034	4	40	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.65	C	3.29	C
2990.0	Gardner	Burshard	New Sulphur Springs	1.41	S	2	U	2,034	4	40	13.0	0.0	0.0	0	4.0		N	S	0.0	0	0	0.0	2.65	C	3.29	C